BRITISH RAILWAYS DIAGRAMS OF PRIVATE OWNERS STOCK (P) PART 2

© COPYRIGHT NOTICE

This PDF file has been created from the original book with permission of BRB Residuary Ltd who, retain copyright in the original document.

This PDF version is by David Faulkner, 2010.


Individuals may: use, retain and print out this PDF version for their private information or for that of their non-commercial enthusiast society or railway club.

This document and any copies produced from it in any form may not be sold or lent for any payment in any form other than to cover copying or transmission costs. No reproduction permitted in any other form or circumstance without prior permission from the original copyright holder

TROO2A

EXCESS LENGTH	Н	M	L	E
tonnes	22	22	8	8
VB				
AB				
RA	I	1	I	1
MAX. SPEED	45	45	45	45

	TOPS CODE										
с	AR	KN	D	4	AARKND				PERA NFL	TING No.	
TRØ				Т	R	Ø	A		7	8	8




8 850 kg	BUFFERS-	SPINDLE 330 DIA. HEADS	BUILDER –	HURST NELSON
[Y -]4 000 kg	COUPLINGS-	INSTANTER	OWNER	M.O.D.A.
· ·	MIN. CURVE -	21m	REGISTERED BY-	C.M.&E.E. (B.R.B.) DERBY
45 mile/h	GEN. ARRGT. DRG. No. –		YEAR BUILT-	1941
		HAND LEVER	REGISTRATION Nos	-40273- 40282
			OWNERS Nos	14
		TY - 14000 kg COUPLINGS - MIN. CURVE - GEN. ARRGT. DRG. I 952 DIA. BRAKE -	TY - 14000 kg COUPLINGS - INSTANTER MIN. CURVE - 21 m 45 mile/h. GEN. ARRGT. DRG. No 952 DIA. BRAKE -	COUPLINGS – INSTANTER OWNER – MIN. CURVE – 21 m REGISTERED BY – 45 mile/h. GEN. ARRGT. DRG. No. – YEAR BUILT – 952 DIA. BRAKE – HAND LEVER OWNERS. Nos –

TROO3A

EXCESS LENGTH	Н	M	L	E
tonnes	22	22	8	8
−−−VB				
AB		ļ		
RA	1	1	1	ľ
MAX. SPEED	45	45	45	45

TOPS CODE										
CAF	RKN	D	4	AARKND				PERA NEL	TING No	
T	R	ø	Т	R	ø	A		7	8	8




TARE-	8 500 kg.	BUFFERS-	SPINDLE 330 DIA. HEADS.	BUILDER-	CHARLES ROBERTS.	
CARRYING CAPA	CITY-14000 kg.	COUPLINGS-	INSTANTER.	OWNER -	M. O. D. A.	
CAPACITY-		MIN. CURVE -	21 m.	REGISTERED BY -	C. M. & E. E. (B. R. B.) DERBY.	
MAX. SPEED –	45 mile/h	GEN. ARRGT. DRG. No. –		YEAR BUILT-	1940	
WHEELS-	952 DIA.	BRAKE-	HANDLEVER	REGISTRATION Nos	-40270: 40279	
JOURNALS-	228 x 114 PLAIN BEARINGS.	SUSPENSION -	SHOE	OWNERS Nos	7	

TROO3B

EXCESS LENGTH	Н	M	Ŀ	E
tonnes	22	22	8	8
∨ ₿	_			
				
RA	1	1	1	1
MAX. SPEED	45	45	45	45

ĺ	TOPS CODE											
	CA	R	KN	D	4	AARKND				PERA	TING No	
Ŀ	٦	2	R	Ø	T	R	Ø	A		7	8	8



TARE-	8 450 kg	BUFFERS-	SPINDLE 330 DIA. HEADS	BUILDER	CHARLES ROBERTS	
CARRYING CAPAC	ITY- 14000 kg	COUPLINGS-	INSTANTER	OWNER –	M.O.D.A.	
CAPACITY-	· · · · · · · · · · · · · · · · · · ·	MIN. CURVE –	21m	REGISTERED BY -	C.M. & E.E. (B.R.B.) DERBY	
MAX. SPEED -	45 mile/h	GEN. ARRGT. DRG. N	No	YEAR BUILT-	1941	
		BRAKE-	HAND LEVER	REGISTRATION Nos 40271-40220		
WHEELS-	952 DIA.	BRAKE -		OWNERS Nos	12	
JOURNALS-	228 x 114 PLAIN BEARINGS	SUSPENSION-	SHOE		12	


Original © BRB Residuary Ltd

EX. PO. DIAGRAM 6/29 (ALLOCATED)

TR003C

EXCESS LENGTH	Н	M	L	E
tonnes	22	22	228	8
VB	-			
AB				
RA	1	1	1	1
MAX. SPEED	45	45	45	45

	TOPS CODE										
С	AR	KN	D	£	AARKND			OPERATING PANEL No.			
	Т	R	ø	T	R	ø	Α	7 8 8			




TARE-	8400 kg	BUFFERS-	SPINDLE 330 DIA. HEADS.	BUILDER -	CHARLES ROBERTS.
CARRYING CAPAC	CITY — 14000 kg.	COUPLINGS-	INSTANTER.	OWNER	M.O. D.A.
CAPACITY-		MIN. CURVE-	21m.	REGISTERED BY-	C. M.& E. E. (BR.B.) DERBY.
MAX. SPEED -	45 mile/h.	GEN. ARRGT. DRG. No		YEAR BUILT-	1942.
WHEELS -	952 DIA.	BRAKE -	HANDLEVER.	REGISTRATION Nos	40272-40221
JOURNALS-	228×114 PLAIN BEARINGS.	SUSPENSION-	SHOE.	OWNERS Nos	13

TROO4A

EXCESS LENGTH	Н	M	L	E
tonnes	22	22	8	8
VB				
AB		ļ		
RA	1	1	1	1
MAX. SPEED	45	45	45	45

ĺ				7	OP	S	co	DE			
	с	AR	KNI	C	A	AARKND			PERA	TING No	
		Т	R	Ø	Т	R	Ø	A	7	8	8




TARE	8 300kg	BUFFERS-	SPINDLE 330 DIA. HEADS	BUILDER-	CAMBRIAN WAGON
CARRYING CAPAC	ITY - 14 000kg	COUPLINGS-	INSTANTER	OWNER -	M.O.D.A.
CAPACITY		MIN. CURVE –	21m	REGISTERED BY-	C.M.& E.E. (BR.B.) DERBY
MAX. SPEED -	AX. SPEED – 45 mile/h	GEN. ARRGT. DRG. N	lo.—	YEAR BUILT-	1941
WHEELS-	952 DIA	BRAKE-	HANDLEVER	REGISTRATION Nos	-40290 40291
JOURNALS-	228 x 114 PLAIN BEARINGS	SUSPENSION-	SHOE	OWNERS Nos	4

EX. P.O. DIAGRAM 6/65 (ALLOCATED)

TROO4B

EXCESS LENGTH	Н	M	L	E
tonnes	22	22	8	8
VB				
AB				
RA	1	1	1	I
MAX. SPEED	45	45	45	45

			T	OP	S	CO	DE	 		
c	CAR	KN	D	4	٨AF	KN	D	 PERA NEL	TING No.	i
	T	R	Ø	Т	R	Ø	A	7	8	8




TARE-	8 3 50 kg	BUFFERS-	SPINDLE 330 DIA HEADS	BUILDER	G.R. TURNER	
CARRYING CAPAC	TY-14 000 kg	COUPLINGS-	INSTANTER	OWNER -	M.O.D.A.	
CAPACITY		MIN. CURVE-	21 m	REGISTERED BY-	C.M & E.E. (B.R.B.) DERBY	
MAX. SPEED –	45mile/h	GEN. ARRGT. DRG. 1	GEN. ARRGT. DRG. No		1944	
	4311116/11		HAND LEVER.	REGISTRATION Nos 40274- 40283		
WHEELS-	952 DIA.	BRAKE –	HAND LEVER.	- OWNERS Nos	15	
JOURNALS-	228 x 114 PLAIN BEARINGS	SUSPENSION -	SHOE.			

TROO4C

EXCESS LENGTH	Н	M	L	E
tonnes	22	22	8	8
				1
AB	_			
RA	1	1	I	İ
MAX. SPEED	45	45	45	45

	TOPS CODE	
CARKND	AARKND	OPERATING PANEL No
TRØ	TRØA	7 8 8




TARE-	8450 kg	BUFFERS-	SPINDLE 330 DIA HEADS	BUILDER	HURST NELSON
CARRYING CAPAC	ITY 14000kg	COUPLINGS-	INSTANTER	OWNER -	M.O.D.A.
CAPACITY		MIN. CURVE –	21m	REGISTERED BY-	C.M.& E.E. (B.R.B.) DERBY
MAX. SPEED	1AX. SPEED 45mile/h	GEN. ARRGT. DRG.	No	YEAR BUILT-	1941
WHEELS-	952 DIA	BRAKE-	HAND LEVER	REGISTRATION Nos	- 40276 A0285
JOURNALS-	228 x 114 PLAIN BEARINGS	SUSPENSION-	SHOE	OWNERS Nos. –	17

Original © BRB Residuary Ltd


This PDF copy by J.D. Faulkner, 2010 (visit http://www.barrowmoremrg.co.uk)

EX. P.O. DIAGRAM 6/59 (ALLOCATED)

TROO4D



			٦	OP	S	CO	DE				
с	AR	KNI	D	⊿	AARKND			OPERATING PANEL No			
	T	R	Ø	Т	R	Ø	A		7	8	1




TARE-	9300 kg	BUFFERS-	SPINDLE 330 DIA. HEADS	BUILDER-	G.R. TURNER
CARRYING CAPAC	ITY -14000 kg.	COUPLINGS-	INSTANTER	OWNER	MINISTRY OF DEFENCE (ARM POOL)
CAPACITY	· · · ·	MIN. CURVE -	21 m	REGISTERED BY -	C.M.& E.E. (B.R.B.) DERBY
MAX. SPEED	45 mile/h	GEN. ARRGT. DRG. N	lo. —	YEAR BUILT-	- 1970 1940
WHEELS-	952 DIA.	BRAKE _	HAND LEVER	REGISTRATION Nos	- 4027 40279, 40283-40287, 40294.
JOURNALS-	228 x II4 PLAIN BEARINGS	SUSPENSION-	SHOE	OWNERS Nos	18,19,20,25,27, 28, 35, 37, 412.

EX. P.O. DIAGRAM 6/69 (ALLOCATED.)

TROO4E

EXCESS LENGTH	Н	M	L	E
tonnes	23	23	.9	9
<u> </u>				
AB				
RA	1	1	1	1.
MAX.	45	45	45	45

			T	OF	S	coi	DE			
CARKND AARKND				PERA INEL	TING No					
	Т	R	Ø	Т	R	Ø	Α	7	8	1




TARE-	9 300 kg	BUFFERS-	SPINDLE 330 DIA. HEADS	BUILDER –	HURST NELSON
CARRYING CAPAC	XTY-14000 kg	COUPLINGS-	INSTANTER	OWNER	M.O.D.A.
CAPACITY-		MIN. CURVE -	2im	REGISTERED BY-	C.M.&E.E. (B.R.B.) DERBY
MAX. SPEED	45 mile/h	GEN. ARRGT. DRG. N	ło. —	YEAR BUILT	1940 6
		BRAKE-	HANDLEVER	REGISTRATION Nos	- 40291
WHEELS-	952 DIA.			OWNERS Nos	94
JOURNALS-	228 × 114 PLAIN BEARINGS	SUSPENSION -	SHOE		24

EX. PO. DIAGRAM 6/68 (ALLOCATED)

TROO4F

EXCESS LENGTH	Н	Μ	L	E
tonnes	22	22	8	8
VB				
AB				
RA	I	1	1	1
MAX.	45	45	45	45

			٦	OP	S	COI	DE			
С	CARKND AARKND				 NEL	TING No				
	Т	R	Ø	T	R	Ø	Α	 7	8	8




TARE-	8350kg	BUFFERS-	SPINDLE 330 DIA. HEADS	BUILDER –	CHARLES ROBERTS
CARRYING CAPAC	CITY-14000kg	COUPLINGS-	INSTANTER	OWNER –	M.O.D.A.
CAPACITY-		MIN. CURVE	21 m	REGISTERED BY-	C.M.& E.E. (B.R.B.) DERBY
MAX. SPEED -	45mile/h	GEN. ARRGT. DRG. N	10. –	YEAR BUILT-	1940
				REGISTRATION Nos	- 40296
WHEELS -	952 DIA	BRAKE-	HAND LEVER.		
JOURNALS-	228 x 114 PLAIN BEARINGS	SUSPENSION-	SHOE		440

TROO5A

EXCESS LENGTH	Н	M	L	E
tonnes	22	22	8	8
∨ B				
RA	1	1	1	1
MAX. SPEED	45	45	45	45

ĺ				٢	OF	'S	со	DE				
	С	AR	KN	D	4	٨F	RKN	D	OPERATING PANEL No			
		Т	R	ø	T	R	ø	A		7	8	8




TARE-	8 300kg.	BUFFERS-	SPINDLE 330 DIA. HEADS.	BUILDER –	CHARLES ROBERTS.	
CARRYING CAPAC	CITY-14000kg.	COUPLINGS-	INSTANTER.	OWNER	M.O.D.A.	
CAPACITY-		MIN. CURVE -	21m.	REGISTERED BY-	C. M.& E. E. (B.R.B.) DERBY.	
MAX. SPEED -	45mile/h.	GEN. ARRGT. DRG. I	No. —	YEAR BUILT-	1942.	
WHEELS-	952 DIA.	BRAKE-	HAND LEVER.	REGISTRATION Nos.	- 402 08 .	
JOURNALS-	228x114 PLAIN BEARINGS.	SUSPENSION -	SHOE.	OWNERS Nos. –	2A.	

TROO5B

EXCESS LENGTH	Н	M	L	E
tonnes	22	22	8	8
<u> </u>		ļ		[
RA	I		1	1
MAX. SPEED	45	45	45	45

	TOPS CODE									
с	CARKND AARKND					PERA	TING No			
L	TRØTRØA					A		7	8	8



TARE-	8700 kg.	BUFFERS -	SPINDLE 330 DIA HEADS.	BUILDER –	CHARLES ROBERTS.
CARRYING CAPACI	ITY-14000 kg.	COUPLINGS-	INSTANTER	OWNER –	M.O.D.A.
CAPACITY-		MIN. CURVE -	21m.	REGISTERED BY-	C. M.& E. E. (B.R.B.) DERBY.
MAX. SPEED	45 mile/h.	GEN. ARRGT. DRG.	No. –	YEAR BUILT-	1942.
MAA. SPEED -	40 mm 6/ 11.			REGISTRATION Nos	-40268,40280,40282.
WHEELS-	952 DIA.	BRAKE-	HAND LEVER.	- OWNERS Nos	2,21,24
JOURNALS-	228x114 PLAIN BEARINGS.	SUSPENSION-	SHOE.		<u> </u>


Original © BRB Residuary Ltd

EX.P. O. DIAGRAM 6/25 (ALLOCATED.)

TROO5C

EXCESS LENGTH	Н	M	L	E
tonnes	22	22	8	8
<u>AB</u>				
RA	1	1	1	I .
MAX. SPEED	45	45	45	45

[TOPS CODE										
	С	AR	KNI	C	AARKND				OPERATING PANEL No			
•		TRØTRØA						A		7	8	8




TARE-	B3OOkg	BUFFERS-	SPINDLE 330 DIA. HEADS.	BUILDER -	HURST NELSON
CARRYING CAPAC	ITY-14000kg	COUPLINGS-	INSTANTER.	OWNER	M.O.D.A.
CAPACITY-	······································	MIN. CURVE-	21m.	REGISTERED BY-	C.M.& E.E. (B.R.B.) DERBY.
	AP	GEN. ARRGT. DRG. I	No. —	YEAR BUILT-	1940.
MAX. SPEED –	45 mile/h.			REGISTRATION Nos	-4029\$.6
WHEELS-	952 DIA.	BRAKE-	HAND LEVER.	OWNERS Nos	437
JOURNALS-	228x114 PLAIN BEARINGS.	SUSPENSION -	SHOE.		~~ /

EX.P.O. DIAGRAM 6/76 (ALLOCATED.)

TROO6A

EXCESS LENGTH	Н	M	L	E
tonnes	22	22	8	8
				
AB				
RA	1	1	1	1
MAX. SPEED	45	45	45	45

<u>.</u>	TOPS CODE							,			
C/	CARKND			AARKND				PERA ANEI	ting No		
Т	TRØTRØA					A		7	8	8	




TARE-	8400 kg	BUFFERS-	SPINDLE 330 DIA HEADS	BUILDER-	CHARLES ROBERTS
CARRYING CAPACIT	"Y 4000 kg	COUPLINGS-	INSTANTER	OWNER-	MINISTRY OF DEFENCE (ARMY POOL)
CAPACITY -		MIN. CURVE -	21 m	REGISTERED BY-	C.M. & E.E. (B.R.B.) DERBY
MAX. SPEED -	45 mile/h	GEN. ARRGT. DRG. N	No. —	YEAR BUILT-	1940
WHEELS -	952 DIA	BRAKE-	HAND LEVER	REGISTRATION Nos.	- 40289
JOURNALS-	228 × 14 PLAIN BEARINGS.	SUSPENSION-	SHOE	OWNERS Nos	3

TROO6B

EXCESS LENGTH	Н	M	L	E
tonnes	22	22	8	8
			ļ	
RA	1	1	1	1
MAX.	45	45	45	45

	TOPS CODE										
с	AR	KN	D	A	AF	KN	D	OPERATING PANEL NO			
	Т	R	Ø	Т	TRØA				7	8	8




TARE-	865 0 kg	BUFFERS-	SPINDLE 330 DIA HEADS	BUILDER -	CHARLES ROBERTS
CARRYING CAPACI	ITY- 14000 kg	COUPLINGS-	INSTANTER	OWNER -	MINISTRY OF DEFENCE (ARMY POOL)
CAPACITY-		MIN. CURVE –	21 m	REGISTERED BY-	C.M. & E.E. (B.R.B.) DERBY
MAX. SPEED –	45 mile/h	GEN. ARRGT. DRG. N	No. —	YEAR BUILT-	1940
WHEELS-	952 DIA	BRAKE-	HAND LEVER	REGISTRATION Nos	-4029+ 40289
JOURNALS-	229x114 PLAIN BEARINGS	SUSPENSION -	SHOE	OWNERS Nos	91

EX. PO. DIAGRAM 6/66 (ALLOCATED).

TROO6C

EXCESS LENGTH	Н	M	L	E
tonnes	22	22	8	8
₩B				
AB				
RA	1	ł	I	1
MAX. SPEED	45	45	45	45

		TOPS CODE						DE	 		
	С	AR	KNI	D	AARKND				 PERA NEL	TING No	
,		TRØTRØA							7	8	8



TARE-	8300 kg		BUFFERS-	SPINDLE 330 DIA HEADS	BUILDER –	CAMBRIAN WAGON
CARRYING CAPACIT	-γ- 14000 kg	· ·	COUPLINGS-	INSTANTER	OWNER –	MINISTRY OF DEFENCE (ARMY POOL).
CAPACITY-		ar — 9 mai 40. an ann an ann an ann an ann an ann an a	MIN. CURVE –	21 m	REGISTERED BY-	C.M. & E.E. (B.R.B.) DERBY.
MAX. SPEED -	45 mile/h		GEN. ARRGT. DRG.	No. —	YEAR BUILT-	1941
WHEELS-	952 DIA		BRAKE-	HAND LEVER	REGISTRATION Nos	40292
JOURNALS	220x114	PLAIN BEARINGS	SUSPENSION -	SHOE	OWNERS Nos	93


Original © BRB Residuary Ltd

EX. PO. DIAGRAM 6/67 (ALLOCATED).

TROO7A

EXCESS LENGTH	Н	M	L	E
tonnes	23	23	9	9
VB				
RA	1	I	1	1
MAX.	45	45	45	45

ļ	TOPS CODE											
	(CAR	KNI	D	4	AF	RKND			PERA	TING No.	
,		T	R	ø	Т	R	Ø	А		7	8	1



TARE-	9150 kg	BUFFERS-	SPINDLE 330 DIA HEADS	BUILDER	CHARLES ROBERTS	
CARRYING CAPAC	ITY - 14000 kg	COUPLINGS-	INSTANTER	OWNER –	M.O.D.A.	
CAPACITY -		MIN. CURVE -	21 m	REGISTERED BY-	C.M. & E.E. (B.R.B.) DERBY	
MAX. SPEED -	45 mile/h	GEN. ARRGT. DRG.	No	YEAR BUILT-	1942	
			HAND LEVER	REGISTRATION Nos	-40267-40271	
WHEELS	952 DIA	BRAKE-	nand leven	OWNERS Nos	1	
JOURNALS-	228 x 114 PLAIN BEARINGS	SUSPENSION	SHOE		t	

Original © BRB Residuary Ltd


This PDF copy by J.D. Faulkner, 2010 (visit http://www.barrowmoremrg.co.uk)

EX. PO. DIAGRAM 6/21 (ALLOCATED).

TROO7B

EXCESS LENGTH	H	M	L	E
tonnes	23	23	9	9
RA	1]	1	1 -
MAX.	45	45	45	45

		T	OPS CODE	
С	ARKN	D	AARKND	OPERATING PAN E N
	TR	Ø	TRØA	781




TARE-	G 350 kg	BUFFERS-	SPINDLE 330 DIA HEADS	BUILDER-	HURST NELSON
CARRYING CAPACI	TY - 14000 kg	COUPLINGS-	INSTANTER	OWNER –	MINISTRY OF DEFENCE (ARMY POOL).
CAPACITY-		MIN. CURVE –	21 m	REGISTERED BY-	C.M. & E.E. (B.R.B.) DERBY.
MAX. SPEED –	45 mile/h	GEN. ARRGT. DRG. No. –		YEAR BUILT-	1940 -
		BRAKE -	HAND LEVER	REGISTRATION Nos	. – 40269
WHEELS -	952 DIA	BRAKE-			4A
JOURNALS-	228 x 114 PLAIN BEARINGS	SUSPENSION-	SHOE		

TROO7C

EXCESS LENGTH	H	M	L	E
tonnes	22	22	8	8
VB				
AB				
RA	1	1	1	1
MAX. SPEED	45	45	45	45

	TOPS CODE			
CARKND	AARKND	OPERATING PANEL No.		
TRO	TRØA	7 8 8		




TARE-	8 850 kg	BUFFERS-	SPINDLE 330 DIA. HEADS	BUILDER -	HURST NELSON
CARRYING CAPAC	ITY - 14000 kg	COUPLINGS-	INSTANTER	OWNER –	M.O.D.A.
CAPACITY-		MIN. CURVE -	21m	REGISTERED BY-	C.M.&E.E. (B.R.B.) DERBY
MAX. SPEED -	45 mile/h	GEN. ARRGT. DRG.	No. –	YEAR BUILT-	1942
WHEELS-	952 DIA.	BRAKE-	HAND LEVER	REGISTRATION Nos	- 402
JOURNALS-	228 X 114 PLAIN BEARINGS	SUSPENSION-	SHOE	OWNERS Nos	16

Original © BRB Residuary Ltd

This PDF copy by J.D. Faulkner, 2010 (visit http://www.barrowmoremrg.co.uk)

EX. PO. DIAGRAM 6/58 (ALLOCATED)

TROO8A



TARE - 8600kg	BUFFERS - SPINDLE 330 DIA. HEADS.	BUILDER-CHARLES ROBERTS.		
BARRYING CAPACITY-14000kg	COUPLINGS - INSTANTER.	OWNER -BRITISH NUCLEAR FUELS LTD. (SPRINGFIELD)		
CAPACITY-	MIN. CURVE – 21m.	REGISTERED BY - C.M.&E.E. (B.R.B.) DERBY.		
	GEN. ARRGT. DRG. No	YEAR BUILT-1941		
MAX. SPEED – 45 mile/h.	BRAKE-HAND LEVER.	REGISTRATION Nos 40611 - 40630		
WHEELS-952 DIA		OWNERS Nos - 4306 'A' OOII - 4306 'A' OO30.		
JOURNALS-228 x114 PLAIN BEARINGS.	SUSPENSION - SHOE.			

Original © BRB Residuary Ltd


This PDF copy by J.D. Faulkner, 2010 (visit http://www.barrowmoremrg.co.uk)

EX. P.O. DIAGRAM 6/757 (ALLOCATED)

TROO8B

EXCESS LENGTH	Н	M	L	E
tonnes	23	20	9	9
₩B	+			
AB				
RA	1	· 1	1	I
MAX. SPEED	45	45	45	45

TOPS CODE											
CARKND			4	AARKND				OPERATING PANEL No.			
	Т	R	Ø	т	R	ø	A		7	9	0




3 371 TOTAL HEIGHT	
	I 727 I 981 JOURNAL CENTRES 2 514 OVERALL

TARE- 8500 kg	BUFFERS-SPINDLE 330 DIA HEADS	BUILDER - CHARLES ROBERTS
CARRYING CAPACITY- 14000 kg	COUPLINGS-INSTANTER	OWNER - BRITISH NUCLEAR FUELS LTD. (SPRINGFIELDS).
CAPACITY-	MIN. CURVE – 21 m	REGISTERED BY -C.M. & E.E. (B.R.B.) DERBY
MAX. SPEED - 45 mile/h	GEN. ARRGT. DRG. No. –	YEAR BUILT-1950, 1951 & 1955
WHEELS- 952 DIA	BRAKE-HAND LEVER	REGISTRATION Nos. BNF 40662 - B.NF. 40671 - B.NFL 40597 - B.NFL 40610
JOURNALS-228 x II4 PLAIN BEARINGS	SUSPENSION-SHOE	OWNERS Nos 4306 W 0062 - 4306 W 0071, 4306 B 0001 - 4306 B 0012, 4306 B 0034 - 4306 B 0035.

Original © BRB Residuary Ltd

This PDF copy by J.D. Faulkner, 2010 (visit http://www.barrowmoremrg.co.uk)

EX. P.O. DIAGRAM 6/775 (ALLOCATED)



TARE - 8 600 kg.	BUFFERS-SPINDLE 330 DIA. HEADS.	BUILDER-HURST NELSON.
CARRYING CAPACITY-14000kg	COUPLINGS-INSTANTER.	OWNER-BRITISH BITUMEN EMULSIONS (SCOTLAND) LTD
CAPACITY-14 320 litres	MIN. CURVE – 21 m.	REGISTERED BY-C.M. & E.E. (B.R. B.) DERBY.
	GEN, ARRGT, DRG, No. –	YEAR BUILT-1948
MAX. SPEED - 45 mile/h .		REGISTRATION Nos 40036
WHEELS-952 DIA.	BRAKE-HAND LEVER	OWNERS Nos B9
JOURNALS-228 XII4 PLAIN BEARINGS	SUSPENSION-SHOE.	

This PDF copy by J.D. Faulkner, 2010 (visit http://www.barrowmoremrg.co.uk)

EX. PO. DIAGRAM 6/813 (ALLOCATED)

TROO9B

OPERATING PANEL No.


7 8 1

TOPS CODE

TRØTRØA

AARKND

CARKND



EXCESS LENGTH

tonnes VB

> AB RA

Η

23 23 9 9

Μ

Е


TARE - 8 500 kg	BUFFERS-SPINDLE 330 DIA. HEADS.	BUILDER-HURST NELSON
CARRYING CAPACITY - 14 000kg	COUPLINGS-INSTANTER.	OWNER -BRITISH BITUMEN EMULSIONS (SCOTLAND) LTD.
CAPACITY - 13 410 litres	MIN. CURVE – 21 m	REGISTÉRED BY - C.M. & E.E. (B.R.B.) DERBY
MAX. SPEED - 45 mile / h	GEN. ARRGT. DRG. No	YEAR BUILT 1948
	BRAKE- HAND LEVER	REGISTRATION Nos 40037
WHEELS-952 DIA.	SUSPENSION - SHOE	OWNERS Nos 14
JOURNALS-228×114 PLAIN BEARING.	SUSPENSION - SHOE	

EX. PO-DIAGRAM 6/629 (ALLOCATED.)

TR OI5A

	1.1			-
EXCESS LENGTH	Н	M	L	E
tonnes	20	20	10	10
∀B				
AB				
RA	1	1	. 1	I
MAX. SPEED	45	45	45	45

TOPS CODF											
С	AR	KN	D.	AARKND				PERA	TING No.		
	Т	R	Ø	TRØA					7	8	3



TARE-	9 250 kg	BUFFERS-	SPINDLE 330 DIA HEADS.	BUILDER -	HURST NELSON
CARRYING CAPACI	TY - 14 000 kg	COUPLINGS-	INSTANTER	OWNER -	B.S.C. ORGREAVE
CARASITY -	12 728 litres	MIN. CURVE -	21 m	REGISTERED BY-	C.M.& E.E. (B.R.B) DERBY
MAX. SPEED -	45 mile /h	GEN. ARRGT. DRG. I	No. —	YEAR BUILT -	1940
WHEELS -	952 DIA.	BRAKE-	HAND LEVER		540591 TO 40596
JOURNALS-	228xIII PLAN BEARINGS	SUSPENSION-	SHOE	OWNERS Nos	26, 36, 39, 47, 58, 59

Original © BRB Residuary Ltd


This PDF copy by J.D. Faulkner, 2010 (visit http://www.barrowmoremrg.co.uk)

EX PO. DIAGRAM 6/774 (ALLOCATED)

TROI5B

EXCESS LENGTH	Н	M	L	E
tonnes	220	20	10	10
VB				
AB				
RA	1	1 -	1	1.
MAX. SPEED	45	45	45	45

	TOPS CODE										
	CAR	KN	D	AARKND							OPERATING PANEL No.
	Т	R	Ø	Т	R	Ø	A	7 8 3			
	804										




TARE-	9 700 kg	BUFFERS-	SPINDLE 330 DIA. HEADS	BUILDER -	CHARLES ROBERTS
CARRYING CAPAC	ITY-14 000 kg	COUPLINGS-	INSTANTER	OWNER –	N.C.B.
CAPACITY-	12.160 litres	MIN. CURVE –	21 m	REGISTERED BY-	C.M. & E.E. (B.R.B) DERBY
AAX. SPEED -	45 mile/h	GEN. ARRGT. DRG.	No.—	YEAR BUILT-	1930
VHEELS -	952 DIA.	BRAKE-	HAND LEVER	REGISTRATION Nos.	- 40230 TO 40234
OURNALS-	254 x 127 PLAIN BEARINGS	SUSPENSION-	SHOE	OWNERS Nos	7211 - 7215

EX PO. DIAGRAM 6/BOI (ALLOGATED)

TROI6A

EXCESS LENGTH	Н	M	L	E
tonnes	22	22	8	8
VB	0	0	0	0
AB				
RA	1	1	1	Ι.
MAX. SPEED	45	45	45	45


ſ	TOPS CODE											
	Ċ	٩R	KNI	D	, A	AF	KN	D		PERA	TING No.	
		Т	R	Ρ	T	R	Ρ	A		8	9	5



TARE - 8100 kg	BUFFERS-SPINDLE 330 DIA HEADS	BUILDER -HURST NELSON & SONS Co. LTD.
CARRYING CAPACITY - 15000 kg	COUPLINGS INSTANTER	OWNER CHIPMAN CHEMICAL Co. LTD
CAPACITY-	MIN. CURVE – 21 m	REGISTERED BY - C.M. & E.E.(B.R.B.) DERBY
MAX. SPEED – 45 mile/h	GEN. ARRGT. DRG. No	YEAR BUILT-1958
	BRAKE- VACUUM PIPED & HAND LEVER	REGISTRATION Nos40749, 40795, 40798, 40799, 40800.
WHEELS - 939 DIA	DIANL - VACOUVI FIFED & HAND CLVCK	OWNERS Nos40: 95. 98. 99- 100.
JOURNALS - 228 x 114 PLAIN BEARINGS	SUSPENSION – SHOE	OWNERS 19340, 73, 70, 77, 100.

EX. PO. DIAGRAM 6/662 (ALLOCATED)

TROI6B




TARE - 8500 kg	BUFFERS-SPINDLE 330 DIA. HEADS.	BUILDER-HURST NELSON & SONS CO. LTD.			
CARRYING CAPACITY - 15000 kg	COUPLINGS - INSTANTER.	OWNER - CHIPMAN CHEMICAL CO. LTD.			
CAPACITY-	MIN. CURVE – 21m.	REGISTERED BY – C.M. & E.E. (B.R.B.) DERBY.			
MAX. SPEED – 45 mile/h	GEN. ARRGT. DRG. No. –	YEAR BUILT - 1958			
WHEELS-939 DIA	BRAKE-VACUUM BLOCK & HAND LEVER	REGISTRATION Nos 40796, 40797.			
JOURNALS 228 x 114 PLAIN BEARINGS.	SUSPENSION-SHOE.	OWNERS Nos. – 96, 97.			

Original © BRB Residuary Ltd

This PDF copy by J.D. Faulkner, 2010 (visit http://www.barrowmoremrg.co.uk)

EX. P.O. DIAGRAM 6/079 (ALLOCATED)

TROI7A



TARE – 9^{35Okg}.	BUFFERS-SPINDLE 330 DIA. HEADS.	BUILDER-CAMBRIAN WAGON ENGINEERING
CARRYING CAPACITY- 14000kg.	COUPLINGS-INSTANTER	OWNER - GULF OIL (G.B) LTD.
CAPACITY-15911 litres.	MIN. CURVE – 21m.	REGISTERED BY- C.M. & E.E. (B.R.B.)DERBY.
MAX. SPEED – 45 mile/h .	GEN. ARRGT. DRG. No	YEAR BUILT - 1953 & 1956.
	BBAKE-HAND LEVER	REGISTRATION Nos40127, 40130, 40145.
WHEELS-952 DIA.		OWNERS Nos 77. 82.98
JOURNALS-228 x 114 PLAIN BEARINGS.	SUSPENSION-SHOE.	


Original © BRB Residuary Ltd

EX.PO. DIAGRAM 6/670(ALLOCATED)

TROI7B

EXCESS LENGTH	Н	M	L	E
tonnes	23	23	10	10
V8				
AB-	-			
RA		1	1	N.
MAX. ISPEED	45	45	45	45

TOPS CODE										
CAR	KN	D	4	AARKND				PERA	TING No.	
 T	R	Ø	T	R	Ø	E		9	2	6




TARE-	9 350 kg	BUFFERS-	SPINDLE 330 DIA. HEADS	BUILDER -	CAMBRIAN WAGON
CARRYING CAPAC	ITY - 14 000 kg	COUPLINGS-	INSTANTER	OWNER –	GULF OIL (G.B.) LTD.
CAPACITY -	looolitres	MIN. CURVE-	21 m	REGISTERED BY-	C.M. & E.E. (B.R.B.) DERBY
MAX. SPEED – 45 mile/h		GEN. ARRGT. DRG. N	lo. —	YEAR BUILT-	1955/56
WHEELS-	952 DIA.	BRAKE-	HAND LEVER		- 40128 TO 40147 (RANGE)
JOURNALS-	228 x 114 PLAIN BEARINGS	SUSPENSION	SHOE	OWNERS Nos	78 TO 100 (RANGE)

Original © BRB Residuary Ltd

EX PO. DIAGRAM 6/671 (ALLOCATED)

TRO20A




EX. P.O. DIAGRAM 6/791 (ALLOCATED)


TRO2IA


EXCESS LENGTH	Н	M	L	E
tonnes	23	23	9	9
V₿				
AB				
RA	1	1	I	1
MAX. SPEED	45	45	45	45

TOPS CODE											
с	AR	KN	D	4	AARKND				PERA	TING No	
	Т	R	Ø	Т	R	Ø	Α		7	8	1



TARE - 8750 kg	BUFFERS-SPINDLE 330 DIA HEADS	BUILDER - CHARLES ROBERTS
CARRYING CAPACITY - 14000 kg	COUPLINGS - INSTANTER	OWNER - N.C.B. (THOS NESS LTD) WINGERWORTH
CAPACITY-	MIN. CURVE – 21 m	REGISTERED BY -C.M. & E.E.(B.R.B.)DERBY
MAX. SPEED 45 mile/h	GEN. ARRGT. DRG. No. –	YEAR BUILT 1951
WHEELS - 952 DIA	BRAKE- HAND LEVER	REGISTRATION Nos 40345 TO 40358 OWNERS Nos A/T 02 TO A/T 18 (RANGE).
JOURNALS-228 x 114 DIA PLAIN BEARINGS	SUSPENSION - SHOE	OWNERS NOS A/1 OZ TO A/1 TO (RANGE).





TRO22A

048 1 727 3 048 WHEELBASE. 1 600 981 JOURNAL CENTRES 5 334 OVER HEADSTOCKS 457 2438 OVERALL 6 248 OVER BUFFERS.


TARE 9650 kg	BUFFERS-SPINDLE 330 DIA. HEADS	BUILDER-HURST NELSON		
CARRYING CAPACITY- 14000 kg	COUPLINGS-INSTANTER.	OWNER-E.G. STEELE.		
CAPACITY-	MIN. CURVE – 21m	REGISTERED BY- C.M. & E.E. (B.R.B.) DERBY		
MAX. SPEED – 45 mile/h	GEN. ARRGT. DRG. No	YEAR BUILT-1949 & 1951.		
	BRAKE- HAND LEVER	REGISTRATION Nos 40589, 40590, 47943.		
WHEELS-952 DIA.		OWNERS Nos 145, 224, 231		
JOURNALS-254 X 127 PLAIN BEARINGS.	SUSPENSION-SHOE			

EX. P.O. DIAGRAM 6/740 (ALLOCATED)

Original © BRB Residuary Ltd


1 600

457



TRO25A

.



TARE - 10 ^{200 kg}	BUFFERS-SPINDLE 330 DIA HEADS	BUILDER - CHARLES ROBERTS.
CARRYING CAPACITY- 14000 kg	COUPLINGS-INSTANTER	OWNER-N.C.B.
CAPACITY- 12160 litres	MIN. CURVE – 21 m	REGISTERED BY -C.M. & E.E. (B.R.B.) DERBY
MAX. SPEED – 45 mile/h	GEN. ARRGT. DRG. No	YEAR BUILT - 1950
WHEELS – 914 DIA	BRAKE - HAND LEVER	REGISTRATION Nos 40224 TO 40229
JOURNALS-228 × II4 PLAIN BEARINGS	SUSPENSION SHOE	OWNERS Nos7224 TO 7229

EX. P.O. DIAGRAM 6/38 (ALLOCATED).

TRO27A

				EXCESS LENGTH	Н	М	L	Ε	
	·			tonnes	26	26	13	13	CARKND AARKND OPERATING PANEL No.
						-			TRØTRØA 982
				AB					
				RA MAX.	45		1	45	_
				MAX. SPEED	45	45	45	45	6
						- 048		3 404 IOIAL HEIGHT	
-	4	3 200 WHEELBASE		1 524					
457		5 334 OVER HEAD		45	' -				2 388 OVERALL
<u> </u>		6 248 OVER BUFFE	.85.						,
			1						


EVOLO

TARE -12700 14-550 Kg	BUFFERS-SPINDLE 330 DIA HEADS	BUILDER-CHARLES ROBERTS LTD.		
CARRYING-CAPACITY-23000kg. 14000162	COUPLINGS-INSTANTER.	OWNER - ASSOCIATED OCTEL.		
CAPACITY- 11470litres	MIN. CURVE – 21 m.	REGISTERED BY -C.M. & E.E.(B.R. B.) DERBY.		
MAX. SPEFD 45 mile/h .	GEN. ARRGT. DRG. No	YEAR BUILT-I 940 .		
WHEELS-952 DIA.	BRAKE- HAND LEVER	REGISTRATION Nos 47006 &-47008		
JOUENALS - 254 x 127 PLAIN BEARINGS (909 ONLY)	SUSPENSION - SHOE.	OWNERS Nos907 & 909		

EX. PO. DIAGRAM 6/613 (ALLOCATED.)

TANK WAGON-CHLORINE

TRO28A




TARE - 12 600 kg	BUFFERS- SPINDLE 330 DIA. HEADS	BUILDER - HURST NELSON
CARRYING CAPACITY - 14000 kg	COUPLINGS – INSTANTER	OWNER - ASSOCIATED OCTEL
CAPACITY- 11460 litres	MIN. CURVE – 21m	REGISTERED BY- C.M. & E.E. (B.R.B.) DERBY
MAX SPEED - 45 mile/h	GEN. ARRGT. DRG. No. –	YEAR BUILT- 1958
WHEELS-952 DIA.	BRAKE - HAND-LEVER PAIR RIPE SHAND LEVER	REGISTRATION Nos 47009 TO 47042
JOURNALS - ISO DIA. ROLLER BEARINGS	SUSPENSION - SHOE	OWNERS Nos 910 TO 934, 936 TO 944

Original © BRB Residuary Ltd

EX. P.O. DIAGRAM 6/614 (ALLOCATED)

TANK WAGON (CHLORINE)

TRO28B



LARE- 12600 kg	BUFFERS- SPINDLE 330 DIA. HEADS	BUILDER HURST NELSON
CARRYING CAPACITY - 14000kg	COUPLINGS INSTANTER	OWNER ASSOCIATED OCTEL
CAPACITY-11460 litres	MIN. CURVE - 21m	REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY
MAX.SPEED - 45 mile/h	GEN. ARRGT. DRG. No	YEAR BUILT - 1958
WHEELS - 952 DIA.	BRAKE-AIR PIPED & HAND LEVER.	REGISTRATION Nos 47009 TO 47042
JOURNALS - ISO DIA. ROLLER BEARINGS	SUSPENSION - SHOE	OWNERS 205 910 TO 934, 936 TO 944

Original © BRB Residuary Ltd

This PDF copy by J.D. Faulkner, 2010 (visit http://www.barrowmoremrg.co.uk)


EX. P.O. DIAGRAM 6/614 (ALLOCATED)


TANK WAGON CHLORINE

TRO32A

EXCESS LENGTH	Н	M	L	E
tonnes	27	27	13	13
VB	0	0	0	0
AB				
RA	I	I	1	1
MAX. SPEED	45	45	45	45

	TOPS CODE								
	CAR	KN	D	AARKND			 PERA	TING No.	
L	Т	R	Ρ	TRPA			8	1	8







	BUFFERS - SPINDLE 330 DIA. HEADS	BUILDER - CHARLES ROBERTS
TARE- 12700 kg CARRING CAPACITY- 14000 kg	COUPLINGS - INSTANTER	OWNER - B.P. CHEMICALS
	MIN. CURVE – 21 m	REGISTERED BY - C.M.& E.E. (B.R.B.) DERBY
CAPACITY- 11460 litres	GEN. ARRGT. DRG. No	YEAR BUILT- 1950
1AX.SPEED – 45 mile/h	BRAKE- VACUUM PIPED & HAND LEVER	REGISTRATION Nos -47130 TO 47143
WHEELS- 952 DIA.		OWNERS Nos T78 TO T 91
OURNALS - 254 x 127 PLAIN BEARINGS	SUSPENSION - SHOE	

TRO32B

EXCESS LENGTH	Н	M	L	E
tonnes	28	25	13	13
₩8				
<u>AB</u>				— —
RA	2		1	I
MAX. SPEED	45	45	45	45

T	GPS CODE		
CARKND	AARKND	OPEPATING PANEL No	
TRØ	TRØA	9 5 8	






TARE - 12700 kg	BUFFERS - SELF CONTAINED 330 DIA. HEADS	BUILDEL R.Y. PICKERING LTD.
CARRYING CAPACITY- 14000 kg	COUPLINGS INSTANTER	OWNER I.C.I. MOND DIVISION
CAPACITY- 11520litres	MIN. CURVE – 21 m	REGISTERED BY C.M. & E.E. (B.R.B.) DERBY
MAX SPEED - 45 mile/h	GEN. ARRGT. DRG. No	YEAR BUILT 1942, 3, 4, 5, 9, 50, 1 & 4
WHEELS- 952 DIA.	BRAKE - HAND LEVER	REGISTRATION N 47417 TO 47555
JOURNALS - 254 x 127 PLAIN BEARINGS	SUSPENSION - SHOE	OWNERS Nos 1232 TO 1491 (RANGE)

TRO33B

XCESS ENGTH	Н	М	L	E	
tonnes	27	27	12	12	
VB					
АВ					
RA	L	I	1	J	
MAX. SPEED	45	45	45	45	

L T		
CARKND	AARKND	OPERATING PANEL No.
TRØ	TRØA	8 2



TARE- 12000 kg	BUFFERS- SPINDLE 330 DIA. HEADS	BUILDER - HURST NELSON
CARRYING CAPACITY - 15000 kg	COUPLINGS- INSTANTER	OWNER WM BRIGGS & SONS LTD.
CAPACITY-	MIN. CURVE - 21 m	REGISTERED BY- C.M.&E.E. (B.R.B.) DERBY
MAX. SPEED - 45 mile/h	GEN. ARRGT. DRG. No. –	YEAR BUILT - 1933
WHEELS - 952 DIA.	BRAKE- HAND LEVER	REGISTRATION Nos 47084 TO 47087 (RANGE)
JOURNALS - 254 x 127 PLAIN BEARINGS	SUSPENSION - SHOE	OWNERS Nos 39 TO 42 (RANGE)


EX P.O. DIAGRAM 6/620 (ALLOCATED)

54-87

TRO 35A

EXCESS LENGTH	Н	M	L	E
tonnes	27	27	13	13
<u> </u>				
RA	1	1	I	I
MAX. SPEED	45	45	45	45


Т	OPS CODE	
CARKND	AARKND	OPERATINC PANEL No
TRØ	TRØA	800



TARE-	12150 kg	BUFFERS-	SPINDLE 304 DIA HEADS	BUILDER-	GRAZEBROOK LTD
CARRYING CAPACIT	TY - 15000 kg	COUPLINGS-	INSTANTER	OWNER	B.P. CHEMICALS (MURGATROYD).
CAPACITY-	· · · · · · · · · · · · · · · · · · ·	MIN. CURVE –	31 m	REGISTERED BY-	C.M. & E.E. (B.R.B.) DERBY
MAX. SPEED	45 mile/h	GEN. ARRGT, DRG. No		YEAR BUILT-	1950
WHEELS-	952 DIA	BRAKE-	HAND LEVER	REGISTRATION Nos	47144 - 48
JOURNALS -	254 X 127 PLAIN BEARINGS	SUSPENSION -	SHOE	OWNERS Nos	T92 — T96

EX. B.R. DIAGRAM 6/633 (ALLOCATED)


TRO36A



TARE-		BUFFERS-	SPINDLE 330 DIA HEADS	BUILDER –	CHARLES ROBERTS
CARRYING CAPACI	TY - 14000 kg	COUPLINGS-	INSTANTER	OWNER -	B.P. BAGLAN BAY
CAPACITY-	19400 litres	MIN. CURVE –	21 m	REGISTERED BY-	C.M. & E.E. (B.R.B.) DERBY
MAX. SPEED -		GEN, ARRGT, DRG, M	GEN, ARRGT, DRG, No. –		1940
	45 mile/h		HAND LEVER	REGISTRATION No	s 47323
WHEELS-	914 DIA	BRAKE-		OWNERS Nos	BB2
JOURNALS	228 x 114 PLAIN BEARINGS	SUSPENSION -	SHOE		· · · · · · · · · · · · · · · · · · ·

EX. PO. DIAGRAM 6/654 (ALLOCATED).


т\$ООІВ




Original © BRB Residuary Ltd

EX. P.O. DIAGRAM 6/779 (ALLOCATED)

T\$004A




T	OPS CODE	
CARKND	AARKND	OPERATING PANCE NO
Τ\$Ø	τ \$ Ø Ε	7 8 5



TARE	ll300kg	BUFFERS-	SPINDLE 330 DIA. HEADS.	BUILDER-	CHARLES ROBERTS.	
CARRYING CAPAC	CITY-20500kg	COUPLINGS-	INSTANTER	OWNER-	BRITISH NUCLEAR FUELS LTD.	
CAPACITY-	31m	MIN. CURVE-	21m	REGISTERED BY-	C.M.& E.E. (B.R.B.) DERBY.	
	45 mile/h.	GEN. ARRGT. DRG.	No. —	YEAR BUILT-	1951	
		BRAKE-		REGISTRATION Nos48058 TO 48065.		
WHEELS-	952 DIA.			OWNERS Nos	B 23 TO B 30.	
JOURNALS-	254x127 PLAIN BEARINGS.	SUSPENSION-	SHOE.			


EX. PO. DIAGRAM 6/776 (ALLOCATED)

т\$009а



EX. P.O. DIAGRAM 6/617 (ALLOCATED)

т\$009в



TARE - 15 ^{250 kg}	BUFFERS-SELF CONTAINED 457 DIA HEADS	BUILDER - FAUVET - GIREL		
CARRYING CAPACITY- 17000 kg	COUPLINGS-INTERNATIONAL SCREW	OWNER-ASSOCIATED OCTEL COMPANY LTD		
CAPACITY - 10500 litres	MIN. CURVE – 26 m	REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY		
MAX. SPEED 50 mile/h	GEN. ARRGT. DRG. No. –64515 (S.F.V.) 6090	YEAR BUILT - 1950		
WHEELS- I OSO DIA	BRAKE - AIR, BLOCK VACUUM PIPED & HAND SCREW	REGISTRATION Nos 47080		
JOURNALS	SUSPENSION SINGLE LINK	OWNERS Nos 260-6		


/

EX. PO. DIAGRAM 6/790 (ALLOCATED.)

τ\$οιзα

EXCESS LENGTH 3	Н	М	L	Е
tonnes	32	32	12	12
VB	16	16	7	7
RA	3	3	I	1
MAX. SPEED	60	60	60	60

	TOPS CODE					
CAR	KND	AARKND	OPERATING PANEL No.			
Т	\$ V	T \$ V E	833			




TARE- 12150 kg	BUFFERS- PNEUMATIC 406 DIA. HEADS	BUILDER - GRAZEBROOK (DUDLEY)		
CARRYING CAPACITY - 22500kg	COUPLINGS - SCREW	OWNER- BRITISH NUCLEAR FUELS LTD.		
CAPACITY-	MIN. CURVE - 31m	REGISTERED BY - C.M. & E.E. (B.R.B) DERBY		
MAX. SPEED - 60 mile /h	GEN. ARRGT. DRG. No. –	YEAR BUILT- 1959		
WHEELS – 952 DIA.	BRAKE-VACUUM BLOCK, HAND LEVER	REGISTRATION Nos 48066 TO 48073		
JOURNALS-124 DIA ROLLER BEARINGS	SUSPENSION - SHOE	OWNERS Nos 4306 'B' 0036 TO 4306 'B' 0043		

Original © BRB Residuary Ltd

EX. P.O. DIAGRAM 6/777 (ALLOCATED)

TANK WAGON - CLASS.A.

Т\$016А



TARE-	850 kg	BUFFERS-	SPINDLE 381 DIA. HEADS	BUILDER-	HURST NELSON.
CARRYING CAPACI	TY- 20 500 kg	COUPLINGS-	B.R.SCREW.	OWNER	KILFROST LTD.
CAPACITY-	22 880 litres	MIN. CURVE –	26 m.	REGISTERED BY-	C.M. & E.E. (B.R.B.) DERBY
MAX. SPEED	50 mile/h	GEN. ARRGT. DRG. N	lo. —	YEAR BUILT-	1970
WHEELS –	952 DIA.	BRAKE-	DUAL PIPED & HAND LEVER	REGISTRATION Nos.	- 48128.
JOURNALS-	254 x 127 PLAIN BEARINGS.	SUSPENSION-	SHOE.	OWNERS Nos. –	1.


Original © BRB Residuary Ltd

EX. P.O. DIAGRAM 6/35.

T\$017A

EXCESS LENGTH	Н	M	L	E
tonnes.	32	32	12	12
<u> </u>				
A B			and the second se	
RA	3	3	1	1
MAX.	45	45	45	45

[TOPS CODE											
	С	AR	KN	D	AARKND			OPERATING PANEL No.				
		٦	\$	Ø	T	\$	Ø	E	7	7	2	



TARE - 11300kg	BUFFERS-SPINDLE 356 DIA. HEADS.	BUILDER-CAMBRIAN WAGON WORKS CARDIFF.
CARRYING CAPACITY-20500kg	COUPLINGS-INSTANTER	OWNER-LION EMIJLSIONS.
CAPACITY-19548 titres.	MIN. CURVE – 21m.	REGISTERED BY-C.M. & E.E. (B.R.B.)DERBY.
	GEN, ARRGT, DRG, No	YEAR BUILT - 1948
MAX. SPEED – 45 mile/h.		REGISTRATION Nos 47724
WHEELS-952 DIA.	BRAKE-HAND LEVER.	OWNERS Nos 6119.
JOURNALS-254×140 PLAIN BEARINGS	SUSPENSION - SHOE.	

Original © BRB Residuary Ltd

EX.P.O. DIAGRAM 6/673 (ALLOCATED).

Т\$017в

EXCESS LENGTH	Н	M	L	E	TOPS CODE
tonnes.	32	32	12	12	CARKND AARKND OPERATING PANEL No.
<u>→ ∀B-</u> → <u>AB-</u>					T\$ØT\$ØE772
RA	3	3			
MAX. SPEED	3 45	3 45	45	45	
				·J	,
`					
					E
					TOTAL
 /					

					966 3 860 TOTAL HEIGHT.	
-		1600	3 O48 WHEELBASE. 1600		-	1727
	457	•	5 334 OVER HEADSTOCKS.	457	-	1981 JOURNAL CENTRES
<i>,</i>	a)		6 248 OVER BUFFERS.	۱ 		2 590 OVERALL.

TARE-	300kg	BUFFERS-	SPINDLE 356 DIA.HEADS.	BUILDER-	FAIRFIELD S& E. CO.LTD.
CARRYING CAPAC	ITY-20500kg	COUPLINGS-	INSTANTER	OWNER-	LION EMULSION.
CAPACITY-	19548 litres.	MIN. CURVE –	21m.	REGISTERED BY-	C.M.& E.E (B.R.B.) DERBY.
MAX. SPEED -	45mile/h.	GEN. ARRGT. DRG.	No. —	YEAR BUILT-	1948
WHEELS-	952 DIA.	BRAKE-	HAND LEVER.	REGISTRATION Nos	47723, 47726.
JOURNALS-	254x40 PLAIN BEARINGS	SUSPENSION -	SHOE.	OWNERS Nos	5761, 6611

Original © BRB Residuary Ltd

This PDF copy by J.D. Faulkner, 2010 (visit http://www.barrowmoremrg.co.uk)


EX.RO. DIASRAM 6/825 (WILLOW MERCE



EXCESS LENCTH	н	M	L	Ε
tonnes.	32	32	12	12
\/B				
<u>AB</u>				
RA	3	3	1.	1
MAX. SPEED	45	45	45	45

CARKN	D	Д	AF	KN	D		ERA NFL	ting No		
T \$	Ø	Т	\$	Ø	E		7	7	2	
							_			
			A		-				A	

TOPS CODE



11300kg	BUFFERS –	SPINDLE 356 DIA. HEADS.	BUILDER –	CHARLES ROBERTS.
ITY-20 ^{500kg} .	COUPLINGS-	INSTANTER	OWNER –	LION EMULSIONS.
19548 litres.	MIN. CURVE-	21m.	REGISTERED BY-	C.M.& E.E. (B.R.B.) DERBY.
MAX.SPEED 45mile/h. WHEELS 952 DIA		lo. —	YEAR BUILT-	1948.
			REGISTRATION Nos	47725
952 DIA.		HAND LEVER.	OWNERS Nos	6 410
254x140 PLAIN BEARINGS	SUSPENSION-	SHOE.	UWNENS NOS	6419
	ITY 20 ^{500kg} 19548 litres. 45mile/h. 952 DIA.	ITY 20 ^{500kg} . COUPLINGS 19548 litres. MIN. CURVE 45mile/h. GEN. ARRGT. DRG. N 952 DIA. BRAKE	ITY 20 ^{500kg} . INSTANTER. I9548 litres. MIN. CURVE - 21m. 45mile/h. GEN. ARRGT. DRG. No 952 DIA. BRAKE - HAND LEVER.	ITY 20 ^{500kg} . COUPLINGS - INSTANTER. I9548 litres. MIN. CURVE - 21m. 45mile/h. GEN. ARRGT. DRG. No YEAR BUILT - BRAKE - HAND LEVER. OWNERS Nos

Original © BRB Residuary Ltd


This PDF copy by J.D. Faulkner, 2010 (visit http://www.barrowmoremrg.co.uk)

EX.PO. DIAGRAM 6/826. (ALLOCATED)

T\$017D

EXCESS LENGTH	Н	M	L	Ε
tonnes.	32	32	12	12
<u> </u>			·	
<u>—</u>				
RA	3	3	1	1
MAX. SPEED	45	45	45	45


TOPS CODE					
CARKND	AARKND	OPERATING PANEL No.			
т\$Ф	Τ \$ Ø Ε	7 7 2			



TARE-	1300kg	BUFFERS-	SPINDLE 356 DIA. HEADS.	BUILDER	GRAZEBROOK LTD.
CARRENG CAPACIT	Y-20 ^{500kg}	COUPLINGS-	INSTANTER.	OWNER –	LION EMULSION.
CAPACITY-	1954ølitres.	MIN. CURVE-	2im.	REGISTERED BY-	C.M.& E.E. (B.R.B) DERBY.
MAX.SPEED 45mile/h.		GEN. ARRGT. DRG. No. –		YEAR BUILT-	1948
			HAND LEVER.	REGISTRATION Nos	547727
WHEELS-	952 DIA.	BRAKE-	HAND LEVER.	OWNERS Nos	6938
JOURNALS-	254×MO PLAIN BEARINGS	SUSPENSION-	SHOE.		0700

EX.P.O. DIAGRAM 6/927 141200

T\$020A.



TARE 12300kg	BUFFERS - SELF CONTAINED 400 DIA. HEADS.
CARRYING CAPACITY - 20500kg	COUPLINGS - INTERNATIONAL SCREW
CAPACITY-228BO litres.	MIN. CURVE – 26m.
MAX-SPEED - 50mile/h ,	GEN. ARRGT. DRG. No. –
WHEELS IOOO DIA.	BRAKE - DUAL PIPED & HAND SCREW.
JOURNALS - 254 X 127 PLAIN BEARINGS	SUSPENSION - SHOE


↓ k = k = k	ASHFORD	
6 a) 9	KILFROST	LTD.
Elabertario	υγ C.M .	& E.E.(B.R.B.)DERB
EAR BUI	1970	
EGISTRA		48129
WNERS I	2	

V1.1 (04/01/2011)

TANK WAGON.

.

Т\$020В



TARE 12 ^{350kg} .	BUFFERS-406 DIA. HEADS.	BUILDER - GRAZEBROOK.
CARRYING CAPACITY - 20000kg	COUPLINGS-INTERNATIONAL SCREW.	OWNER - SHELL CHEMICALS U.K. LTD.
CAPACITY - 23250 litres.	MIN. CURVE – 26 m.	REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY.
MAX. SPEED – 45 mile/h .	GEN. ARRGT. DRG. No	YEAR BUILT - 1953.
WHEELS952 DIA.	BRAKE-DUAL PIPED & HAND SCREW.	REGISTRATION Nos 48384 TO 48387.
JOURNALS-254 x 127 PLAIN BEARINGS.	SUSPENSION - SHOE.	OWNERS Nos 21-70-078-0001-4: 21-70-078-0002-2- 21-70-078-0005-5: 21-70-078-0021-1:

EX. P.O. DIAGRAM 6/708 (ALLOCATED)


Original © BRB Residuary Ltd

V1.1 (04/01/2011)

TANK WAGON

T\$O 21 Å

T	OPS CODE			
CARKND	AARKND	OPERATING PANEL No.		
T\$V	T \$ V E	967		



EXCESS LENGTH 3

VB

AB RA

tonnes

MAX. SPEED Н

33

15

4 4 1 1

50

Μ

33

15

Ε

13 13

7 7


50 50 50

TARE - 13 ^{150 kg}	BUFFERS-HYDRAULIC 406 DIA HEADS	BUILDER - CHARLES ROBERTS
CARRYING CAPACITY - 22 ^{500 kg}	COUPLINGS-INSTANTER	OWNER - TEXACO
CAPACITY - 24 048 litres.	MIN. CURVE 31 m	REGISTERED BY-C.M. & E.E. (B.R.B.) DERBY
MAX. SPEED - 50 mile/h	GEN. ARRGT. DRG. No	YEAR BUILT-1960
WHEELS-952 DIA	BRAKEVACUUM BLOCK & HAND LEVER.	REGISTRATION Nos 47766 TO 47851 (RANGE)
JOURNALS-124 DIA ROLLER BEARINGS	SUSPENSION-EYEBOLT	OWNERS Nos 316 TO 401 (RANGE)

Original © BRB Residuary Ltd

EX.P.O. DIAGRAM 6/14 (ALLOCATED).


Т\$О22А



TARE-120000 12,950 KA.	BUFFERS-HYDRAULIC 406 DIA. HEADS.	BUILDER-POWELL DUFFRYN LTD.
CARRYING CAPACITY -2050049. 22,500Kg.	COUPLINGS-B.R. SCREW.	OWNER TEXACO.
CAPACITY- 23 503 litres.	MIN. CURVE 31 m.	REGISTERED BY -C.M. & E.E.(B.R.B.)DERBY.
MAX. SPEED - 50 mile/h.	GEN. ARRGT. DRG. No	YEAR BUILT-1961. ADD - ATACO (BADSCE)
WHEELS - 939 DIA.	BRAKE-VACUUM BLOCK & HAND LEVER.	REGISTRATION Nos. 47858-47902 (RANCE)
JOURNALS- 124 DIA. ROLLER BEARINGS.	SUSPENSION-SHOE. EYEBOLT	OWNERS Nos408-452 (RANGE)

EX.PO. DIAGRAM 6/20 (ALLOCATED.)

Т\$О22В




Original © BRB Residuary Ltd

EX. P.O. DIAGRAM 6/19 (ALLOCATED)

т\$025А

EXCESS LENGTH 3	Н	М	L	Е
tonnes	34	34	13	13
VB	15	15	7	7
<u>AB</u>				
RA	4	4	I	1
MAX. SPEED	50	50	50	50


ſ	TOPS CODE								
	CARKND AARKN		D		PERA				
	Т\$	V	Т	\$	V	E	96		8



TARE-13 ^{150 kg}	BUFFERS-HYDRAULIC 406 DIA HEADS	BUILDER-CHARLES ROBERTS
CARRYING CAPACITY - 22500 kg	COUPLINGS-INSTANTER	OWNER TEXACO
CAPACITY - 24048 litres	MIN. CURVE – 3i m	REGISTERED BYCM. & EE.(B.R.B.) DERBY
MAX. SPEED – 50 mile/h	GEN. ARRGT. DRG. No	YEAR BUILT 1960
	BRAKE-VACUUM BLOCK HANDLEVER	REGISTRATION Nos47761 TO 4784\$ (RANGE)
WHEELS-952 DIA		OWNERS Nos3II TO 395 (RANGE)
JOURNALS-124 DIA ROLLER BEARINGS	SUSPENSION - EYEBOLT	

EX. P.O. DIAGRAM 6/II (ALLOCATED)

T\$O26A



TARE – 15 ^{250 kg}	BUFFERS-SELF CONTAINED 457 DIA HEADS	BUILDER – FAUVET GIREL			
CARRYING CAPACITY- 20000 kg	COUPLINGS-INTERNATIONAL SCREW	OWNER-ASSOCIATED OCTEL COMPANY LTD.			
CAPACITY - 10500 litres	MIN. CURVE – 26 m	REGISTERED BY C.M. & E.E. (B.R.B) DERBY			
MAX. SPEED 50 mile/h	GEN, ARRGT, DRG, No64515 (S.F.V.) 6090	YEAR BUILT - 1950			
	BRAKE-AIR BLOCK & VACUUM PIPED& HAND SCREW	REGISTRATION Nos 47078-79, 47081-82			
WHEELS-1050 DIA		OWNERS Nos252-3, 257-2, 262-2, 263-0-			
JOURNALS-250 x 130 PLAIN BEARINGS	SUSPENSION-SINGLE LINK				


Original © BRB Residuary Ltd

EX. P.O. DIAGRAM 6/789 (ALLOCATED.)

T\$027A

EXCESS LENGTH-4	Н	Μ	L	E
tonnes	35	35	12	12
VB	16	16	7	7
<u>AB</u>				
RA	4	4	1	1
MAX. SPEED	60	60	60	60

TOPS CODE							
 CARKND	AARKND	OPERATING PANEL No.					
T \$ V	T\$VT\$VE						




TARE-	260 kg	BUFFERS-	HYDRAULIC 406 DIA HEADS	BUILDER -	CHARLES ROBERTS
CARRYING CAPAC	ITY-23800 kg	COUPLINGS-	INTERNATIONAL SCREW	OWNER-	ESSO
CAPACITY-	26 954 litres	MIN. CURVE -	31 m	REGISTERED BY-	C.M. & E.E. (B.R.B.) DERBY.
MAX. SPEED -	60 mile/h	GEN. ARRGT. DRG. N	lo. —	YEAR BUILT-	1959
WHEELS-	952 DIA	BRAKE-	VACUUM BLOCK & HAND LEVER	REGISTRATION Nos.	- 44601 TO 44773 (RANGE).
JOURNALS-	124 DIA ROLLER BEARINGS	SUSPENSION-	SHOE	OWNERS Nos -	4601 TO 477 44 (RANGE).

EX. PO. DIAGRAM 6/1.

T\$027B

EXCESS LENGTH 4	Н	M	L	E
tonnes	35	35	12	12
VB	16	16	7	7
<u>—— AB</u>				
RA	4	4	1	1
MAX.	60	60	60	60

			1	OP	S	CO	DE			
с	AR	KNI	D	A	٨F	KN	D	 PERA	TING No	
	Т	\$	V	Т	\$	V	E	7	0	0



TARE-	950 kg	BUFFERS-	HYDRAULIC 406 DIA HEADS	BUILDER –	CHARLES ROBERTS
CARRYING CAPAC	ITY 23500 kg	COUPLINGS-	INTERNATIONAL SCREW	OWNER –	ESSO
CAPACITY-	- 26:005 litres 26,667 10. LITRES	MIN. CURVE-	31 m	REGISTERED BY-	C.M. & E.E. (B.R.B.) DERBY
MAX. SPEED -	60 mile/h	GEN. ARRGT. DRG. N	1o. —	YEAR BUILT-	1958
WHEELS-	952 DIA	BRAKE-	VACUUM BLOCK & HAND LEVER	REGISTRATION. Nos.	- 44711
JOURNALS -	124 DIA ROLLER BEARINGS	SUSPENSION -	SHOE	OWNERS Nos	3226


Original © BRB Residuary Ltd

EX. PO. DIAGRAM 6/1.

т\$027С.

excess Length 4	Н	M	L	E
tonnes	35	35	13	13
VB	16	16	7	7
<u>AB</u>				
RA	4	4	1	1
MAX. SPEED	60	60	60	60

	TOPS CODE					 				
С	AR	KNI	С	Д	AARKND			 PERA NEL	TING No.	
	Т	\$	V	Т	T \$ V E			7	0	1




TARE - 12700kg	BUFFERS-HYDRAULIC 406 DIA. HEADS.	BUILDER-CHARLES ROBERTS.
CARRYING CAPACITY - 23000kg	COUPLINGS-INTERNATIONAL SCREW.	OWNER – ESSO.
CAPACITY-24048 litres.	MIN. CURVE – 31 m.	REGISTERED BY - C.M. & E.E. (B.R.B.)DERBY.
MAX. SPEED 60 mile/h.	GEN. ARRGT. DRG. No. –	YEAR BUILT 1958/59
WHEELS -939 DIA.	BRAKE-VACUUM BLOCK & HAND LEVER.	
JOURNALS-124 DIA. ROLLER BEARINGS.	SUSPENSION - SHOE	OWNERS Nos 3300TO 3569 (RANGE),

Original © BRB Residuary Ltd

T\$027D.

EXCESS LENGTH - 4	Н	M	L	Ε
tonnes	35	35	13	13
VB	16	16	7	7
AB				
RA	4	4	1	1
MAX. SPEED	60	60	60	60

	TOPS CODE									
C	AR	KN	D	Δ	AF	RKN	D	 PERA	TING No	
	Т	\$	V	Т	Τ \$ V E			7	0	4




TARE - 12850kg	BUFFERS-HYDRAULIC 406 DIA. HEADS,	BUILDER-HURST NELSON.
CARRYING CAPACITY-22 500 kg.	COUPLINGS-INTERNATIONAL SCREW.	OWNER- ESSO PETROLEUM.
CAPACITY - 23230 litres	MIN. CURVE – 31 m.	REGISTERED BY-C.M. & E.E. (B.R.B.) DERBY.
MAX. SPEED – 60 mile/h .	GEN. ARRGT. DRG. No. –	YEAR BUILT-1958.
		REGISTRATION Nos 43570-TO 43789 (Registration Nos 43570-TO 43789 (Registration Registration Registratio Registration Registratio Registration
WHEELS-952 DIA.	BRAKE-VACUUM. BLOCK & HAND LEVER.	
JOURNALS- 124 DIA. ROLLER BEARINGS.	SUSPENSION - SHOE.	0 3789 (KANGE)

35 tonnes G.L.W. TANK WAGON

T\$027E

EXCESS LENGTH 4	Н	М	L	E
tonñes	35	35	13	13
VB	16	16	7	7
<u>AB</u>				
RA	4	4	I	Ι
MAX. SPEED	60	60	60	60

		TOPS CODE						 			
	С	AR	KNI	D	A	AARKND			 PERA	TING Nu.	
5		T	\$	۷	Т	\$	V	E	7	0	1




TARE - 12 850 kg	BUFFERS-HYDRAULIC 406 DIA. HEADS	BUILDER - CHARLES ROBERTS
CARRYING CAPACITY - 22500 kg	COUPLINGS-INTERNATIONAL SCREW	OWNER - ESSO
CAPACITY - 24048 litres	MIN. CURVE – 31 m	REGISTERED BY - C.M. & E.E.(B.R.B.)DERBY.
MAX. SPEED 60 mile/h	GEN. ARRGT. DRG. No	YEAR BUILT 1961
	BRAKE- VACUUM BLOCK & HAND LEVER	REGISTRATION Nos43964 TO 43999 4489 TO 44202
WHEELS-952 DIA	DRAKE- VACOONI DLOCK & HAND LEVER	OWNERS Nos 3964 TO 3999, 4189 TO 4202
JOURNALS-124 DIA. ROLLER BEARINGS	SUSPENSION - EYEBOLT	OWNERS 1005 3704 10 3999, 4107 10 4202

35 tonnes G.L.W. TANK WAGON

T\$027F

EXCESS LENGTH 4	Н	M	L	E
tonnes	35	35	13	13
VB	16	16	7	7
<u>AB</u>				
RA	4	4	1	Ι
MAX. SPEED	60	60	60	60


TOPS CODE				
CARKND	AARKND	OPERATING PANEL No.		
T \$ V	T \$ V E	701		



TARE- 12450 kg	BUFFERS- HYDRAULIC 406 DIA. HEADS	BUILDER-CHARLES ROBERTS
CARRYING CAPACITY- 22500 kg 23,000 kg.	COUPLINGS-INTERNATIONAL SCREW	OWNER ESSO
CAPACITY - 26:035 litres	MIN. CURVE – 31 m	REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY
MAX. SPEED 60 mile/h	GEN. ARRGT. DRG. No	YEAR BUILT-1961
WHEELS 952	BRAKE-VACUUM BLOCK & HAND LEVER	REGISTRATION Nos44139 TO 44188 (RANGE)
JOURNALS-124 DIA. ROLLER BEARINGS	SUSPENSION - EYEBOLT	OWNERS Nos4139 TO 4188 (RANGE)

EXC SS LEE JTH 4 tonnes	H 35	M 35	L 13	E 13
VB	- 16	16	7	7
RA	4	4	I	ſ
MAX. SPEED	60	60	60	60

		_	٦	OP	S (CO	DE			
с	AR	KNI	D.	Δ	AF	RV	D	 PERA	T'NG fya.	
	T	\$	V	٦	\$	V	E	7	0	4



TARE-	12 850 kg	BUFFERS-	HYDRAULIC 406 DIA. HEADS	BUILDER-	HURST NELSON
CARRYING CAPACI	TY-22500 kg	COUPLINGS-	INTERNATIONAL SCREW	OWNER	ESSO PETROLEUM
CAPACITY-	23 230 litres	MIN. CURVE -	31 m	REGISTERED BY-	C.M. & E.E. (B.R.B.) DERBY
MAX. SPEED -	60 mile / h	GEN ARRGT DRG	No	YEAR BUILT-	1958
			VACUUM BLOCK & HAND LEVER	REGISTRATION Nos.	- 43570 - 43599
WHEELS -	952 DIA.	BRAKE –	VACUUNI BLOCK & HAND LEVER	OWNERS Nos	
JOURNALS-	124 DIA. ROLLER BEARINGS	SUSPENSION -	SHOE		


Original © BRB Residuary Ltd

EX. P.O. DIAGRAM 6/668 (ALLOCATED)

T\$027H

EXCESS LENGTH 4	Н	М	L	Ε
tonnes	35	35	13	13
VB	16	16	7	7
RA	4	4	I	1
MAX. SPEED	60	60	60	60

			Т	ΩP	S (COL	DE	
CAI	٦ŀ	(NI	C	Д	AR	KN	D	OPERATING PANELING
T		\$	۷	T	\$	V	E	701



TARE	12 850kg.	BUFFERS-	HYDRAULIC 406 DIA. HEADS.	BUILDER -	CHARLES ROBERTS.	
CARRYING CAP	ACITY-22 ^{500kg.}	COUPLINGS-	INTERNATIONAL SCREW.	OWNER-	ESSO.	
CAPACITY -	24048 litres.	MIN. CURVE –	31m.	REGISTERED BY-	C.M. & E.E. (B.R.B.) DERBY	
MAX. SPEED -	60mile/h.	GEN. ARRGT. DRG. N	lo. —	YEAR BUILT		
WHEELS	952 DIA.	BRAKE-	VACUUM BLOCK & HAND LEVER.	REGISTRATION Nos	44189 - 44202.	
JO JRNALS -	124 DIA.ROLLER BEARINGS.	SUSPENSION -	EYEBOLT	OWNERS Nos	·	


Original © BRB Residuary Ltd

35 tonnes G. L.W. TANK WAGON

Т\$О28А

EXCESS LENGTH 4	Н	M	L	Ε
tonnes	35	35	15	15
VB	16	16	8	8
AB				
RA	4	4	L	I
MAX. SPEED	60	60	60	60

CARKND AARKND OPERATING PANEL NO	T	OPS CODE	
	CARKND	AARKND	




TARE- 13 500 kg	BUFFERS-HYDRAULIC 406 DIA. HEADS	BUILDER - CHARLES ROBERTS & Co LTD.
CARRYING CAPACITY- 21500 kg 22,000 kg	COUPLINGS-INTERNATIONAL SCREW	OWNER - FISONS LTD.
CAPACITY - 16365 litres	MIN. CURVE – 31 m	REGISTERED BY-C.M. & E.E. (B.R.B.) DERBY
MAX. SPEED - 60 mile / h	GEN. ARRGT. DRG. No. –	YEAR BUILT-1958
WHEELS-939 DIA.	BRAKE- VACUUM BLOCK & HAND LEVER	REGISTRATION Nos47351 TO 47395
JOURNALS-124 DIA. ROLLER BEARINGS	SUSPENSION - SHOE	OWNERS NosMI2/I TO MI2/45

Т\$О29А

EXCESS LENGTH 4	Н	М	L	E
tonnes	35	35	IЗ	13
VB	16	16	7	7
AB				
RA	4	4	1	1
MAX. SPEED	60	60	60	60

			Т	OP	S	col	DE			
С	AR	KNI	D	A	AF	RKN	D	 PERA	TING Na	
	T	\$	۷	T	\$	V	E	7	0	1




TARE - 12950 kg	BUFFERS-HYDRAULIC 406 DIA. HEADS	BUILDER CHARLES ROBERTS		
CARRYING CAPACITY- 22500kg	COUPLINGS-B.R. SCREW	OWNER - TANK RENTALS TIGER RANGER LEASINGLITD		
CAPACITY - 24 412 litres	MIN. CURVE – 31 m	REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY		
MAX. SPEED - 60 mile/h	GEN. ARRGT. DRG. No	YEAR BUILT - 1958 REGISTRATION Nos 47993 - 48001 OWNERS Nos AI - A9		
WHEELS - 952 DIA.	BRAKE- VACUUM BLOCK & HAND LEVER			
JOURNALS- 124 DIA. ROLLER BEARINGS	SUSPENSION - SHOE			

EX. P.O. DIAGRAM 6/758 (ALLOCATED)

T\$029B

EXCESS LENGTH 4	Н	M	L	E
tonnes	35	35	13	13
VB	16	16	7	7
<u>AB</u>				
RA	4	4	1	1
MAX. SPEED	60	60	60	60

TOPS CODE							
CARKND	AARKND	OPERATING PANEL No					
T \$ V	T \$ V E	701					



TARE - 12 950 kg	BUFFERS-HYDRAULIC 406 DIA. HEADS	BUILDER - CHARLES ROBERTS		
CARRYING CAPACITY - 22 500kg	COUPLINGS- SCREW	OWNER-TANK-RENTALS TIGER BAUSAR LERSING		
CAPACITY- 24 412 litres	MIN. CURVE – 31 m	REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY		
MAX. SPEED - 60 mile/h	GEN. ARRGT. DRG. No	YEAR BUILT 1958 REGISTRATION Nos 48002-48007,48009,48011-48013, 48015		
	BRAKE VACUUM BLOCK & HAND LEVER			
WHEELS- 952 DIA.				
JOURNALS- 124 DIA. ROLLER BEARINGS	SUSPENSION- SHOE	OWNERS Nos A20 - A25, A27, A29 - A31, A33		

Original © BRB Residuary Ltd


This PDF copy by J.D. Faulkner, 2010 (visit http://www.barrowmoremrg.co.uk)

EX. PO. DIAGRAM 6/759 (ALLOCATED)

т\$029С

EXCESS LENGTH 3	Н	M	L	E
tonnes	35	35	13	13
VB	16	16	7	7
AB				
RA	4	4	I	ا .
MAX. ISPEED	60	60	60	60

l	TOPS CODE						
	CARKND	AARKND	OPERATING PANEL No.				
'	T \$ V	T \$ V E	702				



TARE 12500 kg	BUFFERS- HYDRAULIC 406 DIA. HEADS	BUILDER - CHARLES ROBERTS
CARRYING CAPACITY - 22 500 kg	COUPLINGS - INSTANTER	OWNER - TANK RENTALS TIGER BALLEASING LT
CAPACITY- 24 412 litres	MIN. CURVE – 31 m	REGISTERED BY- C.M.&E.E. (B.R.B.) DERBY
MAX. SPEED - 60 mile/h	GEN. ARRGT. DRG. No	YEAR BUILT - 1959
WHEELS - 952 DIA.	BRAKE-VACUUM BLOCK & HAND LEVER	REGISTRATION Nos 48008, 48010, 48014, 48016- 48031
JOURNALS- 124 DIA. ROLLER BEARINGS	SUSPENSION- SHOE	OWNERS Nos A26, A28, A32, A34 - A49

Original © BRB Residuary Ltd


EX. P.O. DIAGRAM 6/760 (ALLOCATED)

35 tonnes G.L.W. TANK WAGON.

T\$O29D

EXCESS LENGTH 3	Н	M	L	E
tonnes	35	35	13	13
VB	16	16	7	7
AB				
RA	4	4	1	I
MAX. SPEED	60	60	60	60

TOPS CODE								
CARKND AARKND OPERATING PANEL No.								
T \$ V	Т	\$	۷	Ε		7	0	2




TARE-	12950 kg	BUFFERS-	HYDRAULIC 406 DIA. HEADS	BUILDER-	CHARLES ROBERTS & Co. LTD.
CARRING CAPAC	CITY- 22500 kg	COUPLINGS-	B.R.SCREW.	OWNER - TICKEN	TANK RENTALS.
CAPACITY-	24048 litres	MIN. CURVE	31 m	REGISTERED BY-	C.M. & E.E. (B.R.B.) DERBY
MAX. SPEED	60 mile/h	GEN. ARRGT. DRG. No		YEAR BUILT-	1961
		BRAKE-	VACUUM BLOCK & HAND LEVER	REGISTRATION Nos	- 48032 TO 48051
WHEELS-	952 DIA.			OWNERS Nos	50 TO 69
JOURNALS-	124 DIA ROLLER BEARINGS.	SUSPENSION-	EYEBOLT.	ovinizito nos.	50 10 09

35 tonnes G.L.W. TANK WAGON

T\$029E

EXCESS LENGTH 4	Н	М	L	E
tonnes	35	35	13	13
VB	16	16	7	7
AB				
RA	4	4	1	-
MAX. SPEED	60	60	60	60

	TOPS CODE										
	CAR	KNI	C	AARKND				PERA	J'ING No		
Ľ	Т	\$	V	Т	\$	V	Ε		7	0	Ι




TARE- 12 900 kg	BUFFERS- HYDRAULIC 406 DIA. HEADS	BUILDER-CHARLES ROBERTS & Co. LTD
CARRYING CAPACITY ~ 22 500 kg	COUPLINGS-INTERNATIONAL SCREW	OWNER - TANK - RENTALS TIGER BAILCOR LERGING LT
CAPACITY - 24,048 litres	MIN. CURVE - 31m	REGISTERED BY- C.M. & E.E. (B.R.B.) DERBY
MAX. SPEED - 60 mile/h	GEN. ARRGT. DRG. No. –	YEAR BUILT-1962
MAX. ST LED- CO mile Th	BRAKE-VACUUM BLOCK & HAND LEVER	REGISTRATION Nos 48052 TO 48057
WHEELS- 952 DIA.		OWNERS Nos A 252 TO 257
JOURNALS-124 DIA. ROLLER BEARINGS	SUSPENSION – EYEBOLT.	


Original © BRB Residuary Ltd

EX.PO. DIAGRAM 6/6

Т\$ОЗОА



TOPS CODE							
CARKND	AARKND	OPERATING PANEL No					
T \$ V	T \$ V E	704					




TARE-	12450kg	BUFFERS	HYDRAULIC 406 DIA. HEADS	BUILDER -	CHARLES ROBERTS
CARRYING CAPACITY	23000 kg	COUPLINGS-	INTERNATIONAL SCREW	OWNER -	SUKO & BPO
CAPACITY	26 B21 litres	MIN. CURVE-	31m	REGISTERED BY-	C.M.& E.E. (B.R.B.) DERBY
MAX. SPEED6	60 mile/h	GEN. ARRGT. DRG. N	lo. —	YEAR BUILT -	1963
WHEELS-	952 DIA.	BRAKE-	VACUUM BLOCK & HAND LEVER	REGISTRATION Nos.	SUKO-47720,47757,47758&47759
JOURNALS -		SUSPENSION -	EYEBOLT	OWNERS Nos	BPO-48460 & 48461
JOURNALS -	124 DIA. ROLLER BEARINGS	SUSPENSION -			

Original © BRB Residuary Ltd

EX. P.O. DIAGRAM 6/674 (ALLOCATED)

35 tonnes G.L.W. TANK WAGON - CLASS.B.

T\$030E




TARE-	12850kg	BUFFERS-	HYDRAULIC 406 DIA. HEADS	BUILDER-	POWELL DUFFRYN.
CARRYING CAPAC	CITY-22500kg	COUPLINGS-	INTERNATIONAL SCREW.	OWNER-	ESSO.
CAPACITY-	24276 litres	MIN. CURVE –	3im	REGISTERED BY-	C.M.& E.E.(BRB) DERBY
MAX. SPEED	GEN. ARRGT. DRG. I	No. —	YEAR BUILT-	1958 AND 1962.	
WHEELS -		BRAKE-	VACUUM BLOCK & HAND LEVER	REGISTRATION Nos	43840.TO
	952 DIA.	SUSPENSION -	EYEBOLT.	OWNERS Nos	3840. TO 4252. (RANGE)
JOURNALS-	124 DIA. ROLLER BEARINGS.	13031 EN31014 -			3959703963

Original © BRB Residuary Ltd

EX. P.O. DIAGRAM. 6 / 22.


35 tonnes GLW TANK WAGON-CLASS B



T\$030F

35 tonnes G.L.W. TANK WAGON-CLASS B


T\$030J



TARE-	 2 850 kg	BUFFERS-	HYDRAULIC 406 DIA. HEADS	BUILDER-	POWELL DUFFRYN
CARRYING CAP	ACITY-22500 kg	COUPLINGS-	INTERNATIONAL SCREW	OWNER-	CHIPMAN CHEMICALS.
CAPACITY-	24 276 litres	MIN. CURVE-	31 m	REGISTERED BY-	C.M. & E.E.(B.R.B) DERBY
MAX. SPEED-	60 mile/h	GEN. ARRGT. DRG. N	0	YEAR BUILT-	1977
WHEELS-	952 DIA.	BRAKE-	VACUUM BLOCK & HAND LEVER	REGISTRATION Nos	- 48443 & 48444
JOURNALS-	124 DIA. ROLLER BEARINGS	SUSPENSION-	SINGLE LINK	OWNERS Nos	

35 tonnes G.L.W. TANK WAGON


T\$O31B.



T\$034A

EXCESS LENGTH 4	Н	M	L	E
tonnes	35	35	15	15
VB	16	16	8	8
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~				
RA	4	4	1	1
MAX. SPEED	60	60	60	60

TOPS CODE								
СА	R	KNI	C	AARKND			D	OPERATING PANEL NO
Ŀ	٢	\$	V	T	\$	V	E	705




TARE - 14 900kg	BUFFERS-HYDRAULIC 406 DIA. HEADS	BUILDER CHARLES ROBERTS,	
CARRYING CAPACITY-20500kg	COUPLINGS-INTERNATIONAL SCREW,	OWNER ESSO PETROLEUM.	
CAPACITY - 20352 litres	MIN. CURVE – 31m.	REGISTERED BY C.M. & E.E. (B.R.B.) DERBY.	
MAX. SPEED – 60 mile/h.	GEN. ARRGT. DRG. No	YEAR BUILT 1958 REGISTRATION No ^c 43146 TO 43189 OWNERS Nos - 3146 TO 3189.	
WHEELS-952 DIA.	BRAKE-VACUUM BLOCK & HAND LEVER		
JOURNALS- 124 DIA. ROLLER BEARINGS.	SUSPENSION SHOE.		

EX. P.O. DIAGRAM 6/667 (ALLOCATED)

35 tonnes G.L.W. TANK WAGON - CLASS A

Т\$О35А



TARE - 12 350 kg	BUFFERS- HYDRAULIC 406 DIA. HEADS	BUILDER - POWELL DUFFRYN
CARRYING CAPACITY - 23 000 kg	COUPLINGS- INTERNATIONAL SCREW	OWNER - ESSO
CAPACITY - 26.667 litres	MIN. CURVE - 31 m	REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY
MAX.SPEED - 60 mile/h	GEN. ARRGT. DRG. No. –	YEAR BUILT - 1961
WHEELS- 952 DIA.	BRAKE - VACUUM BLOCK & HAND LEVER	REGISTRATION Nos 44087 TO 44138 (RANGE)
JOURNALS - 124 DIA. ROLLER BEARINGS	SUSPENSION - EYEBOLT	OWNERS Nos 4087 TO 4138 (RANGE)


EX PO DIAGRAM 6/15

V1.1 (04/01/2011)

36

35.5 tonnes G.L.W. TANK WAGON-CLASS.A.

T\$O36A



TARE-	1 2 550 kg	BUFFERS-	HYDRAULIC 406 DIA. HEADS.	BUILDER -	METRO - CAMMELL
CARRYING CAPACITY	22 500 kg	COUPLINGS-	INTERNATIONAL SCREW	OWNER -	ESSO
CAPACITY	27953 litres	MIN. CURVE –	31 m	REGISTERED BY-	C.M. & E.E. (BR.B.) DERBY
MAX. SPEED –	60 mile/h	GEN. ARRGT. DRG. No.		YEAR BUILT-	1963
WHEELS-	952 DIA	BRAKE-	VACUUM BLOCK & HAND LEVER.	REGISTRATION Nos	44302
JOURNALS-	124 DIA ROLLER BEARINGS.	SUSPENSION-	PRIMARY COIL-PEDESTAL	OWNERS Nos	4302

Original © BRB Residuary Ltd

35.5 tonnes G.L.W. TANK WAGON - CLASS A

EXCESS LENGTH 4 TOPS CODE Н Μ Ε L OPERATING AARKND tonnes 35 35 13 13 CARKND PANEL No. 16 16 VB 7 7 T\$VT\$VE 701 AB RA 4 4 1 1 MAX. SPEED 60 60 60 60 7 683 n t П A 727 TOTAL HEIGHT ო 1 060 1947 4 572 WHEELBASE 1947 1 714 620 7 226 OVER HEADSTOCKS 620 2 514 OVERALL 8 466 OVER BUFFERS

TARE- 12 550 kg	BUFFERS HYDRAULIC 406 DIA. HEADS	BUILDER - METRO - CAMMELL		
CARRYING CAPACITY - 22500 kg	COUPLINGS- INTERNATIONAL SCREW	OWNER – ESSO		
CAPACITY - 27 953 litres	MIN. CURVE – 31 m	REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY		
MAX.SPEED - 60 mile / h	GEN. ARRGT. DRG. No	YEAR BUILT 1963		
WHEELS- 952 DIA.	BRAKE VACUUM BLOCK & HAND LEVER	REGISTRATION Nos 44282 TO 44323 (RANGE)		
JOURNALS- 124 DIA. ROLLER BEARINGS	SUSPENSION - EYEBOLT	OWNERS Nos 4282 TO 4323 (RANGE)		

Original © BRB Residuary Ltd

V1.1 (04/01/2011) 36

Т\$ОЗ6В


Т\$О36С

EXCESS LENGTH 4	H	М
tonnes	35	35
VB	16	16
AB		
RA	4	4
MAX. SPEED	60	60

L E 35[3] I3 7 7

1 1 60 60

TOPS CODE							
CARKNI	ARKND			۲K	ID	OPERATING PANEL No.	
Т \$	۷	T \$ V E			E	701	




TARE-12 400 Kg	BUFFERS-PNEUMATIC 406 DIA. HEADS.	BUILDER-CHARLES ROBERTS		
CARRYING CAPACITY-23500 kg	COUPLINGS-INTERNATIONAL SCREW	OWNER ESSO		
CAPACITY-26 821 litres.	MIN. CURVE – 31 m ,	REGISTERED BY-C.M. & E.E.B.R.B.) DERBY		
MAX. SPEED -60 mile/h.	GEN. ARRGT. DRG. No	YEAR BUILT-1962		
	BRAKE- VACUUM BLOCK & HAND LEVER.	REGISTRATION Nos44329 TO 44363 (RANGE)		
WHEELS - 952 DIA.		OWNERS Nos 4329 TO 4363 (RANGE)		
JOURNALS-124 DIA. ROLLER BEARINGS	SUSPENSION – EYEBOLT	C		

V1.1 (04/01/2011)

EX PO. DIAGRAM 6/50(ALLOCATED.

Т\$О38А





TARE 15 240kg.	BUFFERS SELF CONTAINED 330 DIA.HEADS.	BUILDER-RY PICKERING LTD.			
CARRYING CAPACITY-20500 kg	COUPLINGS-INSTANTER.	OWNER - I.C.I. MOND DIVISION.			
CAPACITY-16366 litres.	MIN. CURVE - 26 m .	REGISTERED BY C. M. & E.E. (B. R. B.) DERBY.			
MAX. SPEED - 45 mile/h.	GEN. ARRGT. DRG. No	YEAR BUILT 1955			
	BRAKEHAND LEVER	REGISTRATION Nos47403-47414 (RANGE.)			
WHEELS-952 DIA.		OWNERS Nos700 - 742 (RANGE.)			
JOURNALS-254 x 127 PLAIN BEARINGS.	SUSPENSION – SHOE.				

Т\$ОЗ9А

EXCESS LENGTH 2	Н	M	L	E
tonnes	35	35	15	15
<u> </u>				
				}
RA	4	4	I	I
MAX · SPEED	45	45	45	45

TOPS CODE						
CARKND	AARKND	OPERATING PANEL No				
т\$ф	Τ \$ Ø Ε Ι Ι Ι 8					






TARE - 13200kg	BUFFERS-SPINDLE 330 DIA. HEADS	BUILDER-CAMBRIAN WAGON WORKS, CARDIFF.
CARRYING CAPACITY - 22500 kg	COUPLINGS-INSTANTER.	OWNER-N.C.B. SOUTH WALES.
CAPACITY-17366 litres.	MIN. CURVE – 26m.	REGISTERED BY - C.M. & E.E. (B.R.B.) DE RBY.
MAX. SPEED – 45 mile/h	GEN. ARRGT. DRG. No. –	YEAR BUILT - 1939 & 1940.
	BRAKE- HAND LEVER	REGISTRATION Nos 48300- 48345.
WHEELS-952 DIA.	SUSPENSION - SHOE.	OWNERS Nos7300-7345.
JOURNALS-254 x 127 PLAIN BEARINGS	SUSPENSION - SHOE.	

Original © BRB Residuary Ltd

EX. P.O. DIAGRAM 6/37 (ALLOCATED)

T\$040A



TARE - 16 100 kg .	BUFFERS-SPINDLE 330 DIA. HEADS.	BUILDER - CAMBRIAN WAGON WORKS			
CARRYING CAPACITY-19000kg.	COUPLINGS – INSTANTER.	OWNER N. C. B.			
CAPACITY-17366 litres.	MIN. CURVE – 26 m .	REGISTERED BY C.M. & E.E. (B.R.B.)DERBY.			
MAX. SPEED – 45 mile/h	GEN. ARRGT. DRG. No	YEAR BUILT - 1953 REGISTRATION Nos 48354-48383.			
WHEELS-952 DIA.	BRAKE- HAND LEVER.				
JOURNALS - 254 x 127 PLAIN BEARINGS.	SUSPENSION - SHOE.	OWNERS Nos7354 TO 7383			


EX. P.O. DIAGRAM 6/39 (ALLOCATED)

36 35-5 tonnes G.L.W. TANK WAGON-BUTANE

Т\$О43А

EXCESS LENGTH 5	Н	M	L	E
tonnes	36	36	17	17
VB	16	16	10	10
AB				
RA	5	5	I	1
MAX. SPEED	60	60	23	-68-


	TOPS CODE											
с	AR	KN	D	AARKND			OPERATING PANEL No			G		
	Т	\$	V	Т	T \$ V E				-	7	0	8
								١	ŗ	z	۱	7



TARE 16 500 Kg	BUFFERS- HYDRAULIC 406 DIA, HEADS	BUILDER - POWELL DUFFRYN
CARRYING CAPACITY - 19500 kg	COUPLINGS-INTERNATIONAL SCREW	OWNER - ESSO
CAPACITY-35500 litres	MIN. CURVE 31 m	REGISTERED BY C.M. & E.E. (B.R.B) DERBY
MAX. SPEED - 60 mile/h	GEN. ARRGT. DRG. No	YEAR BUILT - 1963 43102
WHEELS- 952 DIA.	BRAKE- VACUUM BLOCK & HAND LEVER	REGISTRATION Nos 43107 TO 43120
JOURNALS - 124 DIA. ROLLER BEARINGS	SUSPENSION - EYEBOLT	OWNERS Nos I TO 20

-35-5- tonnes G.L.W. TANK WAGON

T\$044A



TARE 16750 kg	BUFFERS - HYDRAULIC 406 DIA. HEADS	BUILDER CHARLES ROBERTS
CARRYING CAPACITY - 19500 kg.	COUPLINGS-INTERNATIONAL SCREW	IOWNER - ESSO
CAPACITY - 35 240 litres	MIN. CURVE - 3 m	REGISTERED BY C.M. & E.E. (B.R.B.) DERBY
MAX SPEED 60 mile/h	GEN. ARRGT. DRG. No	YEAR BUILT 1963
WHEELS-952 DIA	BRAKEVACUUM BLOCK & HAND LEVER	REGISTRATION Nos. 43121-43140
JOURNALS-124 DIA. ROLLER BEARINGS	SUSPENSION - EYE BOLT	OWNERS Nos: 21 TO 40

EX PO DIAGRAM 6/4 5


V1.17094001/2011) 35-5 tonnes G.L.W. TANK WAGON - CLASS A

T\$045A



EXCESS LENGTH 4	н	M	L	E
tonnes.	36	36	13	13
VB	16	16	7	7
RA	5	5	I	1
MAX SPEED	60	60	60	60

1	OPS CODE		
CARKND	AARKND	OPERATING PANEL No	
T \$ V	T \$ V E	7 1 1	




TARE - 12550kg	BUFFERS - HYDRAULIC 406 DIA. HEADS.	BUILDER - POWELL DUFFRYN
CARRYING CAPACITY - 23500kg	COUPLIN INTERNATIONAL SCREW	OWNER - ESSO
CAPACITY- 31167 litres.	MIN. CURVE - 31m.	REGISTERED BY -C.M.& E.E. (B.R.B.)DERBY
MAX. SPEED – 60 mile/h.	GEM ARRGT. DRG. No	YEAR RUILT - 1962
WHEELS-952 DIA.	BRAKE- VACUUM BLOCK & HAND LEVER.	REGISTRATION Nos43289 TO 43299,44253 TO 44281
JOURNALS-124 DIA. ROLLER BEARINGS	SUSPENSION - EYEBOLT	OWNERS Nos3289 TO 3299, 4253 TO 4281

Т\$О46А.

EXCESS LENGTH 4	Н	M	L	E
tonnes	36	36	13	13
VB	16	16	7	7
AB				
RA	5	5	I	Ι
MAX. SPEED	60	60	60	60

			T	ΟP	S	col	DE			
c	CAR	KNI	C	Д	AF	KN	D	 PERA	TING No	
-	Т	\$	۷	Т	\$	V	Ε	 7	1	2



TARE - 11850kg	BUFFERS-HYDRAULIC 406 DIA. HEADS.	BUILDER - CHARLES ROBERTS
CARRYING CAPACITY - 24000 kg	COUPLINGS - B.R. SCREW	OWNER - ESSO
CAPACITY-32731 litres.	MIN. CURVE-31m.	REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY
MAX. SPEED 60 mile/h.	GEN. ARRGT. DRG. No. –	YEAR BUILT- 1963
WHEELS-952 DIA.	BRAKE- VACUUM BLOCK & HAND LEVER.	REGISTRATION Nos 44365 TO 44424 (RANGE)
JOURNALS-124 DIA. ROLLER BEARINGS	SUSPENSION - EYEBOLT	OWNERS Nos 4365 TO 4424 (RANGE)

Original © BRB Residuary Ltd


EX PO. DIAGRAM 6/47

36 35 5 tonnes G. L.W. TANK WAGON

Т\$О47А

EXCESS LENGTH 5	Н	M	L	Ε
tonnes.	36	36	16	16
VB	16	16	10	10
Ав				
RA	5	5	Ι	1
MAX. SPEED	60	60	60	60


		٦	OP	S	col	DE			
CAR	KNI	C	A	AF	RKN	D	 PERA NEL	TING No.	
Т	\$	۷	Т	\$	V	Е	7	1	4



TARE - 15750kg	BUFFERS-HYDRAULIC 406 DIA. HEADS.	BUILDER-CHARLES ROBERTS
CARRYING CAPACITY - 20500kg	COUPLINGS-INTERNATIONAL SCREW.	OWNER - ESSO
CAPACITY - 23312 litres.	MIN. CURVE – 31m.	REGISTERED BY - C.M. & E.E. (B.R. B.) DERBY.
MAX. SPEED - 60 mile/h.	GEN. ARRGT. DRG. No	YEAR BUILT - 1963
WHEELS-952 DIA.	BRAKE - VACUUM BLOCK & HAND LEVER.	REGISTRATION Nos. 43190 TO 43199. 44425 TO 44444
JOURNALS-124 DIA. ROLLER BEARINGS	SUSPENSION - EYE BOLT	OWNERS Nos3190 TO 3199 - 4425 TO 4444

36 -35-5 tonnes G.L.W. TANK WAGON-BITUMEN

T\$048A



TARE - 13250 kg	BUFFERS HYDRAULIC 406 DIA. HEADS	BUILDER POWELL DUFFRYN
CARRYING CAPACITY - 23000 kg	COUPLINGS - INTERNATIONAL SCREW	OWNER – ESSO
CAPACITY-24730 litres	MIN. CURVE - 31 m	REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY
MAX. SPEED — 60 mile/h	GEN. ARRGT. DRG. No	YEAR BUILT 1963
WHEELS - 952 DIA	BRAKE VACUUM BLOCK & HAND LEVER	REGISTRATION Nos 44445 TO 44494
JOURNALS - 124 DIA. ROLLER BEARINGS	SUSPENSION - EYEBOLT	OWNERS Nos 4445 TO 4494


36

35-5-tonnes G.L.W TANK WAGON-CLASS A

T\$049A

EXCESS LENGTH	Н	M	L	E
tonnes	36	36	12	12
VB	16	16	7	7
RA	5	5	1	I
MAX.	60	60	60	60

					OP	S	co	DE			
	CARKND		AARKND OPERA PANEL								
			Т	\$	V	E	 7	1	0		



TARE - 11 350 Kg	BUFFERS- HYDRAULIC 406 DIA. HEADS	BUILDER - POWELL DUFFRYN		
CARRYING CAPACITY - 24500 kg	COUPLINGS- INSTANTER	OWNER - ESSO		
CAPACITY-32376 litres	MIN. CURVE - 31 m	REGISTERED BY - C.M. & E.E. (B.R.B) DERBY		
MAX. SPEED – 60 mile/h	GEN. ARRGT. DRG. No	YEAR BUILT - 1963		
WHEELS- 952 DIA	BRAKE - VACUUM BLOCK & HAND LEVER	REGISTRATION Nos 45001 TO 45100 (RANGE)		
JOURNALS- 124 DIA. ROLLER BEARINGS	SUSPENSION EYEBOLT	OWNERS Nos 5001 TO 5100 (RANGE)		



36 355 tonnes G.L.W. TANK WAGON-CLASS.A.

EXCESS LENGTH 4

VB

-AB-

RA

tonnes

MAX. SPEED

н | Μ

16

5

36 36 13

16

5

60 60 60 60

7 7

1

Ε L

13

1

т\$050а.

OPERATING

7 1 2

PANEL No.

TOPS CODE

T \$ V T \$ V E

AARKND

CARKND

		3 3 9 4	60-		
<u> </u>				762 TOTAL HEIGHT	
				3 70	
	1949	4 572 WHEELBASE.	1 949	i i i i i i i i i i i i i i i i i i i	1714
520		7 430 OVER HEADSTO B 470OVER BUFFERS	-		OVERALL


TARE-	11450kg	BUFFERS-	HYDRAULIC 406 DIA. HEADS.	BUILDER-	NORBRIT PICKERING LTD.
CARRYING CAPACITY-	- 24500kg	COUPLINGS-	INSTANTER.	OWNER –	ESSO.
CAPACITY-	30458 litres.	MIN. CURVE-	31m.	REGISTERED BY-	C.M.& E.E.(B.R.B.)DERBY
MAX, SPEED -	60 mile/h.	GEN. ARRGT. DRG. No		YEAR BUILT-	1964.
		DDAKE	VACUUMBLOCK&HANDLEVER	REGISTRATION Nos.	4510T.TO 45300.(RANGE.)
WHEELS-	952 DIA.	BRAKE-	VACOUNTBLOCK & HAND LEVER	OWNERS Nos	69/00
JOURNALS-	124 DIA. ROLLER BEARINGS.	SUSPENSION-	EYEBOLT.	OWNERS 1005	501-TO 5300. (RANGE.)

	Original	© BRB	Residuar	y Ltd
--	----------	-------	----------	-------

EX. P.O. DIAGRAM 6/56.

36 tonnes G.L.W. TANK WAGON - CLASS A


T\$050B



TARE -	450 kg	BUFFERS-	HYDRAULIC 406 DIA. HEADS	BUILDER-	NORBRIT PICKERING LTD.	
CARRYING CAPAC	CITY - 24 ⁵⁰⁰ kg	COUPLINGS-	INSTANTER	OWNER-	ESSO	
CAPACITY -	30458 litres	MIN. CURVE-	31 m	REGISTERED BY-	C.M. & E.E. (B.R.B.) DERBY	
MAX. SPEED-	60 mile/h	GEN. ARRGT. DRG. No		YEAR BUILT-	1964	
		BRAKE-	VACUUM BLOCK & HAND LEVER	REGISTRATION Nos 45IOI - 45199		
WHEELS- 952 DIA.		BRAKE	VACUUNI DECCR & HAND LEVER	OWNERS Nos-		
JOURNALS- I24 DIA.ROLLER BEARINGS		SUSPENSION-	PENSION- EYEBOLT			

vizionaliani 35.5 tonnes G.L.W. TANK WAGON

T\$05IA



TARE - 11700 kg	BUFFERS- HYDRAULIC 406 DIA. HEADS	BUILDER-CHARLES ROBERTS		
CARRYING CAPACITY - 24500 kg.	COUPLINGS-BR SCREW	OWNER - ESSO		
CAPACITY - 31017 litres	MIN. CURVE – 31 m	REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY		
MAX. SPEED - 60 mile/h	GEN. ARRGT. DRG. No	YEAR BUILT - 1964		
WHEELS- 952 DIA	BRAKE - VACUUM BLOCK & HAND LEVER	REGISTRATION Nos 45 301-45350		
JOURNALS-124 DIA. ROLLER BEARINGS	SUSPENSION - EYE BOLT	OWNERS Nos 5301 TO 5350		

Original © BRB Residuary Ltd