**British Railways Board** 

Mechanical & Electrical Engineering Department

### VEHICLE DIAGRAM BOOK Nº 300

FOR




## Privately Owned Freight Vehicles (Part 3)

© COPYRIGHT NOTICE

This PDF file has been created from the original book with permission of BRB (Residuary) Ltd who, including the relevant successor organisation, retains copyright in the original document.

This PDF version courtesy of Chris Dugdale, 2016.

Individuals may: use, retain and print out this PDF version for their private information or for that of their non-commercial enthusiast society or railway club. This document and any copies produced from it in any form may not be sold or lent for any payment in any form other than to cover copying or transmission costs. No reproduction permitted in any other form or circumstance without prior permission from the original copyright holder.



# ADDITION TO PRIVATE OWNER INDEX

(TT-II)

REG Nos	STS 53213	IRL 70900 - 31
OWNER	S.H.S.	Tiger Rail
DESCRIPTION	46t GLW Tank wagon CO2	51t GLW Tank wagon
DIAGRAM	TT018K	TU005B

II)	
ŧ	
LI)	

REG. NO.	51408 - 409	BRT 07747 - 820	BPO 37084,98,99	PR 57323 - 344	BRT 57135	ALG 49367 -90	BPO 37094 - 97
OMNER	T.R.L.	BRT & E	BP Oil	Procor	BRT&E	Algeco	BP Oil
DESCRIPTION	46t Tank Wagon	46t Tank Wagon Class B	46t Tank Wagon Class A	41t Tank Wagon Bitumen	46t Tank Wagon	46t Tank Wagon	46t Tank Wagon
DIAGRAM NO.	TT020C 4	TT031D 4	TT035G 4	TT061B 4	TT070D 4	TT079A 4	TT088E 4

111	2
	į
E	7

REG. NO.	ESSO 6104-6199	ESSO 6200-6240	RLS 55500-55509	TRL 55510-55519
OWNER	Esso	Esso	Railease	T.R.L.
DESCRIPTION	46t Tank wagon	46t Tank wagon	46t Tank wagon (class A)	46t Tank wagon
DIAGRAM NO.	TT043K	TI045C	TT077A	TT077B

	ESSO 56350	ESSO 56353,33 56359,30	ESSO 56368,374	ESSO 56376,378,382, 56383,384	ESSO 56387-403(range)	GULF 54242-255(range)	GULF 54242,249	GU1f 54243,245
OWNER	Esso	Esso	Esso	ossa	Esso	Gulf	Gulf	Gulf
DESCRIPTION	46t tank wagon LPG	46t tank wagon LPG	46t tank wagon LPG	46t tank wagon LPG	46t tank wagon LPG	46t tank wagon cls A	46t tank wagon cls A	46t tank wagon cls A
DIAGRAM NO.	TT017K	TT017L	TT017M	TTOILN	TT017P	TT042H	TT042L	TT042M
	DESCRIPTION	DESCRIPTION OWNER  46t tank wagon LPG Esso ESSO 5635	M NO. DESCRIPTION  46t tank wagon LPG  46t tank wagon LPG  Esso	M NO.DESCRIPTIONOWNER46t tank wagon LPGEssoESSO46t tank wagon LPGEssoESSO46t tank wagon LPGEssoESSO	46t tank wagon LPG Esso	46t tank wagon LPG Esso	M NO. DESCRIPTION OWNER  46t tank wagon LPG Esso  46t tank wagon LPG Esso	46t tank wagon LPG Esso 46t tank wagon Cls A Gulf 46t tank wagon cls A Gulf

DIAGRAM NO.	DESCRIPTION	OWNER	REG. NO.
TT072F	46t tank wagon (class A)	T.R.L.	TRL 51954-60 TRL 51964-68
TT072G	46t tank wagon	T.R.L.	TRL 51961-63
TT073C	46t tank wagon	STS	STS 53268
TT073D	46t tank wagon	STS	STS 53282
TT075B	46t tank wagon	Ass. Octal	
TI075C	46t tank wagon	Ass. Octal	AO 55325-338
T1088K	46t tank wagon (cls B)	Shell	SUKO 67000-67059 67100-67135 67444-550,756
TT088T	46t tank wagon	B.P. 0il	BPO 60560,1,2,
TT088U	46t tank wagon (cls A)	Shell	SUKO 67403-931(range)
TT088V	46t tank wagon	Shell	SUKO 67326-348(range) 67457
TT088W	46t tank wagon (cls A)	She11	SUKO 67959
TT088X	46t tank wagon (cls A)	Shell	SUKO 67958
TT088Y	46t tank wagon (cls A)	Shell	SUKO 67200-210
TT088Z	46t tank wagon (cls A)	Shell	SUKO 67135-67159
TT090A	46t tank wagon		
TT090C	46t tank wagon	Ass. Octel	AO 55357
TT091A	46t tank wagon (cls B)	B.P. Oil	BPO 65678,85,762,764 65675,82,94
TT091B	46t tank wagon (cls A)	Shell	SUKO 60515,16,17,18
TT091C	46t tank wagon (cls A)	Shell	SUKO 60514
TT091D	46t tank wagon (cls A)	Shell	SUKO 67346-402(range)
TT091E	46t tank wagon (cls A)	Shell	SUKO 60522-43
TT091F	46t tank wagon (cls A)	B.P.Oil	BPO 60569-90(range)

24S2B/0303q/47

DIAGRAM NO.	DESCRIPTION	OWNER	REG. NO.
TT091G	46t tank wagon (cls A)	B.P.0il	BPO 60563
TT091H	46t tank wagon (cls B)	B.P.Oil	BPO 66278,84,92,94, 66361,65,67
TT091J	46t tank wagon (cls A)	Shell	SUKO 60603-60632
TT091K	46t tank wagon (cls A)	Shell	SUKO 60622,33,34
TT091L	46t tank wagon (cls A)	Shell	SUKO 60601,02,40,41
TT091M	46t tank wagon	B.P.011	BPO 66174,80,86,92
TT091N	46t tank wagon (cls A)	Shell	SUKO 67200-321(range) 60512
TT091P	46t tank wagon (cls A)	Shell	SUKO 60501-09
TT091Q	46t tank wagon (cls A)	Shell	SUKO 60658,59, 60701-10(range)
TT091R	46t tank wagon (cls A)	B.P.Oil	BPO 60593,664,665,672
TT091S	46t tank wagon (cls A)	B.P.0il	BPO 60683,691
TI091T	46t tank wagon (cls A)	She11	SUKO 60223
TT091U	46t tank wagon	She11	SUKO 60104-251(range)
TT091V	46t tank wagon (cls A)	Shell	SUKO 67953,55,56,57
TT091W	46t tank wagon (cls A)	Esso	ESSO 66139,219
TT091X	46t tank wagon (cls B)	OSSI	ESSO 66318
TI091X	46t tank wagon (cls B)	Esso	ESSO 66127,28,32,35, 207,214
TI091Z	46t tank wagon (cls B)	Esso	ESSO 66230,233,316, 317
TT092A	42.5t tank wagon	B.P.0il	BPO 59188-98(range)
TT092B	42.5t tank wagon	B.P.Oil	BPO 59186,87,97
TT092C	42.5t tank wagon	B.P.Oil	BPO 59685,89,92
TT092D	46t tank wagon	B.P.Oil	BPO 63591,79,694
TT092E	42.5t tank wagon (LPG)	B.P.0il	BPO 59686-95(range)
TT092F	42.5t tank wagon (LPG)	B.P.Oil	BPO 59696
TT092G	42.5t tank wagon (LPG)	B.P.Oil	BPO 59684

DIAGRAM NO.	DESCRIPTION	CWINER	KEG. NO.
TT092H	42.5t tank wagon (LPG)	B.P.Oil	BPO 59697-99
TT092J	42.5t tank wagon (LPG)	B.P.Oil	BPO 59693,94
TT093A	46t tank wagon (cls A)	B.P.Oil	BPO 37360-65
TU006D	51t tank wagon (bitumen) lagged & coiled	Shell	SUKO 71500
G1 1017	11 + 12 + 12 × 12 × 12 × 14 × 15	F D	TDI 70728 33

DIAGRAM NO.	DESCRIPTION	OWNER	REG. NO.
TT059L	46t tank wagon cls B	BP Oil	BPO 63261-93,63566- 63875 (range)
TT059M	46t tank wagon cls B	BP Oil	BPO 63560-894 (range)
TT059Q	46t tank wagon (bitumen)	BP Oil	BPO 61592,61691,61666
TT059R	46t tank wagon cls A	Shell	SUKO 67932
TT059T	46t tank wagon LPG	BP Oil	BPO 59595
TT059U	46t tank wagon LPG	BP Oil	BPO 59596,7
TT059V	46t tank wagon (bitumen)	BP Oil	BPO 61583-680(range)
TT059W	46t tank wagon (bitumen)	BP Oil	BPO 61691
TT059X	46t tank wagon cls B (lagged and coiled)	Shell	SUKO 63201,03,06,12, 16
TT060G	46t tank wagon cls B	BP Oil	BPO 63898,99
TT063E	46t tank wagon	BP Oil	BPO 61574
TT063F	46t tank wagon	BP Oil	BPO 61561-61581
T1066Q	46t tank wagon cls B (lagged and coiled)	ESSO	ESSO 64123,24,25, 64601,25,28
TT066R	46t tank wagon cls B	ESSO	ESSO 64326-536(range)
TT066S	46t tank wagon	ESSO	ESSO 64221,64222
110661	46t tank wagon cls B (lagged & coiled)	ESSO	ESSO 64416,64425, 64520
TT066U	46t tank wagon cls B	ESSO	ESSO 64258
TT066V	46t tank wagon cls B	ESSO	ESSO 64607,38,40 46, 64710
TT066W	46t tank wagon cls B	ESSO	ESSO 64331-540(range)
TT067E	46t tank wagon (acetic acid,ethanol)	STS	STS 53313-44
TT070E	46t tank wagon (caustic liquor)	PROCOR	PR 58509-581(range)

Original diagrams courtesy of Chris Dugdale, 2016 (visit http://www.barrowmoremrg.co.uk)

$\supset$	
<b>₹</b> 0	
ы	
χď	
$\supset$	
٧)	
030	
_	
'n	
432	
ń	
Αï.	
٧.	

REG. NO.	PR 58502-531(range)	TRL 51625-51629 51619,20,21,24	TRL 51631-48(range)	TRL 51618
OWNER	PROCOR	T.R.L.	T.R.L	T.R.L
DESCRIPTION	41t tank wagon (molasses)	46t tank wagon	46t tank wagon (clay slurry)	46t tank waqon
DIAGRAM NO.	TIO70F	TT072C	TT072D	TTO72E

TU) LI)

DESCRIPTION

41t tank wagon

TTOOIR

OWNER

B.P. 0il

REG. NO.

BPO 59173,75,77, 78

Original © BRB Residuary Ltd

DIAGRAM NO.

#### Preface Sheet

#### TARE AND CARRYING CAPACITY

The policy respecting this information is as follows :-

- a) The tare shown on any diagram is a specimen weight, usually the 1st Wagon built.
- b) The painted tare on each vehicle shall be the actual recorded weight rounded down to the nearest 50 kg.
- c) The carrying capacity shown on any diagram is the metricated carrying capacity rounded off to the nearest 500 kg.
- d) The painted carrying capacity shall be to the nearest single decimal place and is the difference between the G.L.W. and the painted tare.

For existing wagons the G.L.W. is the exact metric equivalent of the original imperial G.L.W.

For new wagons the carrying capacity will depend upon the G.L.W. used in the submission and Builders will be advised of the agreed capacity when registration numbers are issued.

## (II - IU)

DIAGRAM NO.	DESCRIPTION	OWNER	REG. NO.
TIOOIS	41t tank wagon LPG	Shell	SUKO 59511-45 (range)
TIOOII	46t tank wagon LPG	B.P.Oil	BPO 59598-683(range)
TT002N	41t tank wagon LPG	Shell	SUKO 59552-609(range)
TT002P	46t tank wagon cls A	Shel1	SUKO 60519,20
TT002Q	46t tank wagon cls A	Shell	SUKO 60521
TT002R	41t tank wagon LPG	Shell	SUKO 59646
TT003E	41t tank wagon LPG	B.P.Oil	BPO 59174,76
TT003F	41t tank wagon LPG	B.P.Oil	
TT017F	46t tank wagon LPG	Esso	
TT017G	46t tank wagon LPG	Esso	
TT017H	46t tank wagon LPG	Esso	
TT017J	46t tank wagon LPG	Esso	
TT018H	46t tank wagon CO2	STS	STS 53203
TT018J	46t tank wagon CO2	STS	STS 53218
TT019G	46t tank wagon cls A	VTG (UK)	ALG 49057-62 49068-75
TT020G	46t tank wagon cls A	Texaco	TEX 54812,14,15,
TT025B	46t tank wagon	T.R.L.	TRL 51776
TT026Y	46t tank wagon cls A	B.P.Oil	BPO 60197
T1027Q	46t tank wagon C	Charrington Fuel	53741-53750 53752-53761
TT027R	46t tank wagon cls B C	Charingtons Fuel	53771–53772
TT029T	46t tank wagon E	E.G.Steele	STL 54855-66 54868-69
TTO31E	46t tank wagon cls B (close coupled)	BRT & E	BRT 57795
TT032D	46t tank wagon cls A	S.T.S.	STS 53082-88
			,

DIAGRAM NO.	DESCRIPTION	OWNER	REG. NO.
TT043X	46t tank wagon cls A (close coupled)	B.R.T.	BRT 57484,87,90,93, 502,511
TTO45H	46t tank wagon cls A	Esso	ESSO 56208-237(range)
TT045J	46t tank wagon cls B	B.R.T.& E	BRT 57672-696(range)
TT049W	46t tank wagon (hydrochloric acid)	Procor	PR 58207,8
TT049X	46t tank wagon (caustic soda liquor)	Procor	PR 58200,201,203, 212,217,221
TT049Y	46t tank wagon (sodium hypochlorite)	Procor	PR 58211
TT049Z	46t tank wagon (sodium hypochlorite)	Procor	PR 58213,14,16
TT051G	46t tank wagon	T.R.L.	TRL 51410-14,51416- 425,51427,28,30
TTOSIL	46t tank wagon (sulphuric acid)	T.R.L.	TRL 51100-16
TT053K	41t tank wagon (molasses)	Procor	PR 58602-60(range)
TT053L	41t tank wagon (molasses)	Procor	PR 58574,58521
TT055D	46t tank wagon	S.H.S.	STS 53220,27,21,22 53232
TTO55E	46t tank wagon	S.T.S.	STS 53239,42,47
TT058G	46t tank wagon cls B (lagged & coiled)	BP Oil	BPO 63162-99(range)
TT059K	46t tank wagon cls B (lagged & coiled)	Shell	SUKO 63814-817 63819-820
TT066J	46t tank wagon cls B	BP Oil	BPO 63294
TT072A	46t tank wagon	r.L. Ltd	51589~51648

REG. NO.	56341 - 56356 (range)	56385 - 56406 (range)	SUKO 61345,46,47,48
OWNER	Esso	Esso	Shell UK
DESCRIPTION	46t Tank L.P.G.	46t Tank L.P.G.	46t Tank bitumen
DIAGRAM NO.	TT017A	TTO17E	TT059S

DIAGRAM	DESCRIPTION	OWNER	REGISTRATION NUMBERS
TTOO1A	2 Axle Tank Wagon	Algeco	ALG 49291-316
TTOO1C	2 Axle Tank Wagon	Shell (UK) Oil	SUKO 59113-23
TTOOIF TTOOIG TTOOIH TTOOIJ TTOOIK TTOOIL TTOOIM TTOOIN TTOOIP TTOOIQ	2 Axle Tank Wagon	BP Oil Ltd C.L.M.I. BP Oil Ltd BP Oil Ltd Shell (UK) Oil BP Oil Ltd C.L.M.I.	BPO 59560-73 CLMI 54013-6 BPO 59161-5 BPO 59160, 6, 7 SUKO 59439, 40, 500-512, 514-537, 539-545 SUKO 59407 SUKO 59401, 02, 08 SUKO 59403-11 (RANGE) BPO 59560-73 CLMI 54013-6
TT002D TT002E TT002G TT002H TT002J TT002K TT002L TT002M	2 Axle Tank Wagon	BP Oil Ltd BP Oil Ltd Shell (UK) Oil Shell (UK) Oil Sheel (UK) Oil BP Oil Ltd BP Oil Ltd BP Oil Ltd	BPO 59574-82 BPO 59583-88 SUKO 59546-559, 600-612 SUKO 59513-32 SUKO 59633-37, 39-50 BPO 59574-82 BPO 59583-88 BPO 59589-94
TT003A	2 Axle Tank Wagon	Shell (UK) Oil BP Oil Ltd BP Oil Ltd BP Oil Ltd	SUKO 59124-38
TT003B	2 Axle Tank Wagon		BPO 59168
TT003C	2 Axle Tank Wagon		BPO 59169-72
TT003D	2 Axle Tank Wagon		BPO 59168
TT004A	2 Axle Tank Wagon	Hargreaves Fuel Oil	HFO 53901-04, 06-21
TT004B	2 Axle Tank Wagon	BP Oil and Shell (UK) Oil	BPO 50160-7, 65060, SUKO 50100-12
TT004C	2 Axle Tank Wagon	Tiger Railcar Leasing	TRL 51299-338
TT005A	2 Axle Tank Wagon	Brit Rail Traffic & Elec	BRT 57000-12, 14-17, 19-21, 23-40
TT005B	2 Axle Tank Wagon	Brit Rail Traffic & Elec	BRT 57345-49

Original © BRB Residuary Ltd

DIAGRAM	DESCRIPTION	OWNER	REGISTRATION NUMBERS
TT006A	2 Axle Tank Wagon	Storage & Transport Systems	STS 53012-50, 52-60
TT007A	2 Axle Tank Wagon	Charrington Garner Locket	CGL 53701-06, 08-20
TT007B	2 Axle Tank Wagon	Hargreaves Fuel Oil	HFO 53905
TTOO7C	2 Axle Tank Wagon	Tiger Railcar Leasing	TRL 51222-32
TT007D	2 Axle Tank Wagon	Tiger Railcar Leasing	TRL 51258-79
TT008A	2 Axle Tank Wagon	Algeco Ltd	ALG 49000-5
TT008B	2 Axle Tank Wagon	Brit Railway Traffic & Elec	BRT 57295-305
TT008C	2 Axle Tank Wagon	Tiger Railcar Leasing	TRL 51281-98
TT009A	2 Axle Tank Wagon	Tiger Railcar Leasing	TRL 51166
ТТ009В	2 Axle Tank Wagon	Tiger Railcar Leasing	TRL 51177-96
TTO1OA	2 Axle Tank Wagon	Storage & Trans Systems	STS 53250-61, 63, 64
TTO10B	2 Axle Tank Wagon	Tiger Railcar Leasing	TRL 51450-538
TTOLOC	2 Axle Tank Wagon	I.C.I. (Agriculture)	ICIA 54301-50
TTO1OD	2 Axle Tank Wagon	I.C.I. (Agriculture)	ICIA 54381-413
TTO12A	2 Axle Tank Wagon	Shell (UK) Oil	SUKO 52155, 56, 58, 59, 200-04, 07-29
TTO12C	2 Axle Tank Wagon	Shell (UK) Oil	SUKO 52230-259, 300-344
TT013B	2 Axle Tank Wagon	Shell (UK) Oil	SUKO 50500
TTO13C	2 Axle Tank Wagon	Procor (UK) Ltd	PR 58910-35
TTO14A	2 Axle Tank Wagon	Fisons Fertilisers	FF55409-12
TTO15A	2 Axle Tank Wagon	Powell Duffryn	PDUF 52000-27
TTO16A	2 Axle Tank Wagon	Shell (UK) Oil Ltd	SUKO 52100-02, 04-18, 20, 22-26, 28-34, 36-38, 40, 42-54

DIAGRAM	DESCRIPTION	OWNER	REGISTRATION NUMBERS
TT017A TT017B TT017C TT017D TT017E	2 Axle Tank Wagon	Esso Petroleum Esso Petroleum Esso Petroleum Esso Petroleum Esso Petroleum	ESSO 56341, 42, 44-48, 50, 51, 56 ESSO 56343, 49, 52-55, 57-62, 64, 65, 69, 70, 73 ESSO 56363, 61-68, 71, 72, 74 ESSO 56375-84 ESSO 56385-406
TT018A TT018B TT018C TT018D TT018E	2 Axle Tank Wagon	Brit Rail Traffic & Elect Brit Rail Traffic & Elect Storage & Trans System Storage & Trans System Storage & Trans System	BRT 57577-87 BRT 57881-86 STS 53215-18 STS 53200-07 STS 53208-14
TT019A TT019B TT019C TT019D TT019E TT019F	2 Axle Tank Wagon	Algeco & C.L.M.I. Algeco Algeco Algeco Algeco Algeco Algeco	ALG 49006-22, 24-56, 76-82, 366. CLMI 54018-21, 23-32 ALG 49084, 5, 6 ALG 49057-62, 68-75 ALG 49063-67 ALG 49083
TT020A TT020B TT020C TT020D TT020E TT020F	2 Axle Tank Wagon	Hargreaves Fuel Oil Tiger Railcar Leasing Tiger Railcar Leasing Texaco Hargreaves Fuel Oil W.H. Davis Ltd	HFO 54941-43 TRL 51382-403, 405-407 TRL 51408, 9 TEX 54812, 14, 15, 17, 19, 21, 23, 24, 26, 27, 29, 34 HFO 53951-8 DAVS 54810, 11, 13, 16, 18, 20, 22, 25, 28, 30, 31, 32, 33
TT021A TT021B	2 Axle Tank Wagon 2 Axle Tank Wagon	I.C.I. (Agriculture) Procor	ICIA 54351-80 PR 58136-55
"T022A "T022B T022C T022D	2 Axle Tank Wagon 2 Axle Tank Wagon 2 Axle Tank Wagon 2 Axle Tank Wagon	Tiger Railcar Leasing Tiger Railcar Leasing Tiger Railcar Leasing Tiger Railcar Leasing	TRL 51435-37, 39, 40, 42-45, 47-49 TRL 514c38, 46 TRL 51948, 51, 52 TRL 51949, 50
T023B	2 Axle Tank Wagon	Petrofina	FINA 54701-30

DIAGRAM	DESCRIPTION	OWNER	REGISTRATION NUMBERS
TT024A	2 Axle Tank Wagon	Procor	PR 58101-35
TT025A	2 Axle Tank Wagon	Tiger Railcar Leasing	TRL 51764-803
TT026A TT026B TT026C TT026D TT026E	2 Axle Tank Wagon	Algeco & C.L.M.I. Brit Rail Traffic & Elect BP Oil & Shell (UK) Ltd	ALG 49317-64. CLMI 54017 BRT 57638-53, 55, 56, 58, 59, 60, 62, 63 BPO 60560-8. SUKO 60501-11 BPO 60569-679. SUKO 65500-59, 600-17 BPO 37188-95, 60680-94, 67260-299, 360-373. SUKO 60412, 3, 67200-57, 300-23 BPO 65675, 78, 82, 85-87, 90, 91, 94, 761, 762, 764, 766. SUKO 65618-59, 700-11
ТТО26Н	2 Axle Tank Wagon	BP Oil, Shell (UK) Oil and Esso Petroleum	) BPO 60299, 360-62, 67, 66172, 74, 76, 77, 79, 80, 81, 82, 84, 86, 88-93, 96, 262-266, 269-271. SUKO 66101, 02, 05, 07, 08, 10, 12, 13, 15-18, 20, 22, 24, 26-28, 31-35, 37, 39, 41, 43-47, 49, 51, 53, 205, 207, 209-212, 214, 215, 219, 221, 222. ESSO 66127, 28, 32, 35, 39, 53, 207, 214, 219
TTO26J	2 Axle Tank Wagon	BP Oil, Shell (UK) Oil and Esso Petroleum	) BPO 60363-6, 66272, 73, 74, 78, 82, 83, 84, 88, 90-94, 97, 98, 360, 362, 364, 365, 367. SUKO 66223, 25, 27, 29, 30, 33, 40, 45, 47, 48, 51, 53, 55, 56, 57, 301, 02, 03, 08, 12, 15-18. ESSO 66230, 233, 316, 317, 318
TT026K	2 Axle Tank Wagon	BP Oil and Shell (UK) Oil	) BPO 60695-699, 760, 67061, 066, 072, 076, 080-082, 086-088, 094, 161, 162, 175, 179, 182, 187-189, 194, 461, 471, 476, 484, 485, 487, 492-494, 497, 498, 562, 564, 568, 573, 583, 589, 591, 592, 594, 597, 664-666, 670, 673-675, 690, 760, 761, 765, 767, 771, 775, 779, 781, 788, 789, 791, 792, 796, 860-862, 868, 870, 874, 878, 879, 883, 885, 887, 890-893, 895-898, 960, 965, 972-974. SUKO 67000-59, 100-159, 403-459, 500-559, 800-859, 900-931.

DIAGRAM	DESCRIPTION	OWNER	REGISTRATION NUMBERS
TT026L	2 Axle Tank Wagon	BP Oil and Shell (UK) Oil	) BPO 60160, 167-169, 178-183, 191, 192, 199, 260, 261, 262, 274-277, 68162, 163, 165, 169, 171, 172, 174, 175, 177-179, 184-186, 188, 189, 191, 193, 195-198, 261-264, 267-270, 272-274. SUKO 60100, 113-115, 122-131, 149-148, 214-220, 68104, 06, 09, 11, 14, 19, 25, 30, 32, 35, 36, 44, 45, 46, 48, 51, 52, 58, 200, 01, 04
TT026M	2 Axle Tank Wagon	BP Oil and Shell (UK) Oil	) BPO 60170, 184, 263, 278, 279, 68277. SUKO 60159, ) 222, 223, 68205, 07-10, 12-14
TT026N ·	2 Axle Tank Wagon	BP Oil and Shell (UK) Oil	) BPO 60161-165, 175, 187, 188, 189, 197, 198, 268-270, 285-293, 68560, 61, 63, 66, 69-72, 75-77, 79, 80, 82, 84-87, 89. SUKO 60103-12, 34, 41-46, 203-209, 234-235, 68501, 02, 05, 06, 07, 10, 12-15, 18, 20, 23, 25, 26, 28, 29, 30, 36, 39, 40, 43-46, 48
TT026P	2 Axle Tank Wagon	BP Oil & Shell (UK) Oil	) BPO 68591-94, 96-99, 661-670, 674. SUKO 68553, 56, ) 58, 600, 602, 603, 606, 607, 609, 610, 612, 613, ) 617, 619, 620, 623, 626.
TT026Q TT026R	2 Axle Tank Wagon 2 Axle Tank Wagon	BP Oil & Shell (UK) Oil BP Oil & Shell (UK) Oil	BPO 67374-388. SUKO 60500, 67324-45 BPO 67389-399. SUKO 67346-359, 400-402
TT026U TT026V	2 Axle Tank Wagon 2 Axle Tank Wagon	BP Oil BP Oil	BPO 67981 BPO 67982
PTO26X	2 Axle Tank Wagon	BP Oil	) BPO 37196, 199, 263-267, 269, 270, 67060, 062-065, 067-071, 073-075, 077-079, 083-085, 089-093, 095-099, 160, 163-174, 176-178, 180, 181, 183-186, 190-193, 195-199, 460, 462-470, 472-475, 477-483, 486, 488-491, 495, 496, 499, 560, 561, 563, 565-567, 569-572, 574-582, 584-588, 590, 593, 595, 596, 598, 599, 660-663, 667-669, 671, 672, 676-689, 691-699, 762-764, 776-778, 780, 782-787, 790, 793-795, 797-799, 863-867, 869, 871-873, 875-877, 880-882, 884, 886, 888, 889, 894, 899, 961-964, 966-971,
301/0585f	·/5		) 975-979

DIAGRAM	DESCRIPTION	OWNER	REGISTRATION NUMBERS
TT026Z	2 Axle Tank Wagon	BP Oil	BPO 37271
TT027A	2 Axle Track Wagon	Charrington Gardner Locket	CGL 53731-35
TT027B	2 Axle Track Wagon	Charrington Gardner Locket	CGL 53741-61
TT027C	2 Axle Track Wagon	Charrington Gardner Locket	CGL 53771-78
TT027D	2 Axle Track Wagon	Brit Rail Traffic & Elect	BRT 57061-66, 68, 71-75
TTO27E	2 Axle Track Wagon	Brit Rail Traffic & Elect	BRT 57306, 7
TT027F	2 Axle Track Wagon	Texaco	TEX 54802, 05, 08, 09, 47
TT027J	2 Axle Track Wagon	Brit Rail Traffic & Elect	BRT 57067, 69, 70, 78, 79, 80
TT027K	2 Axle Tank Wagon	Brit Rail Traffic & Elect	BRT 57076, 77, 81-85
TT027L	2 Axle Tank Wagon	W.H. Davis Ltd	DAVS 54800, 01, 03, 04, 06, 07, 35-46, 48-54
TTO27M	2 Axle Tank Wagon	Milk Marketing Board	MMB 52866-70
TT028 <b>1</b>	2 Axle Tank Wagon	Brit Rail Traffic & Elect	BRT 57193
TT029A	2 Axle Tank Wagon	Brit Rail Traffic & Elect	BRT 57308-22
TT029B	2 Axle Tank Wagon	Brit Rail Traffic & Elect	BRT 57845, 8, 9
TT029C	2 Axle Tank Wagon	Brit Rail Traffic & Elect	BRT 57092, 93, 95, 97-99, 101, 103, 104, 107,
			109-111, 119, 126, 127
TT029D	2 Axle Tank Wagon	Brit Rail Traffic & Elect )	BRT 57088-91, 94, 96, 100, 102, 105, 106, 108,
			112-118, 120-125, 128-131, 134, 136-141
TT029F	2 Axle Tank Wagon	Brit Rail Traffic & Elect	BRT 57664-9
TT029K	2 Axle Tank Wagon	Brit Rail Traffic & Elect	BRT 57846, 47, 50
TT029L	2 Axle Tank Wagon	W.H. Davis	DAVS 54855-69
TT029Q	2 Axle Tank Wagon	Shell (UK) Oil	SUKO 65744, 5
TTO29R	2 Axle Tank Wagon	Brit Rail Traffic & Elect	BRT 57664-9
mmOZOD	2 Arla Manir Magan	E.G. Steele	STL 55001-20
TTO30D TTO30E	2 Axle Tank Wagon 2 Axle Tank Wagon	E.G. Steele	STL 55021-44
TTO30E TTO30F	2 Axle Tank Wagon 2 Axle Tank Wagon	E.G. Steele	STL 55045-55
110701	Z WYTE TAUK MAROU	n.d. preefe	D10 77047-77

DIAGRAM	DESCRIPTION	OWNER	REGISTRATION NUMBERS
TTO31A TTO31B TTO31D	2 Axle Tank Wagon 2 Axle Tank Wagon 2 Axle Tank Wagon	Brit Rail Traffic & Elect Brit Rail Traffic & Elect Brit Rail Traffic & Elect	BRT 57747-59, 61-95, 97-821 BRT 57796 ) BRT 57747-50, 54, 55, 57, 59-62, 64, 65, 67, 68, ) 70-74, 76, 77, 79, 84, 86, 87, 89-95, 97, 98, 800, ) 802, 803, 805, 807, 809-813, 815, 816, 818, 820
TT032A TT032B	2 Axle Tank Wagon 2 Axle Tank Wagon	Storage & Transport Systems Storage & Transport Systems	STS 53062-81 STS 53082-91
TT033A TT033B	2 Axle Tank Wagon 2 Axle Tank Wagon	Tiger Railcar Leasing Tiger Railcar Leasing	TRL 51539-47 TRL 51549-56, 58, 59, 60
ТТОЗ4А	2 Axle Tank Wagon		) BPO 60176, 77, 90, 271-273, 294-298. SUKO 60120, ) 21, 36, 47, 48, 210-213, 60254-9
ТТОЗ4В	2 Axle Tank Wagon	BP Oil Ltd and Shell (UK) Oil and Esso Petroleum	) BPO 60368, 663870, 71, 73, 75-80, 82, 84, 85, 87, ) 89, 90. ESSO 66319, 24, 26, 37, 43. SUKO 66319, ) 20, 23-26, 28-30, 32, 33, 36, 37, 39, 40, 43, 44, ) 46, 47, 49, 51
TT034C	2 Axle Tank Wagon	BP Oil Ltd and Shell (UK) Oil	) BPO 60171-173, 185, 186, 193-196, 264-267, 280-284, ) 68284, 289, 290, 294-296, 298, 360, 362-366. ) SUKO 60101, 02, 16-19, 32, 33, 38-40, 200-202, ) 225-233, 68216, 25, 26, 29-32, 35, 42-44, 47-51, ) 53, 54, 56, 57
TT034F	2 Axle Tank Wagon	BP Oil Ltd	BPO 37068-79, 81, 82, 83
TT035A	2 Axle Tank Wagon	Brit Rail Traffic & Elect	BRT 57041-60
TT035B	2 Axle Tank Wagon	BP Oil Ltd and Shell (UK) Oil and Esso Petroleum	) BPO 64180-87. SUKO 64130-33, 35-37, 39-41. ) ESSO 64131, 2
TT035C	2 Axle Tank Wagon	BP Oil and Shell (UK) Oil	BPO 60174, 68369, 71. SUKO 68302, 08, 10.

DIAGRAM	DESCRIPTION	OWNER	REGISTRATION NUMBERS
TT035D	2 Axle Tank Wagon	BP Oil & Shell (UK) Oil & ) Esso Petroleum )	BPO 64160-76. ESSO 64104, 05, 07, 10, 13, 14. SUKO 64100, 02, 04, 05, 07, 10, 14, 19, 22
ТТО35Е	2 Axle Tank Wagon	BP Oil & Shell (UK) Oil ) & Esso Petroleum )	BPO 66160-67, 70, 71. ESSO 66101, 05. SUKO 66102, 05, 07, 08, 10, 12, 13, 15, 1, 17
TT035G	2 Axle Tank Wagon	BP Oil	BPO 37084, 98, 99
TT036A TT036B	2 Axle Tank Wagon 2 Axle Tank Wagon	Charrington, Gardner, Lockett Charrington, Gardner, Lockett	CGL 53721-30 CGL 53736-40, 62
ТТОЗ7А	2 Axle Tank Wagon	Algeco & C.L.M.I.	ALG 49254-290, 365. CLMI 54000, 01, 02, 04-12
TT039B TT039C	2 Axle Tank Wagon 2 Axle Tank Wagon	Storage & Trans Systems Storage & Trans Systems	STS 53112-28 STS 53111
TT040A TT040C	2 Axle Tank Wagon 2 Axle Tank Wagon	V.I.P. Petroleum Procor	VIP 55201-44 PR 58951, 2
TTO41A	2 Axle Tank Wagon	Charrington, Gardner, Lockett	CGL 53763-7
TT042B TT042F	2 Axle Tank Wagon	Gulf Oil Ltd	GULF 54206-24
TTO43J TTO43K	2 Axle Tank Wagon	Esso Petroleum  Brit Rail Traffic & Elect  Brit Rail Traffic & Elect  Esso Petroleum  Brit Rail Traffic & Elect )	ALG 49104-253. CLMI 54033-64 BRT 57142-53, 55-57, 59-80, 82-91 BRT 57246-72, 74, 75, 77, 78, 80, 81, 83, 84, 86-94 BRT 57245, 73, 76, 69, 82, 85 BRT 57822-40 ESSO 56000-103 ESSO 56241-59, 61-81 BRT 57547-50, 52, 55, 57 BRT 57478, 479, 513, 516, 540, 541 ESSO 56104-10, 12-99 BRT 57484-496, 506-508, 510-512, 514, 515, 517-524, 529-539, 542, 543, 559-565, 571-575

DIAGRAM	DESCRIPTION	OWNER	REGISTRATION NUMBERS
TTO43M TTO43N	2 Axle Tank Wagon 2 Axle Tank Wagon	Algeco	ALG 49087-103
TT043P	2 Axle Tank Wagon 2 Axle Tank Wagon	Brit Rail Traffic & Elect Brit Rail Traffic & Elect	BRT 57154, 58, 81 BRT 57505, 09, 44
TTO44A	2 Axle Tank Wagon	Brit Rail Traffic & Elect	) BRT 57382, 386, 387, 391-393, 396-399, 415, 417, ) 418, 427, 428, 438, 439, 441-444, 447, 448, 454-457, ) 470, 472, 473, 476
TTO44C	2 Axle Tank Wagon	Shell (UK) Oil	SUKO 61513-559, 600-637
TTO44D TTO44E	2 Axle Tank Wagon 2 Axle Tank Wagon	Shell (UK) Oil Brit Rail Traffic & Elect	SUKO 61638-659, 700-759, 800-858, 900-907 BRT 57394, 395, 400, 401, 402, 416, 419, 420, 445, 446, 449, 450
TT045A	2 Axle Tank Wagon	Brit Rail Traffic & Elect	BRT 57192
TT045B	2 Axle Tank Wagon	Brit Rail Traffic & Elect	BRT 57350-76
TT045C	2 Axle Tank Wagon	Esso Petroleum	ESSO 56200-40
TT045D	2 Axle Tank Wagon	Brit Rail Traffic & Elect	BRT 57670-94, 96
TT045G	2 Axle Tank Wagon	Brit Rail Traffic & Elect	BRT 57350-76
TTO47A	2 Axle Tank Wagon	Tiger Railcar Leasing	TRL 51804-23
TTO48A	2 Axle Tank Wagon	Tiger Railcar Leasing	TRL 51824-34
TT049A	2 Axle Tank Wagon	Procor	PR 58202, 04-11
TT049B	2 Axle Tank Wagon	Procor	PR 58213-16, 18, 19, 20
TT049C	2 Axle Tank Wagon	Procor	PR 58300-04, 06, 07
TTO49D	2 Axle Tank Wagon	Procor	PR 58308, 10, 12, 13
TT049E	2 Axle Tank Wagon	Procor	PR 58681-684, 686-734, 736-780
TT049F	2 Axle Tank Wagon	Procor	PR 58200, 01, 03, 12, 17, 21
TTO49G	2 Axle Tank Wagon	Procor	PR 58947-52
TTO49H	2 Axle Tank Wagon	Procor	PR 58953-5
TTO49J TTO49K	2 Axle Tank Wagon	Procor	PR 58202, 06, 09, 10, 11
TT049k TT049L	2 Axle Tank Wagon 2 Axle Tank Wagon	Procor Procor	PR 58213, 14, 15, 16, 18
TT049L TT049M	2 Axle Tank Wagon 2 Axle Tank Wagon	Procor	PR 58661-80
TT049H TT049U	2 Axle Tank Wagon 2 Axle Tank Wagon	Procor	PR 58681-780
TT0490	2 Axle Tank Wagon 2 Axle Tank Wagon	Procor	PR 58204, 5, 7, 8 PR 58743, 61, 66
~ <del>~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ </del>	z maro rame nagon	110001	IN 70147, OI, OO

DIAGRAM	DESCRIPTION	OWNER	REGISTRATION NUMBERS
TT051B TT051C TT051D TT051H TT051J TT051K	2 Axle Tank Wagon 2 Axle Tank Wagon 2 Axle Tank Wagon 2 Axle Tank Wagon 2 Axle Tank Wgaon 2 Axle Tank Wgaon 2 Axle Tank Wagon	Tiger Railcar Leasing	TRL 51561-85 TRL 51649-677, 679-723 TRL 51410-34 TRL 51953 TRL 51649-677, 679, 680, 682-720 TRL 51562-75
TT052A TT052B	2 Axle Tank Wagon 2 Axle Tank Wagon	Procor	PR 58410-424, 901-907, 909
TT053A	2 Axle Tank Wagon	Procor	) PR 58602-07, 09-11, 13-24, 26, 27, 29, 30, 32, 35, 36, 38-42, 44, 46, 47, 49, 50 51, 53-58
TTO53C TTO53D TTO53E TTO53G TTO53H	2 Axle Tank Wagon	Brit Rail Traffic & Elect Brit Rail Traffic & Elect Procor Procor Procor	BRT 57478, 9 BRT 57661 PR 58601, 08, 12 PR 57132, 3 PR 58625, 31, 33, 34, 37, 43, 48, 52, 59
TT054A	2 Axle Tank Wagon	Tiger Railcar Leasing	TRL 51895-914, 916-930, 936-947
TT055A TT055C	2 Axle Tank Wagon 2 Axle Tank Wagon	Storage & Transp Systems Storage & Transp Systems	STS 53219-35 STS 53237, 39-42, 47, 48
TTO56A	2 Axle Tank Wagon	Procor	PR 58061-78
TTO57A TTO57B	2 Axle Tank Wagon 2 Axle Tank Wagon	Procor Procor	PR 58001-25 PR 58941-46
TT058A TT058B	2 Axle Tank Wagon 2 Axle Tank Wagon	Shell (UK) Oil BP Oil & Shell (UK) Oil	SUKO 61908-54 BPO 63160-99. SUKO 63100-10, 12-22, 24-42, 44-59,
TT058C TT058D TT058E TT058F	2 Axle Tank Wagon 2 Axle Tank Wagon 2 Axle Tank Wagon 2 Axle Tank Wagon	Shell (UK) Oil Shell (UK) Oil BP Oil Shell (UK) Oil	65904, 67933 SUKO 67258 SUKO 65904 BPO 63161, 65, 70 SUKO 61908-54

DIAGRAM	DESCRIPTION	OWNER	REGISTRATION NUMBERS
ТТО59А	2 Axle Tank Wagon	BP Oil and Shell (UK) Oil	BPO 63260-93. SUKO 63200-08, 10, 12-22, 24-41, 43-50, 65905
ТТ059В	2 Axle Tank Wagon .	BP Oil and Shell (UK) Ltd	) BPO 63560, 563, 565, 567, 568, 571-574, 576, 578-580, 582, 585-587, 589-593, 660-665, 667-670, 672, 673, 675, 678-681, 683-686, 689-691, 693, 694, 698, 699, 760, 762-764, 767, 770-772, 774-783, 785, 786, 788, 789, 791-794, 860, 861, 863, 866-868, 870, 871, 873-876, 878-880, 883-888, 890, 893-895. SUKO 63550, 600-610, 612-616, 618-620, 622-629, 631-649, 651-659, 700-704, 707-727, 729-750, 753, 755-759, 800-817, 819-849, 852-856, 65800-849, 851-859, 906-911, 67932.
ТТО59С ТТО59D ТТО59Е	2 Axle Tank Wagon 2 Axle Tank Wagon 2 Axle Tank Wagon	BP Oil Shell (UK) Oil Shell (UK) Oil	BPO 61582-599, 660-691 SUKO 65800-849, 853-859, 905 SUKO 63858
ТТО59G ТТО59H ТТО59J	2 Axle Tank Wagon 2 Axle Tank Wagon 2 Axle Tank Wagon	Shell (UK) Oil Shell (UK) Oil Shell (UK) Oil	SUKO 65906-11 SUKO 63821-49, 52-56 BPO 63578, 781
TT060A TT060B	2 Axle Tank Wagon 2 Axle Tank Wagon	Shell (UK) Oil	SUKO 63858, 65900-03
TT060D TT060E TT060F	2 Axle Tank Wagon 2 Axle Tank Wagon 2 Axle Tank Wagon	Shell (UK) Oil BP Oil	SULO 63858 BPO 63960
TT061A TT061B	2 Axle Tank Wagon 2 Axle Tank Wagon	Brit Rail Traffic & Elect Brit Rail Traffic & Elect	BRT 57323, 24, 26, 27, 30, 33, 34, 36, 38, 39, 42, 44 BTY 57325, 28, 29, 31, 32, 35, 37, 40, 41, 43
TT062A	2 Axle Tank Wagon	Brit Rail Traffic & Elect	BRT 57851-80

DIAGRAM	DESCRIPTION	OWNER	REGISTRATION NUMBERS
TT063A TT064B TT065A	2 Axle Tank Wagon 2 Axle Tank Wagon 2 Axle Tank Wagon	BP Oil & Shell (UK) Oil E.G. Steele Tiger Railcar Leasing	BPO 61560-81. SUKO 61500-12 STL 55056-78 TRL 51724-63
тт066В	2 Axle Tank Wagon	BP Oil, Esso Petroleum ) and Shell (UK) Oil )	BPO 64177-179, 697-699, 760-762. ESSO 64123-125, 601, 607, 625, 628, 638, 640, 646, 719. SUKO 64123-127, 129, 600, 601, 607, 609, 611, 617, 619, 622, 625, 628, 630, 633, 637, 638, 640, 641, 646, 647, 648, 654, 657, 658, 704, 705, 709, 710, 714, 719, 721, 722, 723
TT066C	2 Axle Tank Wagon	BP Oil, Esso Petroleum ) and Shell (UK) Oil )	BPO 64188-369. ESSO 64221, 22, 58. SUKP 64144, 146, 149, 150, 152, 157, 158, 200, 202, 228, 205, 207, 211, 212, 213, 217, 218, 219, 221, 222, 223, 226, 227, 228, 230, 234, 235, 236, 238, 239, 241, 246, 250, 252, 253, 254, 257, 258, 259, 303-306, 316
TT066D	2 Axle Tank Wagon	BP Oil, Esso Petroleum ) and Shell (UK) Ltd ) )	BPO 64370-399, 460-499, 560-599, 660-683, 685-696. ESSO 64326, 331, 335-337, 339-341, 350, 352, 353, 404, 405, 407, 411, 416, 423, 425, 428-432, 443, 447, 451, 453, 456, 507, 519, 520, 524, 528, 536, 540. SUKO 64321, 325, 326, 330, 331, 335, 342, 345, 350, 352, 353, 356, 404, 405, 407, 411, 416, 418, 419, 423, 424, 425,, 428-432, 442-444, 447, 448, 451, 453, 455, 456, 457, 507, 511, 513, 514, 515, 519, 520, 524, 528-531, 536, 538, 540
TT066F TT066G TT066H TT066J	<ul><li>2 Axle Tank Wagon</li><li>2 Axle Tank Wagon</li><li>2 Axle Tank Wagon</li><li>2 Axle Tank Wagon</li></ul>	Shell (UK) Oil Shell (UK) Oil Shell (UK) Oil BP Oil	SUKO 61107 SUKO 61222 SUKO 62100-106, 108-159, 200-221, 223-239 BPO 63294

DIAGRAM	DESCRIPTION	OWNER	REGISTRATION NUMBERS
TT067B TT067C TT067D	2 Axle Tank Wagon 2 Axle Tank Wagon 2 Axle Tank Wagon	Storage & Transport Systems Storage & Transport Systems Storage & Transport Systems	STS 53318-21, 23-44 STS 53300-12 STS 53313-17, 22
TT068C TT068E	2 Axle Tank Wagon 2 Axle Tank Wagon	Brit Rail Traffic & Elect Brit Rail Traffic & Elect	BRT 57194-201, 203-205, 207-224, 226, 227, 229-241, 243 BRT 57588-590, 592, 593, 595-601, 603-631, 633-637
TT069C	2 Axle Tank Wagon	Brit Rail Traffic & Elect	BRT 57697-700, 702, 711, 613-737, 739-742, 744-746
TT070A	2 Axle Tank Wagon	Procor	PR 58400, 401, 403-405, 501-538, 540-550, 552-587, 589, 599
TT070B TT070C TT070D	2 Axle Tank Wagon 2 Axle Tank Wagon 2 Axle Tank Wagon	Brit Rail Traffic & Elect Brit Rail Traffic & Elect Brit Rail Traffic & Elect	BRT 57477 BRT 57654 BRT 57135
TT071A TT071B	2 Axle Tank Wagon 2 Axle Tank Wagon	Storage & Transport Systems Storage & Transport Systems	STS 53129 STS 53130
TT072A TT072B	2 Axle Tank Wagon 2 Axle Tank Wagon	Tiger Railcar Leasing	TRL 51589-648
TT073A TT073B	2 Axle Tank Wagon 2 Axle Tank Wagon	Storage & Transport Systems Storage & Transport Systems	STS 53265-76 STS 53277-83
TT075C	2 Axle Tank Wagon	Associated Octel	AO 55325-38
TT076A	2 Axle Tank Wagon	Brit Rail Traffic & Elect ) )	BRT 57377-381, 383, 389, 403, 404, 406-408, 421-424, 431, 433-437, 440, 452, 453, 458, 460, 461, 463-469, 471-475, 566-570
тт076В	2 Axle Tank Wagon	Brit Rail Traffic & Elect	BRT 57405, 412, 413, 429, 430, 432, 462, 551, 553, 554, 556, 558
TT076C	2 Axle Tank Wagon	Brit Rail Traffic & Elect	BRT 57378, 379, 388, 421-424, 463, 466, 468, 469


ТТО77А ТТО77В	2 Axle Tank Wagon 2 Axle Tank Wagon	Railease Tiger Railcar Leasing	DIG CCCOO O
	_		RLS 55500-9
	0 1	riger marrear heasing	TRL 55510-19
TTO78A	2 Axle Tank Wagon		
TT079A	2 Axle Tank Wagon	Algeco	ALG 49367-90
A080TT	2 Axle Tank Wagon	Storage & Transport Systems	STS 53092-106
TT081A	2 Axle Tank Wagon	Procor	PR 58908
TT083A	2 Axle Tank Wagon		
TT083B	2 Axle Tank Wagon		
TT083C	2 Axle Tank Wagon	BRT & E	BRTE 57440, 57464, 57467
TT084A	2 Axle Tank Wagon	Tiger Railcar Leasing	TRL 55520-25
TT087A	2 Axle Tank Wagon	Storage & Transport Systems	STS 53345-66
TT088A	2 Axle Tank Wagon	BP Oil	BPO 37272
TT088B	2 Axle Tank Wagon		DIO 7/2/2
TT088C	2 Axle Tank Wagon		
TT088D	2 Axle Tank Wagon		
TT088E	2 Axle Tank Wagon	BP Oil	BPO 37094-097, 181-187
TT088F	2 Axle Tank Wagon	BP Oil	BPO 37085-093, 160-180
	2 Axle Tank Wagon	BP Oil	BPO 37060-63, 67983-99
I'T'088H	2 Axle Tank Wagon	BP Oil	BPO 37064-67
TO88K	2 Axle Tank Wagon	Shell (UK) Oil	CHAN (MONO OF C. DOO TO
T880T	2 Axle Tank Wagon	Shell (UK) Oil	SUKO 67000-059, 100-135
T088M	2 Axle Tank Wagon	Shell (UK) Oil	SUKO 65712-42
T088N	2 Axle Tank Wagon	Shell (UK) Oil	SUKO 65500-559, 600-605, 607-617 SUKO 65618-659, 700-711
.T088P	2 Axle Tank Wagon	BP Oil	BPO 37188-195, 67262, 264, 266, 267, 272, 274, 285
!T088Q	2 Axle Tank Wagon	BP Oil	289, 361, 367, 369, 370, 371
T088R	2 Axle Tank Wagon	BP Oil	BPO 67374, 88 BPO 37373-77

DIAGRAM	DESCRIPTION	OWNER	REGISTRATION NUMBERS
TT089A	2 Axle Tank Wagon	Associated Octel	AO 55319-55324
ТТ090В	2 Axle Tank Wagon	Associated Octel	AO 55339~55357
TUOOlA	2 Axle Tank Wagon	Procor	PR 70023-67
TUOO1B	2 Axle Tank Wagon	Procor	PR 70068-92
TUOOlC	2 Axle Tank Wagon	Procor	PR 70093
TUOOlD	2 Axle Tank Wagon	Procor	PR 70098-117
TUOOLE	2 Axle Tank Wagon	Procor	PR 70094-97
TUO02A	2 Axle Tank Wagon	Procor	PR 70001-22
TU003A	2 Axle Tank Wagon	BP Oil and Shell (UK) Oil	BPO 73060. SUKO 73000
TUOO4A	2 Axle Tank Wagon	Brit Rail Traffic & Elect.	BRT 70500-23
TUO05A	2 Axle Tank Wagon	Petrofina	FINA 70900-31
TUO06A	2 Axle Tank Wagon	Shell (UK) Oil	SUKO 71500
TU006B	2 Axle Tank Wagon	Shell (UK) Oil	SUKO 71501-15
TU009A	2 Axle Tank Wagon	I.C.I. (Mond Div)	ICIM 70800-18
TU009B	2 Axle Tank Wagon	I.C.I. (Mond Div)	ICIM 70819
TUO1OA	2 Axle Tank Wagon	Procor	PR 70138-49
TUO11A	2 Axle Tank Wagon	Procor	PR 70118-37
TUO12A	2 Axle Tank Wagon	Algeco	ALG 70300-11
TUO13A	2 Axle Tank Wagon	Tiger Railcar Leasing	TRL 70700-27
TUO14A	2 Axle Tank Wagon	Tiger Railcar Leasing	TRL 70728-33
TUO15A	2 Axle Tank Wagon	Procor	PR 70150-61

DIAGRAM	DESCRIPTION	OWNER	REGISTRATION NUMBERS
TUO16A TUO17A	2 Axle Tank Wagon 2 Axle Tank Wagon	Charrington Gardner Lockett Charrington Gardner Lockett	CGL 70400-7 CGL 70408, 9
TUO18A TUO18B TUO18C TUO18D	2 Axle Tank Wagon 2 Axle Tank Wagon 2 Axle Tank Wagon 2 Axle Tank Wagon	Procor Procor Tiger Railcar Leasing Tiger Railcar Leasing	PR 70162-64, 65, 70 PR 70172-82 TRL 70734-44 TRL 70745-48
TUO19A	2 Axle Tank Wagon	Tiger Railcar Leasing	TRL 70550
TUO20A	2 Axle Tank Wagon	Carless Solvents	CSL 74000-29
TUO21A	2 Axle Tank Wagon	Lanstar	LTD 74500-3

EXCESS 5	Н	М	L	Ε
tonnes	41	41	21	21
VB	16	16	10	10
—— <del>AB</del> —				
RA	5	5	1	1
MAX. SPEED	60	60	45	45

TOPS CODE									
CARKND AARKND		٠.	PERA	TING No					
T	ΓV	T	T	V	Α	1	2	7	5



TARE - (8550 kg	
CARRYING CAPACITY- 22400 kg	
CAPACITY- 38641 litres	
MAX. SPEED - 60 mile/h	
WHEELS- 952 DIA.	
JOURNALS - 140 DIA. ROLLER BEARINGS	

BUFFERS-HYDRAULIC 406 DIA. HEADS	
COUPLINGS - INTERNATIONAL SCREW	
MIN. CURVE - 31 m	
GEN. ARRGT DRG. No -	
BRAKE- VACUUM BLOCK & HAND LEVER	
SUSPENSION - DOUBLE LINK	


BUILDER METRO CAMMELL	
OWNER - ÁLGECO	
REGISTERED BY - C.M.& E.E. (B.R.B.) DERBY	
YEAR BUILT - 1966	
REGISTRATION Nos49291 TO 49316	
OWNERS Nos 186719 TO 186747 (RANGE)	


ISSUE 2 EX. P.O. DIAGRAM 6/133

#### 41 tonnes GLW TANK WAGON -LIQUEFIED PETROLEUM GAS

#### TTOOIC

EXCESS LENGTH 4	Н	М	L	Ε
tonnes	41	41	22	22
VB	20	20	12	12
—— <u>AB</u>				
RA	6	6	1	i
MAX. SPEED	60	60	45	45





TAR	2 300 kg	
CARR	IYING CAPACITY- 19700kg	
CAPA	CITY-	
(AV.	SPEED - 60 mile/h.	
WH:E	ELS - 952 DIA.	
JOL B	RNALS-140 DIA. ROLLER BEARINGS.	

BUFFERS-HYDRAULI	C 40	6 DIA. HE	ADS.
COUPLINGS - INSTAN	TER.		
MIN. CURVE - 31m.			
GEN. ARRGT. DRG. No			
BRAKE-VACUUM BL	.ock	& HAND	LEVER
SUSPENSION - EYEBO	OLT.		


UILDER - POWELL DUFFRYN.
WNER -
EGISTERED BY - C.M. & E.E. (B.R.B.) DERBY
EAR BUILT - 1963
EGISTRATION Nos SUKO 59113-53123
WNERS Nos

ISSUE 2

EX. 90. DIAGRAM 6/710 (ALLOCATED.)

· · · · · · · · · · · · · · · · · · ·				
EXCESS 4	Н	M	L	Ε
tonnes	41	41	19	19
- <del>V0</del>		$\vdash$		<del>                                     </del>
AB	1.7	17	10	10
RA	6	6	1	1
MAX SPEED	60	60	45	45

TOPS CODE					
CARKND	AARKND	OPERATING PANEL No			
TTA	TTAA	1422			



TARE - 19100 kg	
CARRYING CAPACITY - 21900 kg	
CAPACITY -	
MAX SPEED 60 mile/h	
WHEELS - 952 DIA	
JOURNALS 140 DIA ROLLER BEARINGS	


BUFFERS	HYDRAUL	IC 406	DIA	HEADS	
COUPLINGS	INSTAN	TER			
MIN. CURVE	31m				
GEN ARRGT	DRG No	), ~			
BRAKE AIF	R BLOCK	& HAND	LEV	ER	
SUSPENSIO	N - DOUBL	ELINK			

ISSUE 1

EX. P.O. DIAGRAM 6/711 (ALLOCATED)

EXCESS 5	Н	М	L	E
tonnes	41	41	21	21
<del>VB</del>		, i=		
AB	25	25	12	12
RA	5	5	ı	ı
MAX SPEED	60	60	60	60


	TOPS CODE										
С	CARKND AARKND			ì	PERA	TING No					
	T	T	Α	7	T	Α	Α	1	3	6	9





TARE - 18550 kg	
CARRYING CAPACITY - 22400kg	
CAPACITY -	
MAX SPEED - 60 mile/h	
WHEELS - 952 DIA	
JOURNALS - 140 DIA ROLLER BEARINGS	

BUFF	FERS	HYD	RAULIC	406	DIA	HEADS	
cou	PLINC	S IN	TERNA	JANLIT	SCR	EW	
MIN.	CUR	/E 3	lm				 
GEN	ARR	ST DE	RG No				 
BRAI	KE A	NR B	LOCK	& HAND	LE	V ER	 
SUSF	PENSI	0N -[	OOUBLE	LINK			 

\_\_\_\_ ISSUE 1








TARE - 21 650 kg	
CARRYING CAPACITY - 19300 k	g
CAPACITY -	
MAX SPEED 60 mile/h	
WHEELS 952 DIA	
JOURNALS - 140 DIA ROLLER	BEARINGS

BUFFERS	HYDRAULIC 406 DIA HEADS
COUPLINGS	INSTANTER
MIN CURVE	31m
GEN ARRGT	DRG No
BRAKE AIR	BLOCK & HAND LEVER
SUSPENSION	GLOUCESTER FLOATING AXLE

EXCESS 4	Н	M	L	E
tonnes	41	41	22	22
-VB				-
AB	26	26	17	17
RA	6	6	1	1
MAX. SPEED	60	60	60	60

T	OPS CODE	
CARKND	AARKND	OPERATING PANEL No
TTA	TITIALA	1 3 7 5




TARE - 21 300 kg	
CARRYING CAPACITY - 19730	kg
CAPACITY -	
MAX SPEED - 60 mile/h	
WHEELS - 952 DIA	
JOURNALS - 140 DIA ROLLER	BEARINGS


BUFFERS	HYDRAULIC 406 DIA HEADS
COUPLINGS	INSTANTER
MIN. CURVE	· 31m
GEN ARRGT	. DRG No
BRAKE - AIR	BLOCK & HAND LEVER
SUSPENSION	N-GLOUCESTER FLOATING AXLE

. ISSUE 1

EX. PO. DIAGRAM 6/710 (ALLOCATED)




TOPS CODE	
CARKND AARKND	A service of the serv
TTATTAA	1421




TARE 19 100 kg	
CARRYING CAPACITY - 21930 kg	
CAPACITY -	<del></del>
MAX SPEED 60 mile/h	
WHEELS 952 DIA	
JOURNALS 140 DIA ROLLER BEARINGS	

HYDRAULIC 406 DIA HEADS	
INSTANTER	
Market 31m	
GEN ARPGI DEG N	
BRAKE AIR BLOCK & HAND LEVER	
SUSPENSION DOUBLE LINK	




	TOPS CODE	
CARKNO	AARKND	TERRAT N PANE N
TTA	TITAA	1 4 7 6




TARE	21700	kg	
CARRYING CAPACITY-	19 000	kg	
CAPACITY -		Litres	
MAX SPEED	60 mile.	/h	
WHEELS	Ø 952		
JOURNALS	Ø 140	ROLLER	BEARINGS


BLFFERS	HYDRAULIC	φ 406	HEADS	
COUPLINGS	INSTANTE	R		
MIN CURVE	31m			
GEN ARRGT	DRG No			
BRAKE A	R BLOCK,		HAND	LEVER
SUSPENSION	DOUBLE L	INK		

EX PO DIAGRAM 6/709




TOPS CODE						
CARKNO	AARKND			ERA	TING No	
TTA	TTAA		1	6	1 0	





	TOPS CODE									
	CAR	KN	D	AARKND			75 PA	LOW.	TING H+	
,	T	T	В	TTBA		1	6	1	1	



TARE	22600 kg
CARRYING CAPAC	CITY -23 400 kg
CAPACITY -	35713 Litres
MAX SPEED	60 mile/h
WHEELS	φ 952
JOURNALS	Ø140 ROLLER BEARINGS

SUSPENS	ION	COUBL	E LINK		
BRAKE	AIR BLO	K, VAC	PIPE,	ONAH	LEVER.
GEN ARR	GT DRG	No		Opposite the second second	
MIN CUR	VE	39	m		timit and a second
COUPLIN	GS	INS	TANTER	₹ .	
Buffers		HY[	DRAULIC	<b>Φ406</b>	HEADS


EX PO DIAGRAM 6/317

# 41 tonne GLW TANK WAGON

TT001P


tonnes	H 41	M 41	<u>L</u> 19	E 19
V8-				
AB	25	25	12	12
RA	6	6	1	1
MAY SPEED	60	60	45	45

TOPS CODE	
CARKND AARKND	EEHATN PANE N
TTATAAA	1 6 1 4




TARE	19 100	kg	
CARRYING CAPACITY-	21 900	kg	
CAPACITY -		Litres	
MAX SPEED	60 mile	/h	
WHEELS	Ø 952		
JOURNALS	Ø 140	ROLLER	BEARINGS

BUFFERS	HYDRAULIC	ø 406	HEADS	
COUPLINGS	INSTANTE	R		
MIN CURVE	31m	-		
GEN ARRGT	DRG No	-		
BRAKE A	R BLOCK,		HAND	LEVER
SUSPENSION	EAT. 26			




	OPS CODE	
CARKND	AARKND	PANE, N
TTA	TTAAA	1 6 3 2




TARE	18550 kg
CARRYING CAPAC	ITY - 22400 kg
CAPACITY -	Litres
MAX SPEED	60 mile/h
WHEELS	Q 952
JOURNALS	Ø 140 ROLLER BEARINGS

BUFFERS	H)	DRAULIC	ø 40	6 HEAD	S	
COUPLING	SS	INTERNATI	ONAL	SCREW		
MIN CUR-	E	31m				
GEN ARRO	ST DI	RG No				
BRAKE	AIR	BLOCK,			HAND	LEVER
SUSPENSI	ON	F.A.T.	26.			



TOPS INFORMATION						
	OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60mile/h UP TO 41 tonne GLW	9t FORCE UP TO OC. CILL	LENGTH	(GLW)	
TTAA		mile/h ABOVE	22t FORCE ABOVE 25 tonne GLW	4	8	WIO17



TARE-	21.600 Kg
CAPACITY, WEIGHT-	19.400 Kg
CAPACITY, VOLUME-	35.713 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	•


BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	FAT 26
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE |

## 41 tonne GLW LPG. TANK WAGON

LOT NUMBER				

TOPS INFORMATION						
AARKND	OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60mile/h UP TO 41 tonne GLW	12 t FORCE UP TO OF Land CIW	LENGTH		SHEET
TTAA		mile/h ABOVE	25t FORCE ABOVE 25 tonne GLW	4	7	WIII6




TARE-	18. <sup>750</sup> Kg
CAPACITY, WEIGHT-	22. <sup>250</sup> Kg
CAPACITY, VOLUME-	
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	)
CENT. PRINTED : DITE. NO	<b>5.</b>

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

## 46 tonne GLW LPG. TANK WAGON

LOT N	UMBER


TOPS INFORMATION					
AARKND OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN SHEET
CARKND PANEL No.	60mile/h UP TO 46 tonne GIW	6t FORCE UP TO 30.5 tome GLW	LENGTH	(GLW)	W1465
TTAA	mile/h-ABOVE	25t FORCE ABOVE			W 1403




TARE-	18.500 Kg
CAPACITY, WEIGHT-	27 <sup>220</sup> Kg
CAPACITY, VOLUME-	38.641 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	)

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	SINGLE LINK & PARABOLIC SPRING
COUPLINGS-	INTERNATIONAL SCREW
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE I








TARE - 1	9²°°kg
CARRYING CA	APACITY-21800 kg
CAPACITY -	
MAX SPEED	60 mile/h
WHEELS	952 DIA
JOURNALS -	140 DIA ROLLER BEARINGS


31 11 56	HYDRAULIC 406 DIA HEADS		
COLP 135	INSTANTER		
MIN CLAVE	31m SINGLY & CLOSE COUPLED		
GEN ARPG	F DRG No		
BRAKE	AIR BLOCK, HAND LEVER		
SUSPENSIO	N DOUBLE LINK	 ISSUE	1


EX P.O. DIAGRAM 6/712 (ALLOCATED)

# 41 tonne G.L.W L.P.G. TANK WAGON

TT002E







TARE	18900 kg
CARPYE	G CAPACITY - 22 100 kg
CAPACIT	Υ -
МАХ 5Р	EED - 60 mile/h
WHEELS	- 952 DIA
JOURNA	LS - 140 DIA ROLLER BEARINGS


BUFFERS - HYDRAULIC 406 DIA HEADS	
COUPLINGS - INSTANTER	
MIN CURVE - 31m SINGLY & CLOSE COUPLED	
GEN ARRGT DRG No -	
BRAKE - AIR BLOCK, HAND LEVER	
SUSPENSION DOUBLE LINK	

# 41 tonne GLW L.P.G. TANK WAGON

TT002F


EXCESS LENGTH 4	Н	M	L	Ε
tonnes	41	41	19	19
VB				
AB	25	25	12	12
RA	6	6	1	1
MAX. SPEED	60	60	45	45


	TOPS CODE									
CARKND AARKND OPERATING PANEL N.										
`	TT	Α	T	T	Α	Α	1	3	6	0





TARE - 19	) 550 kg
CARRYING CA	APACITY - 22400 kg
CAPACITY -	
MAX SPEED	60 mile/h
WHEELS -	952 DIA
JOURNALS	140 DIA ROLLER BEARINGS

BUFFERS	HYDRAULIC	406 DIA HEADS
COUPLINGS	INSTANTER	
MIN CURVE	31m SINGLY	& CLOSE COUPLED
GEN ARRGT	DRG No.	
BRAKE	AIR BLOCK	HAND LEVER
SUSPENSION	DOUBLE LI	NK .










TARE - 185	50 k	9					-
CARRYING CA	PACI	TY-	22 40	∂ kq			
CAPACITY -							
MAX SPEED -	60 r	nile/	h				
WHEELS -	952	DIA				<u> </u>	
JOURNALS -	140	DIA	RULLER	BEARING	S	·	

BUFFERS - HYDRAULIC	406 DIA HEADS
COUPLINGS - INSTANTER	- Parking and a second a second and a second a second and
MIN CURVE - 31m SINGLY	& CLOSE COUPLED
GEN ARRGT DRG No	
BRAKE - AIR BLOCK	, HAND LEVER
SUSPENSION - DOUBLE L	INK

EXCESS 4	Н	M	L	E
tonnes	41	41	19	19
<del></del>				
AB	25	25	12	12
RA	6	6	1	1
MAX SPEED	60	60	60	60


· T	OPS CODE	
CARKND	AARKND	PANE N
TTA	TTAAA	1 6 1 4





TARE	19 200 kg
CARRYING CAPACITY-	22 800 kg
CAPACITY -	Litres
MAX SPEED	60 mile/h
WHEELS	Ø 952
JOURNALS	# 140 ROLLER BEARINGS

BUFFERS	HYDRAULIC	ø 406	HEADS	
COUPLINGS	INSTANTE	R		
MIN CURVE	31m			
GEN ARRGT	DRG No			
BRAKE A	IR BLOCK,		HAND	LEVER
SUSPENSION	FAT 2	6		

EX PO. DIAGRAM 6/712









TARE	18 900	kg	
CARRYING CAPACITY-	22100	kg	
CAPACITY -		Litres	
MAX SPEED	60 mile	e/h	
WHEELS	Ø 952		
JOURNALS	Ø 140	ROLLER	BEARINGS

BUFFERS	HYDRAULIC	ø 406	HEADS	
COUPLINGS	INSTANTE	R		
MIN CURVE	31m			
GEN ARRGT	DRG No			
BRAKE A	AIR BLOCK, HA	ND LEV	/ER	
SUSPENSION	DOUBLE LINK TAPERLEAF	& PARA SPRINGS	BOLIC	

EX PO DIAGRAM 6/713



TOPS CODE				
CARKND	AARKND	OPERAT N PANE N		
TTA	TTAA	1640		




TARE	18 550	kg		
CARRYING CAPACITY-	22 400	kg		
CAPACITY -		Litres		
MAX SPEED	60 mile	?/h		
WHEELS	Ø 952			
JOURNALS	Ø 140	ROLLER	BEARINGS	

BUFFERS	HYDRAULIC	ø 406	HEADS		
COUPLINGS	INSTANTE	R			
MIN CURVE	31m				
GEN ARRGT	DRG No				
BRAKE A	R BLOCK,			HAND	LEVER
SUSPENSION	DOUBLE LIN	K AND SPRING	PARABI	OLIC	

EX PO. DIAGRAM 6/130

LOT NUMBER			


TOPS INFORMATION					
AARKND OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKND PANEL No.	60 mile/h UP TO 41 tonne GLW	12t FORCE UP TO OC CLU	LENGTH	(GLW)	SHEET
TTAA	mile/h_ABOVE TO TOTALE GEVV	12t FORCE UP TO 28 tonne GLW	4	7	WIII7




TARE-	18. <sup>720</sup> Kg
CAPACITY, WEIGHT-	22. <sup>280</sup> Kg
CAPACITY, VOLUME-	
MIN. CURVE-	31 m SINGLY & CLOSE COUPLED
GEN. ARRGT. DRG. NO	

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

# 46 tonne GLW TANK WAGON-CLASS A



 TOPS INFORMATION										
	OPERATING		SPEED	BRAKE	FORCE DATA	EXCESS	RA	DESIGN		
 KND	PANEL No.	45 mile/h UP TO	14 tonne GLW	12 t FORCE	UP TO an au	LENGTH				
T A A		6○mile/h ABOVE	1 - tollic oct	25t FORCE	UP TO 28 tonne GLW	4	9	W1147		




TARE-	13 650 Kg
CAPACITY, WEIGHT-	32. <sup>350</sup> Kg
CAPACITY, VOLUME-	39.277 litres
MIN. CURVE-	31m SINGLY & CLOSE COUPLE
GEN. ARRGT. DRG. NO.	


BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE I

## 46 tonne GLW TANK WAGON-CLASS A



	TOPS INFORMATION										
AARKND	OPERATING	OPERATING	SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN				
CARKND	PANEL No.		14 tonne GLW	12 t FORCE UP TO act. CIN	LENGTH	(GLW)	SHEET				
TTAA		60 mile/h ABOVE	14 tollie devv	12t FORCE UP TO 28tonne GLW 25t FORCE ABOVE	4	9	W1148				




TARE-	13. <sup>300</sup> Kg	
CAPACITY, WEIG	HT-32. <sup>700</sup> Kg	
CAPACITY, VOLU	ME- 37 854 litres PETROL. 38 440 litres KER	C-GAS CIL
MIN. CURVE-	31m SINGLY & CLOSE COUPLED	
GEN. ARRCT. DR	G. NO	
		1

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

LOT NUMBER									

	TOPS INFORMATION									
	OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN				
CARKND	PANEL No.	60 mile/h UP TO 41 tonne	W 12 t FORCE UP TO 21 to 20 CLW	LENGTH	(GLW)	SHEET				
TTAA		mile/h_ABOVE 41 tollie	25t FORCE ABOVE 21 tonne GLW	4	6	W1514				




TARE-	18.200 Kg
CAPACITY, WEIGHT-	22. <sup>800</sup> Kg
CAPACITY, VOLUME-	
MIN. CURVE-	31m SINGLY & CLOSE COUPLED
GEN. ARRGT. DRG. NO	0


BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

## 41 tonnes G.L.W. TANK WAGON-LIQUEFIED PETROLEUM GAS.

TTOO3A



1	TOPS CODE									
	CARKN	AARKND			OPERATING PANEL No					
,	ΤΤν		Ţ	T	٧	Α	1	2	7	6




TARE –	21950 kg
CARRYING CAPAC	CITY - 15500 kg PROPANE 19000 kg BUTANE
CAPACITY -	
MAX. SPEED -	60 mile/h
WHEELS	952 DIA.
JOURNALS -	140 DIA.ROLLER BEARINGS.

BUFFERS-	HYDRAULIC 406 DIA.HEADS
COUPLINGS -	INSTANTER.
MIN. CURVE –	31 m
GEN. ARRGT. DRG. No. –	
BRAKE-	VACUUM BLOCK & HAND LEVER
SUSPENSION -	EYEBOLT.


METRO-CAMMELL.
SUKO
C.M.& E.E. (B.R.B) DERBY
1964.
SUKO 59124 TO 59138


ISSUE 2 EX. P.O. DIAGRAM. 6/129.




# 41 tonnes G.L.W. TANK WAGON - LIQUEFIED PETROLEUM GAS

TT 003 C





			. 1	OP	S	CO	DΕ			
c	CARKND		AARKND			OPERATION PAME. N				
 	T	T.	A	T	Ţ	A	Α	1	6	3 1




TARE	21950 kg
CARRYING CAPACIT	ry - 15500 kg (Propane),19000 kg/Butane)
CAPACITY -	Litres
MAX SPEED	60 mile/h
WHEELS	Ø 952
JOURNALS -	# 140 ROLLER BEARINGS


BUFFERS	HYDRAULIC	Ø 406	HEADS	
COUPLINGS	INSTANTE	R		
MIN CURVE	31m			
GEN ARRGT	DRG No			
BRAKE A	R BLOCK,		HAND	LEVER
SUSPENSION	FAT 2	16.		

EX PO. DIAGRAM 6/129

#### 41 tonne GLW TANK WAGON LPG.




TOPS INFORMATION						
AARKND	OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO 41 tonne GLW	9t FORCE UP TO 25. CLU	LENGTH	(GLW)	SHEET
TTAA		mile/h-ABOVE 21 toline GLVV	22t FORCE ABOVE 25 tonne GLW	4	8	810IW




TARE-	21.900 Kg
CAPACITY, WEIGHT-	19, 100 Kg
CAPACITY, VOLUME-	
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

## 41 tonne GLW TANK WAGON L.P.G.



	TOPS INFORMATION					
AARKND	OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN
	PANEL No.	60 mile/h UP TO 41 tonne GLW	9t FORCE UP TO 25 tops GIW	LENGTH	(GLW)	SHEET
TITAA		mile/h ABOVE 41 (Unite OLW	22t FORCE ABOVE 25 tonne GLW	4		W1140





TARE-	21.400 Kg	
CAPACITY, WEIGHT-	19.600 Kg	
CAPACITY, VOLUME		
MIN. CURVE-	31m	
GEN. ARRGT. DRG. 1	VO	
·		

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	SINGLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS
	SUSPENSION- COUPLINGS- BUFFERS- WHEELS-

ISSUE |

EXCESS LENGTH 4	Н	М	L	Ε
tonnes	41	41	13	13
VB	22	22	8	8
AB				
RA	6	6	1	ı
MAX SPEED	60	60	45	45





TARE-	12700 kg				
CARRYING CAPAC	TY-28300 kg				
CAPACITY-	32772 litres				
MAX. SPEED -	60 mile/h				
WHEELS-	952 DA.				
JOURNALS -	140 DIA. ROLLER BEARINGS.				


BUFFERS -	HYDRAULIC 406 DIA.HEADS
COUPLINGS -	INSTANTER.
MIN. CURVE -	31 m
GEN. ARRGT. DRG. No	
BRAKE-	VACUUM BLOCK & HAND LEVER
SUSPENSION-	EYE BOLT.

BUILDER -	CHARLES ROBERTS.				
OVYNER	HARGREAVES FUEL OILS.				
REGISTERED BY -	C.M. &E.E. (B.R.B.) DERBY				
YEAR BUILT-	1964.				
REGISTRATION Nos	53901.TO 53921.				
OWNERS Nos	I.TO 21.				

ISSUE 2
EX. PO. DIAGRAM. 6/116. (ALLOCATED)

EXCESS 4	Н	М	L	Ε
tonnes	41	41	13	13
VB	20	20	8	8
AB				
RA	6	6	ı	ı
MAX. SPEED	60	80	45	45

TOPS CODE							
CARKND	OPERATING PANEL No						
TTV	TTVA	1 4 5 8					



TARE - 12600 kg	
CARRYING CAPACITY - 28400 kg	
CAPACITY - 32686 litres	
MAX. SPEED – <b>60 mile/h</b>	
WHEELS - 952 DIA	
JOURNALS-140 DIA ROLLER BEARINGS	

BUFFERS	-HYDRAULI	C 406 I	AK	HEADS	3
COUPLIN	GS-INSTAN	NTER			
MIN. CUR	VE – 31 m		•		• • • • • • • • • • • • • • • • • • • •
GEN. ARR	GT. DRG. N	0. –			
BRAKE ~	VACUUM	BLOCK	8.	HAND	LEVER
SUSPENS	ION - EYER	OLT			

BUILDER - CHARLES ROBERTS

OWNER - SUKO & BPO

REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY

YEAR BUILT -- 1964

REGISTRATION Nos. SUKO 50100 - 50111


OWNERS Nos. -

ISSUE 2

EX. PO. DIAGRAM 6/722(ALLOCATED.)

EXCESS LENGTH 4	Н	Μ	L	E
tonnes	41	41	14	14
VB ·	20	20	9	9
AB				
RA	6	6	1	- 1
MAX. SPEED	60	60	45	45

			T	OP	S	COI	DF.				
CARKNO AARKNO PAGEL NO.											
٠	T	T	٧	T	T	٧	Α	1	4	2	5



TARE	<b>13</b> 550 kg
CARRYING CAPAC	CITY- 27400kg
CAPACITY-	32 772 litres
MAX SPEED	60 mile/h
WHIELS-	952 DIA.
JOURNALS -	140 DIA. ROLLER BEARINGS.

BUFFERS-	HYDRAULIC 406 DIA. HEADS
COUPLINGS -	INSTANTER.
MIN. CURVE	31m
GEN. ARRGT. DRG No	)
BRAKE -	VACUUM BLOCK & HAND LEVER
SUSPENSION -	EYEBOLT.

BUILDER	CHARLES ROBERTS.
OWNER	TIGER RAILCAR LEASING.
REGISTERED BY -	C.M. & E.E. (B.R.B.) DERBY
YEAR BUILI	1964.
REGISTRATION Nos	51299. TO 51338.
CWNERS Nos	A 299 TO, A 338.


ISSUE 2
EX PO DIAGRAM 6/97.

# 41 tonnes G.L.W. TANK WAGON CLASS 'A'

## TTOO5A

EXCESS 4	Н	М	L	E
tonnes	41	41	13	13
VB	20	20	8	8
——AB				<u> </u>
RA	6	6	1	1
MAX. SPEED	60	60	45	45

TOPS CODE											
C/	CARKND			AARKND			EPA NEL	7:4G No			
$\Box$	T	T	٧	T	T	٧	A	ı	4	5	8



TARE - 12 450 kg

CARRYING CAPACITY - 28 500 kg

CAPACITY - 38 140 litres

MAX SPEED - 60 mile/h

WHEELS 952 DIA.

JOURNALS - 140 DIA. ROLLER BEARINGS

BUFFERS - HYDRAULIC 406 DIA. HEADS
COUPLINGS - INSTANTER
MIN CURVE - 31m
GEN ARRGT DRG. No BRAKE - VACUUM BLOCK & HAND LEVER
SUSPENSION - DOUBLE LINK


BUILDER-POWEL! DUFFRYN
OWNER-BRITISH RAILWAY TRAFFIC & ELECTRIC
REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY
YEAR BUILT - 1962
REGISTRATION Nos - 57000 TO 57040
OWNERS Nos - 5523 TO 5572 (RANGE)


ISSUE 2


EX. P.O. DIAGRAM 6/107

## 41 tonnes G.L.W. TANK WAGON - CLASS A

TTOO5B







TARE - 12800 kg

CARRYING CAPACITY - 28200 kg

CAPACITY - 37777 litres

MAX SPEED - 60 mile/h

WHEELS - 952 DIA.

JOURNALS - 140 DIA. ROLLER BEARINGS

BUFFERS - HYDRAULIC 406 DIA. HEADS
COUPLINGS - INSTANTER
MIN. CURVE - 31 m
GEN. ARRGT. DRG. No. BRAKE - VACUUM BLOCK & HAND LEVER
SUSPENSION - DOUBLE LINK

BUILDER - POWELL DUFFRYN

OWNER - BRITISH RAILWAY TRAFFIC & ELECTRIC

REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY

YEAR BUILT - 1967


REGISTRATION Nos. - 57345 - 57349


OWNERS Nos. - 6155 - 6159

ISSUE 2

EX. PO. DIAGRAM 6/636 (ALLOCATED)

EXCESS 4	Н	М	L	Ε
tonnes	41	41	13	13
VB	18	18	7	7
AB				
RA	6	6	1	1
MAX. SPEED	60	60	45	45





TARE _ 12 600 Kg	
CARRYING CAPACITY - 28400 k	9
CAPACITY- 29094litres	
MAX. SPEED - 60 mile/h	
WHEELS - 952 DIA.	
JOURNALS- 140 DIA ROLLER	BEARINGS


BUFFERS - HYDRAULIC 406 DIA. HEADS	<del></del>
COUPLINGS - INSTANTER	
MIN. CURVE - 31 m	
GEN. ARRGT. DRG. No	
BRAKE - VACUUM BLOCK & HAND LEVER	}
SUSPENSION - EYEBOLT	

BUILDER -- CHARLES ROBERTS
OWNER -- CHARRINGTON, GARDNER, LOCKET LTD.
REGISTERED BY -- C.M. & E.E.(B.R.B.) DERBY
YEAR BUILT -- 1963
REGISTRATION Nos. - 53701 TO 53720
OWNERS Nos. -- 401 TO 420

ISSUE 2
EX. PO. DIAGRAM 6/100 (ALLOCATED)

EXCESS LENGTH 4	Н	М	L	E
tonnes	41	41	13	13
VB	21	21	8	8
AB				
RA	6	6	1	1
MAX SPEED	55	55	45	45

T	OPS CODE	
CARKND	AARKND	OPERATING PANEL NO
TTV	TITVA	1 4 2 7



TARE-	12800 kg
CARRYIN	IG CAPACITY - 28200 kg
CAPACIT	Y- 29549 litres
MAX SPE	ED <b>55 mile/h</b>
WHEELS	952 DIA.
JOURNA	S- 140 DIA ROLLER BEARINGS


BUFFFRS	HYDRAULIC	406 DI	A. HEADS
COUPLING	S INSTANTE	R	
MIN. CURY	/E 31 m		
GEN. ARR	GT. DRG No		
BRAKE -	VACUUM BLO	CK & HAN	D LEVER
SUSPENSI	ON- EYEBOI	_T	

BUILDER - CHARLES ROBERTS
OWNER HARGREAVES FUEL OIL
REGISTERED BY C.M. & E.E. (B.R.B.) DERBY
YEAR BUILT - 1971
REGISTRATION Nos. 53905
OWNERS Nos. OO5

ISSUE 2 EX- P-O- DIAGRAM 6/99

EXCESS LENGTH 4	Н	М	L	Ε
tonnes	41	41	14	14
VB	21	21	7	7
AB				-
RA	6	6	1	1
MAX SPEED	60	60	45	45

7	OPS CODE	
CARKND	AARKND	OPERATING PANEL No.
TTV	TTVA	1 4 2 8




TARE-	13 800 kg
CARRYING CAPA	CITY- 27200 kg
CAPACITY -	23703litres
MAX. SPEED -	60 mile/h
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS.


BUFFERS-	HYDRAULIC 406 DIA, HEADS
COUPLINGS	INTERNATIONAL SCREW
MIN. CURVE -	31m
GEN. ARRGT, DRG.	No. –
BRAKE-	VACUUM BLOCK & HAND LEVER
SUSPENSION -	EYEBOLT.

REGISTERED BY	TIGER RAILCAR LEASING. C.M.& E.E. (B.R.B.) DERBY
YEAR BUILT -	1962.
REGISTRATION Nos	51222.TO 51232.
OWNERS Nos	A.222 TO A.232.

ISSUE 2 EX.PO.DIAGRAM 6/93.

EXCESS 4 LENGTH 4	Н	М	L	E
tonnes	41	41	15	15
VB	26	26	7	7
<del>- AB</del>				_
RA	6	6	1	1
MAX. SPEED	60	60	45	45







TAPE 14 200kg	
CARRYING CAPACITY- 26800 kg	
CAPACITY- 27135 litres	
MAX. SPEED - 60 mile/h	
WHEELS - 952 DIA.	
JOURNALS - 140 DIA. ROLLER E	BEARINGS


BUFFERS HYD	RAULIC 406 DIA, HEADS
COUPLINGS - 1	NTERNATIONAL SCREW
MIN CURVE - 31	m
GEN. ARRGT. DR	G. No
BRAKE <b>VACUU</b>	M BLOCK & HAND LEVER
SUSPENSION -	EYEBOLT

BUILDER - CHARLES ROBERTS
OWNER - TIGER RAILCAR LEASING.
REGISTERED BY - C.M. & E.E. ( B.R.B.) DERBY
YEAR BUILT - 1962
REGISTRATION Nos 51258 TO 51279
OWNERS Nos A 258 TO A 279

ISSUE 2 EX P.O. DIAGRAM 6,34








TARE- 10 900 kg	
CARRYING CAPACITY - 30 100kg	
CAPACITY - 34336 litres.	
MAX SPEED 60 mile/h	
WHEELS- 952 DIA.	
JOURNALS - 140 DIA ROLLER	BEARINGS

SUSPENSI	ON- EYEE	OLŤ			
BRAKE-	VACUUM	BLOCK	8	HAND	LEVER
GEN. ARRO	ST. DRG. No	), -			
MIN. CUR\	/E - 31m,				
COUPLING	S- INSTA	NTER			
BUFFERS-	HYDRAUL	IC 406 [	AIC	HEADS	


BUILDER - POWELL DUFFRYN
OWNER - ALGECO
REGISTERED BY - C.M.&E.E. (B.R.B.) DERBY
YEAR BUILT - 1964
REGISTRATION Nos. 49000 TO 49005
OWNERS Nos 34 TO 39

ISSUE 2

EX.P.O. DIAGRAM 6/113







CARRYING CAPACITY - 27200kg

CAPACITY - 39ssolitres

13750 kg

CAPACITY - 39ssolitres

148 952 DIA.

140 DIA. ROLLER BEARINGS

BUFFERS - HYDRAULIC 406 DIA. HEADS
COUPLINGS - INTERNATIONAL SCREW
MIN. CURVE - 31 m
GEN ARRGT. DRG. No -BRAKE - VACUUM BLOCK & HAND LEVER
SUSPENSION - DOUBLE LINK


BUILDER- POWELL DUFFRYN
DWNER BRITISH RAILWAY TRAFFIC & ELECTRIC
REG'STERED BY - C.M. & E.E. (B.R.B.) DERBY
YEAR BUILT - 1965
RE ISTRATION Nos. - 57295 TO 57305
LWNERS Nos. - 5975 TO 5985

ISSUE 2

EX. P.O. DIAGRAM 6/108

EXCESS 4	Н	М	L	E
tonnes	41	41	13	13
VB	21	21	8	8
AB				
RA	6	6	1	ı
MAX SPEED	60	60	45	45

TOPS CODE												
C.	AR	ΚΝι	)	AARKND		1 -	NEL	TING	3.			
-	T	٣	٧	T	T	٧	Α	1	4	3	I	



TARE -	12 850 kg.				
CARRYING CAP	ACITY- 28100 kg.				
CAPACITY-	34731 litres.				
MAX. SPEED -	60 mile/h.				
WHEELS -	952 DIA.				
JOURNALS-	140 DIA. ROLLER	BEARINGS.			

BUFFERS	HYDRAULIC 406 DIA.HEADS.
COUPLINGS –	INSTANTER.
MIN. CURVE -	31 m.
GEN. ARRGT. DRG. No.	
BRAKE-	VACUUM BLOCK & HAND LEVER
SUSPENSION -	EYEBOLT.


BUILDER –	CHARLES ROBERTS.
OWNER -	TIGER RAILCAR LEASING.
REGISTERED BY-	C.M.&E.E. (B.R.B.) DERBY.
YEAR BUILT-	1963.
REGISTRATION Nos	-51281.TO 51298.
OWNERS Nos. –	A 281.TO A298.

ISSUE 2 EX.P.O.DIAGRAM 6/96.

## 41 tonnes G.L.W. TANK WAGON

EXCESS LENGTH 4	Н	М	L	Ε
tonnes	41	41	П	11
VB	13	13	4	4
AB				
RA	6	6	ı	1
MAX. SPEED	60	60	45	45

TOPS CODE				
CARKND	AARKND	OPERATING PANEL No		
TTV	TTVA	1 2 8 2		



TARE -10400 kg.	
CARRYING CAP	ACITY -30 600 kg.
CAPACITY - 32 73	n litres.
MAX. SPEED - 60	Omile/n.
WHEELS - <b>952</b>	
JOURNALS-140	DDIA. ROLLER BEARINGS

BUFFER:	-HYDR	AULIC	406 DIA.	HEADS	
COUPLI	IGS- II	ISTAN	ITER		
MIN. CU	RVE - 31m				
GEN. AR	GT DRO	i. No. –			
BRAKE-	VACUU	M BLO	CK & HAND	LEVER.	
SUSPEN	SION - E	YEBOI	LT		


BUILDER - CHARLES ROBERTS	
OWNER-TIGER RAILCAR LEASING	· · · · · · · · · · · · · · · · · · ·
REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY.	
YEAR BUILT - 1961	
REGISTRATION Nos 51166	
OWNERS Nos A166	

ISSUE 2

EX.PO. DIAGRAM 6/92

EXCESS LENGTH <b>5</b>	Н	М	L	Е
tonnes	40	40	14	14
VB	21	21	6	6
AB	ļ			
RA	6	6	ı	1
MAX SPEED	60	60	60	60





12 650 kg	
CARRYING CAPACITY - 28 300 kg	
CAPACITY - 32 731 litres	
JAAR SPEED - 60 mile/h	
952 DIA.	
140 DIA. ROLLER	BEARINGS


	<del>`</del>
BUFFERS - HYDRAULIC 406 DIA. HEADS	
COUPLINGS - INTERNATIONAL SCREW	
MIN. CURVE 31 m	
GEN. ARRGT. DRG. No	
BRAKE - VACUUM BLOCK & HAND LEVER	
SUSPENSION - EYE BOLT	

BUILDER - CHARLES ROBERTS
DWNER - TIGER RAILCAR LEASING
REGISTERED BY C.M. & E.E. (B.R.B.) DERBY
/EAR BUILT <b>1963</b>
REGISTRATION Nos - 51177 TO 51196
DWNERS Nos A 177 TO A 196


ISSUE 2 EX.P.O.DIAGRAM 6/95

# 41 tonnes G.L.W. TANK WAGON - ANHYDROUS AMMONIA

## TTOIOA







1RE- 20000kg	
ARRYING CAPACITY-	21 000kg.
APACITY- 36.651m3	
AX SPEED -45 mile/h.	
HEELS - 952 DIA.	
SURNALS- 140 DIA. R	OLLER BEARINGS.

BUFFERS-	HYDRAULIC 457 DIA. HEADS.	
COUPLINGS-	-INSTANTER.	
MIN. CURVE -	36m.	
GEN ARRGT	DRG No -	
BRAKE- VAC	UUM BLOCK & HAND LEVER.	
SUSPENSION	-DOUBLE LINK.	

BUILDER-METRO CAMMELL.

OWNER-STS.

REGISTERED BY-C.M.& E.E.(B.R.B) DERBY.

YEAR BUILT - 1965.

REGISTRATION Nics - 53250-53264.

OWNERS Nos-2050-2064.


ISSUE 2

## 41 tonnes G.L.W. TANK-ANHYDROUS AMMONIA

TTOIOB

EXCESS 7	<b>F!</b>	М	L	E
tonnes	41	41	20	20
V₿	18	18	11	-11
AB				
RA	6	6	1	l
SPEED	45	45	45	45

TOPS CODE					
CARKNO	AARKND	OPERATING PANEL No			
TTV	TTVA	1 2 4 6			



TARE 20050 kg.	
CARRYING CAPACITY-20900 kg.	
CAPACITY - 37627 litres.	
MAX SPEED 45 mile/h.	
WHEELS 952 DIA.	
JOURNALS 140 DIA, ROLLER BEARINGS	

BUFFERS	- HYDRAULIC 457 DIA. HE	EADS
COUPLIN	GS INSTANTER	
MIN. CUP	RVE 36m.	
GEN. ARE	AGT DRG No	
BRAKE	VACUUM BLOCK & HAND	LEVER.
SUSPEN	SION - DOUBLE LINK	


BUILDER CHARLES ROBERTS
OWNER TIGER RAILCAR LEASING
REGISTERED BY C.M.& EE(B.R.B.) DERBY
YEAR BUILT - 1965/66
REGISTRATION Nos TRL51450 TO 51538,
OWNERS Nos - A450 TO A538


ISSUE 2 EX PO DIAGRAM 6/98

# 41 tonnes G.L.W. TANK WAGON - ANHYDROUS AMMONIA

TT 010 C

EXCESS LENGTH	H	M	L	E	
tonnes	41	41	20	20	
٧B	18	18	11	11	
——A8					
RA	6	6	1	1	
MAX. SPEED	45	45	45	45	





TARE-	20050 kg
CARRYING CAPA	CITY-20900 kg
CAPACITY-	37627 litres
MAX. SPEED-	45 mil€/h
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS

BUFFERS-	HYDRAULIC 457 DIA. HEADS
COUPLINGS-	INSTANTER
MIN. CURVE-	36 m.
GEN. ARRGT. DRG	i. No
BRAKE-	VACUUM BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK


BUILDER-	CHARLES ROBERTS					
OWNER-	I.C.I. (AGRICULTURAL)					
REGISTERED BY-	C.M. & E.E. (B.R. B.)	DERBY				
YEAR BUILT-	1965/66					
REGISTRATION Nos.	- 54301 - 54350	•				
OWNERS Nos	A 450 TO A 538					

ISSUE 2 EX. PO. DIAGRAM 6/98

# 41 tonne G.L.W. ANHYDROUS AMONIA TANK WAGON

EXCESS 7	Н	М	L	E
tonnes	41	41	18	18
VB	18	18	11	11
AB			<del> </del>	
RA	6	6	1	1
MAX. SPEED	60	60	60	60

TOPS CODE					
CARKND	AARKND	OPERATING PANEL No			
TTF	TTFA	1 5 9 4			




TARE -	20 <sup>050</sup> kg
CARRYING CAPACITY-	20 900 kg
CAPACITY -	42 oez litres
MAX SPEED	60 mile/h
WHEELS	952 DIA
JOURNALS -	140 DIA ROLLER BEARINGS

BUFFERS	HYDRAULIC 406 DIA HEADS	
COUPLINGS	INSTANTER	
MIN CURVE	36m SINGLY & CLOSE COUPLED	
GEN ARRGT	DRG No	
BRAKE	VACUUM BLOCK & HAND LEVER	
SUSPENSION	BSC FRICTION PEDESTAL	

ISSUE 1 -

EXCESS 4	Н	М	L	E
tonnes	41	41	16	16
VB	21	21	10	10
AB				
RA	6	6	1	1
MAX. SPEED	60	60	45	45

1		_		1	OP	S	COI	DΕ				
	С	AR	KNI	D	AARKND			NEL	TING No			
		T	T	٧	T	Т	٧	Α	1	4	3	4



TARE - 15600 kg.

CARRYING CAPACITY - 25 400 kg.

CAPACITY - 26185 litres.

MAX. SPEED - 60 mile/h.

WHEELS - 952 DIA.

JOURNALS - 140 DIA. ROLLER BEARINGS.

BUFFERS - HYDRAULIC 406 DIA. HEADS.

COUPLINGS - INSTANTER

MIN. CURVE - 3Im.

GEN. ARRGT. DRG. No. 
BRAKE -VACUUM BLOCK & HAND LEVER

SUSPENSION - EYEBOLT & AUXILIARY RUBBERS.

BUILDER - POWELL DUFFRYN.

OWNER - SUKO


REGISTERED BY C.M. & E.E. (B.R.B.) DERBY.


YEAR BUILT - 1963


REGISTRATION Nos. - 52155-52159,52200-52229

OWNERS Nos. -

ISSUE 2
EX.RO. DIAGRAM 6/73O(ALLOCATED.)







ISSUE 1

JOURNALS -


140 DIA ROLLER BEARINGS


SUSPENSION

EYEBOLT & AUXILIARY RUBBERS

#### 41 tonnes G.L.W. TANK WAGON-BITUMEN

### TTOI3B







14000kg HYDRAULIC 406 DIA. HEADS. POWELL DUFFRYN. CARRYING CAPACITY-27000kg. INSTANTER SUKO CAPACITY-31022 litres. C.M.& E.E.(B.R.B) DERBY. 31m. 1963/1964. 60 mile/h. 50500 VACUUM BLOCK & HAND LEVER. 952 DIA. 140 DIA. ROLLER BEARINGS. EYE BOLT.

ISSUE 2


EX.P.O. DIAGRAM 6/728 (ALLOCATED.)








EXCESS LENGTH 4	Н	М	L	E
tonnes	41	41	15	15
VB	18	18	8	8
- AB				
RA	6	6	1	1
MAX. SPEED	60	60	45	45






TARE - 14750 kg	
CARRYING CAPACITY-	26200 kg
CAPACITY- 9025 litres	
MAX. SPEED - 60 mile/h	
WHEELS-1000 DIA.	
JOURNALS-130 DIA. ROL	LER BEARINGS


BUFFERS - HYDRAULIC 406 DIA. HEADS	
COUPLINGS - INTERNATIONAL SCREW	_
MIN.CURVE- 31 m	_
GEN ARRGT. DRG. No. —	_
BRAKE - VACUUM BLOCK & HAND LEVER	
SUSPENSION - DOUBLE LINK	

BUILDER - CHARLES ROBERTS
OWNER - FISON'S LTD.
REGISTERED BY - C.M.& E.E. (B.R.B.) DERBY
YEAR BUILT - 1965
REGISTRATION Nos. - 55408 TO 55412
OWNERS Nos. - M12/48 TO M12/52

ISSUE 2 EX P.O. DIAGRAM 6/85



TOPS CODE						
CARKND	AARKND	OPERATING PANEL No				
TTV	TTVA	1 4 3 6				



TARE - 16 <sup>250kg</sup> ,	
CARRYING CAPACITY- 24700kg	
CAPACITY- 27139 litres	
MAX SPEED - 60 mile/h.	
WHEELS-952 DIA.	
JOURNALS-140 DIA. ROLLER BEARINGS.	

BUFFERS - HYDE	RAULIC	406	DIA.	HEADS
COUPLINGS - INST	ANTER.			
MIN. CURVE - 31m				
GEN. ARRGT. DRG.	No			
BRAKE-VACUUM	BLOCK	& H.	AND	LEVER
SUSPENSION - EY	E BOLT.			

BUILDER--POWELL DUFFRYN.

OWNER-POWELL DUFFRYN.

REGISTERED BY-C.M. & E.E.(B.R.B.)DERBY.

YEAR BUILT--1961.


REGISTRATION Nos. -- 52000 -- 52027.

OWNERS Nos. -- 9000--9027.

ISSUE 2
EX. PO. DIAGRAM 6/687(ALLOCATED)

EXCESS 5	Н	М	L	Ε
tonnes	41	41	16	16
VB '	21	21	10	10
— AB				
RA	6	6	1	ı
MAX. SPEED	60	60	45	45

TOPS CODE					
CARKND	AARKND	OPERATING PANEL No			
TJV	TTVA	1 4 3 7			



TARE	16000kg	
CARRYING CAPAC	DTY- 25000kg	
CAPACITY-		
MAX. SPEED -	60 mile/h	
WHEELS -	952 DIA	-
JOURNALS-	140 DIA. ROLLER BEARINGS	


BUFFERS -	HYDRAULIC 406 DIA. HEADS
COUPLINGS -	INSTANTER
MIN. CURVE -	3lm
GEN. ARRGT. DRG. No	
BRAKE -	VACUUM BLOCK & HAND LEVER
SUSPENSION -	EYEBOLT & AUXILIARY RUBBERS

BUILDEP -	POWELL DUFRYN
OWNER -	SUKO
REGISTERED BY -	C.M.&.E.E.(B.R.B.) DERBY
YEAR BUILT-	1962
REGISTRATION Nos.	- 52100 TO 52154 (RANGE)
OWNERS Nos	

ISSUE 2
EX. P.O. DIAGRAM 6/729(ALLOCATED)

EXCESS 5	Н	M	L	Ε
tonnes	46	46	22	22
VB	18	18	10	10
RA	7	6	1	1
MAX. SPEED	60	60	45	45

TOPS CODE										
CAR	KNi	)	AARKND		-	PERA	TING Na.			
7	T	F	T	T	F	A	1	4	3	8



TARE-	22 250 kg
CARRYING CAPAC	CITY -23700 kg
CAPACITY	35. 495 litres
MAX. SPEED =	60 mile/h
WHEELS -	952 DIA.
JOURNALS-	40 DIA. ROLLER BEARINGS


BUFFERS-	HYDRAULIC 406 DIA. HEADS
COUPLINGS -	INTERNATIONAL SCREW
MIN. CURVE -	31 m
GEN. ARRGT. DRG. I	No. –
BRAKE-	VACUUM BLOCK & HAND LEVER
SUSPENSION -	EYEBOLT & AUXILIARY RUBBERS

BUILDER –	POWELL DUFFRYN
OWNER –	ESSO
REGISTERED BY-	C.M. & E.E. (B.R.B.) DERBY
YEAR BUILT-	1963
REGISTRATION Nos.	-56341 TO 56356 (RANGE)
OWNERS Nos	41 TO 56 (RANGE)

ISSUE 3. EX PO. DIAGRAM 6/124

EXCESS LENGTH <b>5</b>	Н	М	L	E
tonnes	46	46	23	23
VB	18	18	10	10
—— AB				
RA	7	6	1	-
MAX. SPECD	60	60	45	45

TOPS CODE						
CARKND	OPERATING PANEL No					
TTF	TTFA	1 4 3 9				




TARE - 23100kg	
CARRYING CAPACITY - 22900 kg	9 .
CAPACITY- 35495 litres	
MAX. SPEED - 60 mile/h.	
WHEELS - 952 DIA.	
JOURNALS-140 DIA. ROLLER	BEARINGS.


BUFFERS-HYDRAULIC 406 DIA. HEADS
COUPLINGS - INTERNATIONAL SCREW.
MIN. CURVE - 31m.
GEN. ARRGT. DRG. No. –
BRAKE-VACUUM BLOCK & HAND LEVE
SUSPENSION - DOUBLE LINK.

BUILDER - POWELL DUFFRYN
OWNER - ESSO.
REGISTERED BY - C,M, & E.E. (B.R. B.) DERBY.
YEAR BUILT - <b>1965</b> ,
REGISTRATION Nos56343 TO 56373 (RANGE)
OWNERS Nos43 TO 73 (RANGE)

ISSUE 2 EX. P.O. DIAGRAM 6/91



- [	TOPS CODE											
	CARKND			D	AARKND			OPERATING PANEL No				
		T	Т	F	T	T	F	Α	1	4	3	8



TARE- 21750 kg

CARRYING CAPACITY - 24<sup>250</sup>kg

CAPACITY - 35 495 litres

MAX. SPEED - 60 mile/h

WHEELS - 952 DIA.

JOURNALS - 140 DIA, ROLLER BEARINGS

BUFFERS - HYDRAULIC 406 DIA. HEADS
COUPLINGS - INTERNATIONAL SCREW
MIN. CURVE - 31 m
GEN. ARRGT. DRG. No. BRAKE - VACUUM BLOCK & HAND LEVER
SUSPENSION - EYEBOLT

BUILDER - POWEIL DUFFRYN

OWNER - ESSO

REGISTERED BY - C.M. & E.E.(B.R.B.) DERBY


YEAR BUILT - 1964


REGISTRATION Nos. - 56363 TO 56374 (RANGE)

OWNERS Nos. - 63 TO 74 (RANGE)

ISSUE 2 EX PO. DIAGRAM 6/125

EXCESS 5	Н	М	L	Ε
tonnes	46	46	22	22
VB	18	18	10	10
<u> </u>				
RA	7	6	1	1
MAX. SPEED	60	60	45	45







TARE- 23100 kg	
CARRYING CAPACITY - 22 900 kg	
CAPACITY - 35 558 litres	
MAX SPEED - 60 mile/h	
WHEELS - 952 DIA.	
JOURNALS - 140 DIA. ROLLER BEARIN	GS


BUFFERS - HYDRAULIC 4	106 DIA. H	EADS
COUPLINGS INTERNATION	ONAL SCRE	W
MIN. CURVE - 31 m	<b>k</b>	
GEN. ARRGT DRG. No -	i),	
BRAKE VACUUM BLOC	K & HAND I	LEVER
SUSPENSION EYEBOLT		

BUILDER - CHARLES ROBERTS	,
OWNER ESSO	
REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY	
YEAR BUILT - 1964	
REGISTRATION Nos 56375 TO 56384	
OWNERS Nos 75 TO 84	

ISSUE 2 EX PO.DIAGRAM 6/90








TARE-	21750 kg					
CARRYING CAPA	CITY- 24 <sup>200 kg</sup>					
CAPACITY-	35.495 litres					
MAX. SPEED-	60 mile/h					
WHEELS-	952 DIA.					
JOURNALS-	140 DIA. ROLLER BEARINGS					

BUFFERS-	HYDRAULIC 406 DIA. HEADS
COUPLINGS-	INTERNATIONAL SCREW
MIN. CURVE-	31 m.
GEN. ARRGT. DRG.	No
BRAKE-	VACUUM BLOCK & HAND LEVER
SUSPENSION-	EYEBOLT & AUXILIARY RUBBERS


BUILDER-	R.Y. PICKERING
OWNER-	ESSO
REGISTERED BY-	C.M. & E.E. (B.R.B.) DERBY
YEAR BUILT-	1964
REGISTRATION Nos	56385 TO 56406 (RANGE)
OWNERS Nos	85 TO 106 (RANGE)

ISSUE 2. EX. P.O. DIAGRAM 6/124

#### 46 tonne GLW TANK WAGON LPG.




	TOPS INFORMATION							
AARKND	OPERATING	OPERATING SPE	ED	BRAKE	FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO 46	tonne GLW	9t FORCE	UP TO 20 EL CIV	LENGTH	(GLW)	1 1
TTAA		mile/h-ABOVE	Course OCAA	24t FORCE	UP TO 30.5 tonne GLW	5	9	W1037




TARE-	23.300 Kg
CAPACITY, WEIGHT-	22.700 Kg
CAPACITY, VOLUME-	35, <sup>495</sup> litres
MIN. CURVE-	31 m
GEN. ARRGT, DRG. NO	•

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INTERNATIONAL SCREW
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE |



TOPS INFORMATION								
	OPERATING	OPERATING	SPEED	BRAKE	FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO	46 tonne GLW	9t FORCE	UP TO 20 Ft CIV		(GLW)	
TTAA		mile/h-ABOVE	to tomic out	24t FORCE	UP TO 30.5 tonne GLW ABOVE	5	7	W1038




OKa
- 1/19
<sup>5</sup> litres


BRAKE-	AIR BLOCK & HAND LEVER
	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INTERNATIONAL SCREW
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE I

#### 46 tonne GLW TANK WAGON L.P.G.



TOPS INFORMATION								
	OPERATING	OPERATING :	SPEED	BRAKE	FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO	46 tonne GLW	9 t FORCE	UP TOOCE. OU	LENGTH	(GLW)	SHEET
TTAA		mile/h-ABOVE	40 folling GEAA	24t FORCE	UP TO 30.5 tonne GLW	5	7	W1039




TARE-	23.000 Kg
CAPACITY, WEIGHT-	23.000 Kg
CAPACITY, VOLUME-	35,558 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	l. <del>-</del>


BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION	- DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INTERNATIONAL SCREW
BUFFERS-	HYDRAULIC 406DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE I

## 46 tonne GLW TANK WAGON LP.G.




			TOPS INFO	DRMATION	2000			
	OPERATING	OPERATING	SPEED	BRAKE	FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO	46 tonne GLW	9 t FORCE	UP TO 20 Etago CIV	LENGTH	(GLW)	SHEET
[T]T[A]		mile/h_ABOVE	· · · tollife GE44	24t FORCE	UP TO 30.5 tonne GLW	5	9	W1040




TARE-	22.500 Kg
CAPACITY, WEIGHT-	23.500 Kg
CAPACITY, VOLUME-	35, 495 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO.	-

BRAKE-	AIR BLOCK & HAND LEVER
	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INTERNATIONAL SCREW
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE |




		andress and the contract of th	TOPS INFO	RMATION		-		
AARKND	OPERATING	OPERATING SP	EED	BRAKE FORG	E DATA	EXCESS	RA	DESIGN
CARKNO	PANEL No.	60 mile/h UP TO	46 tonne GLW	10 t FORCE UP TO	30·5 tonne G.L.W.	LENGTH	(GLW)	SHEET
TTA		mile/h ABOVE	+0 fallife OFAA	26 7† FORCE ABOVE	30 3 1011116 G.C.W.	5	7	W 1625




TARE-	22 250 kg
CAPACITY, WEIGHT-	23 750 kg
CAPACITY, VOLUME-	35 495 litres
MIN. CURVE-	31m
GEN. ARRGT. DRG. NO	

BRAKE-	AIR, BLOCK & HAND LEVER	
SUSPENSION-	UIC DOUBLE LINK & PARABOLIC TAPERLEAF SPRIN	GS
COUPLINGS-	INTERNATIONAL SCREW	
BUFFERS-	HYDRAULIC 406 DIA HEADS	
WHEELS-	952 DIA ·	
JOURNALS-	140 DIA ROLLER BEARINGS	

SSUE 1.




			TOPS INFO	RMATION				
AARKND	OPERATING	OPERATING S	SPEED	BRAKE FORC	E DATA	EXCESS	RA	DESIGN
CARKND	PANEL No. 60	mile/h UP TO	46 tonne GLW	10 + FORCE UP TO	30·5 tonne G.L.W.	LENGTH	(GLW)	SHEET
TTAA		mile/h ABOVE	46 tonne GLVV	26.7† FORCE ABOVE	Jo J Tornie G.E.W.	5	7	W 1626




TARE-	23 100 kg
CAPACITY, WEIGHT-	22 900 kg
CAPACITY, VOLUME-	35 495 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO.	•

BRAKE-	AIR, BLOCK & HAND LEVER	<u> </u>	•	
SUSPENSION-	UIC DOUBLE LINK & PARABOLIC TAPERLEAF SPRI	NGS		
COUPLINGS-	INTERNATIONAL SCREW			
BUFFERS-	HYDRAULIC 406 DIA HEADS			
WHEELS-	952 DIA.			
JOURNALS-	140 DIA ROLLER BEARINGS		ISSUE	1.



	TOPS INFORMATION					
Contraction of the Contraction o	OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO 46 tonne GL	V 10+ FORCE UP TO 30-5 tonne G.L.W.	LENGTH	(GLW)	SHEET
TTA		mile/h ABOVE	26+ FORCE ABOVE	5	7	W 1627




TARE-	21 750 kg
CAPACITY, WEIGHT-	24 250 kg
CAPACITY, VOLUME-	35.495 litres
MIN. CURVE-	31m
GEN. ARRGT. DRG. NO.	•

BRAKE-	AIR, BLOCK & HAND LEVER
SUSPENSION-	U.C. DOUBLE LINK WITH PARABOLIC SPRING
COUPLINGS-	INTERNATIONAL SCREW
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA. ROLLER BEARINGS

ISSUE 1.

LOT N	JMBER
	$\leq$

	TOPS INF	ORMATION			
AARKNO OPERATI	IG OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKND PANEL	o. 60 mile/h UP TO 46 tonne GLW	10 t FORCE UP TO 26.7t FORCE ABOVE 30.5 fonne G.L.W.	LENGTH	(GLW)	SHEET
TTA	mile/h ABOVE 46 tonne GLW	26.71 FORCE ABOVE	5	7	W1628




TARE-	23 100 kg
CAPACITY, WEIGHT-	22 900 kg
CAPACITY, VOLUME-	35 558 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO.	

BRAKE-	AIR, BLOCK & HAND LEVER
SUSPENSION-	UIC DOUBLE LINK & PARABOLIC TAPERLEAF SPRING
COUPLINGS-	INTERNATIONAL SCREW
BUFFERS-	HYDRAULIC 406 DIA, HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS

ISSUE 1.

LOT N	UMBER

			TOPS INFO	ORMATION				
Description of the last of the	OPERATING	OPERATING	SPEED	BRAKE FORCE	DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO	46 tonne GLW	10+ FORCE UP TO	30.5 tonne G.L.W.	LENGTH	(GLW)	SHEET
TTAA		mile/h ABOVE	40 TOURS OFAA	26.7t FORCE ABOVE	יאיז'ח אווויאו כיאר	5	7	W 1629




Original diagrams courtesy of Chris Dugdale, 2016 (visit http://www.barrowmoremrg.co.uk)


TARE-	21 750 kg
CAPACITY, WEIGHT-	24 <b>2</b> 50 kg
CAPACITY, VOLUME-	35 495 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO.	*

BRAKE-	AIR, BLOCK & HAND LEVER	
SUSPENSION	UIC DOUBLE LINK & PARABOLIC TAPERLEAF SPRIN	IGS
COUPLINGS-	INTERNATIONAL SCREW	
BUFFERS-	HYDRAULIC 406 DIA HEADS	
WHEELS-	952 DIA	
JOURNALS-	140 DIA ROLLER BEARINGS	

ISSUE 1.

EXCESS 7 LENGTH 7	Н	М	L	Ε
tonnes	46	46	21	21
VB	0	0	0	0
AB	21	21	12	12
RA	8	7	!	1
MAX. SPEED	60	60	60	60





CARRYING CAPACITY- 20500kg PROPANE 25800kg BUTANE
CAPACITY- 47251 litres

MAX. SPEED- 60 mile/h

MEELS-952 DIA.

HCURNALS-140 DIA. ROLLER BEARINGS


BUFFERS - HYDRAULIC 406 DIA. HEADS
COUPLINGS - INSTANTER
MIN CURVE - 31 m
GEN. ARRGT. DRG. No -BR. - : - AIR BLOCK, VACUUM PIPED & HAND LEVER
SUSPENSION - DOUBLE LINK

BUILDER-R.Y. PICKERING
OWNER-B.R.T. & E. LTD.
REGISTERED BY - C.M.& E.E. (B.R.B.) DERBY
YEAR BUILT - 1967
PEGISTRATION Nos - 57577 TO 57587
VNERS Nos. - 10227 - 10237

ISSUE 2 EX PO. DIAGRAM 6/209

EXCESS 7	Н	М	L	Ε
tonnes.	46	46	21	21
VB	0	0	0	0
AB	27	27	16	16
RA	8	7	. 1	1
MAX. SPEED	60	60	60	60

Ţ	OPS CODE	
CARKND	AARKND	OPERATING PANEL No
TTB	TTBA	1 1 5 2



TARE - 21350kg	
CARRYING CAPACITY-24600kg	
CUBIC CAPACITY - 47287, litres	
MAX. SPEED - 60 mile/h	
WHEELS-933 DIA.	
JOURNALS - 140 DIA. ROLLER BEARINGS	

BUFFERS-HYDRAULIC 406 DIA. HEADS.
COUPLINGS-INSTANTER.
MIN. CURVE - 36m.
GEN. ARRGT. DRG. No
BRAKE - AIR BLOCK, VACUUM PIPED & HAND LEVER
SUSPENSION-PEDESTAL.

BUILDER-CHARLES ROBERTS.

OWNER-BRITISH RAILWAY TRAFFIC & ELECTRIC.

REGISTERED BY-C. M. & E.E. (B.R.B.) DERBY.

YEAR BUILT-1974/75


REGISTRATION Nos. - 57881 TO 57886.


OWNERS Nos. - 57881 TO 57886.


ISSUE 2 EX.P.O. DIAGRAM 6/823 (ALLOCATED)


EXCESS LENGTH 4	Н	М	L	Ε
tonnes	46	46	21	21
VB	0	0	0	0.
AB	24	24	16	16
RA	8	8	1	1
MAX. SPEED	60	60	60	60

ĺ	TOPS CODE				
	CARKND	AARKND	OPERATING PANEL No		
•	TTB	TTBA	1 3 6 7		











TARE -21450kg	
CARRYING CAPACITY - 24 300 kg.	
CAPACITY - 24353 litres.	
MAX. SPEED - 60 mile/h.	
WHEELS -952DIA.	
JOURNALS-140DIA. ROLLER BEARINGS.	


BUFFERS	HYDRAULIC, 406 DIA. HEADS.
COUPLING	SS B.R. SCREW.
MIN. CUR	√E <b>31m</b> .
GEN ARR	GT. DRG No
BRAKE -A	R BLOCK, VACUUM PIPED, and HAND LEVER
SUSPENS	ON -GLOUCESTER PEDESTAL

# 46tonnes G.L.W. CO2 TANK WAGON

TT018G









TARE - 20 800 kg.	
CARRYING CAPACITY - 25200 kg.	`
CAPACITY — 24353 litres.	
MAX. SPEED - 60 mile/h.	
WHEELS - 952 DIA	
JOURNALS - 140 DIA ROLLER BEARINGS	

DUETERS	HVCD AILL TO	40¢ DIA UEADE
		406 DIA. HEADS.
COUPLING	S INSTANT	ER.
MIN. CUR	/E - 31m.	
GEN. ARRO	GT. DRG. No.	. —
BRAKE -A	R.BLOCK, VAC	CUUM PIPED and HAND LEVER.
SUSPENSI	ON - GLOUCE	STER PEDESTAL.

ISSUE



TOPS INFORMATION							
	OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN	
CARKND	PANEL No.	60 mile/h UP TO 46 tonne GLV	12t FORCE UP TO 21t FORCE ABOVE 24.5 tonne GLW	LENGTH	(GLW)	SHEET	
TTA		mile/h ABOVE	21t FORCE ABOVE 24.5 tonne GLW	3	8	W1536	




24. <sup>300</sup> Kg
24, <sup>353</sup> litres
31m


BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	GLOUCESTER PEDESTAL
COUPLINGS-	B.R. SCREW
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE I

### 46 tonne GLW CO2 TANK WAGON



	TOPS INFORMATION							
	OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN		
CARKND	PANEL No.	60 mile/h UP TO 46 tonne GLW	16t FORCE UP TO 31. CLL	LENGTH	(GLW)	SHEET		
TTA		mile/h ABOVE	24t FORCE ABOVE 3 Itonne GLW	4	8	W1543		




18.600 Kg
27.400 Kg
28. <sup>312</sup> litres
31m

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	GLOUCESTER PEDESTAL
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406DIA HEADS
WHEELS-	914 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE |

LOT NUMBER		

TOPS INFORMATION								
	OPERATING	OPERATING S	SPEED	BRAKE FORC	E DATA	EXCESS	RA	DESIGN
	PANEL No.	60 mile/h UP TO	46 tonne GLW	11t FORCE UP TO		LENGTH	(GLW)	SHEET
TTAA		mile/h ABOVE	40 tolling OLVV	23t FORCE ABOVE	31† GLW	3	9	W1721





TARE-	20 800kg	
CAPACITY, WEIGHT-	25 200kg	
CAPACITY, VOLUME-	24 353 LITRES	
MIN. CURVE-	31m	

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION	-GLOUCESTER PEDESTAL
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA. HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS

EX. BR. DIAGRAM

EXCESS LENGTH 4	Н	М	L	E
tonnes	46	46	15	15
VB	18	18	8	8
AB				
RA	8	8	1	1
MAX. SPEED	60	60	45	45





TARE _ 14550 kg				
CARRYING CAPACITY-31400 kg				
CAPACITY—39414 litres.				
MAX. SPEED - 60 mile/h.				
WHEELS - 952 DIA.				
JOURNALS - 140 DIA. ROLLER	BEARINGS			

BUFFERS	- HYDRAUI	LIC 40	6 DIA	HEADS	
COUPLIN	GS - INSTA	NTER			
MIN. CUI	RVE - 31 m.				
GEN. ARI	RGT. DRG. No				
BRAKE -	VACUUM	BLOCK &	HAND	LEVER.	
SUSPENS	SION - DOUB	LE LIN	K		

BUILDER -- CHARLES ROBERTS

OWNER - ALGECO (U.K.) LTD.

REGISTERED BY -- C.M. & E.E. (B.R. B.) DERBY.

YEAR BUILT -- 1964/65


REGISTRATION Nos. -49006-49056,49076-49082

OWNERS Nos. -940-1004, 1027-1037

ISSUE 2 EX- P-O- DIAGRAM 6/148

EXCESS LENGTH 4	Н	М	L	Ε
tonnes	46	46	15	15
VB	18	18	8	8
AB	0	0	0	0
RA	8	8	1	1
MAX SPEED	60	60	45	45

TOPS CODE					
CARKND	AARKND		PERA	TING No.	*
TTW	TTWA	1	4	4	3



TARE - 14600kg.	
CARRYING CAPACITY-31400kg	
CUBIC CAPACITY - 39414. litres.	
MAX. SPEED - 60 mile/h.	
WHEELS - 952 DIA.	
JOURNALS-140 DIA ROLLER	BEARINGS.


BUFFERS-HYDRAULIC 406 DIA HEADS	
COUPLINGS - INSTANTER.	
MIN. CURVE - 31m,	_
GEN. ARRGT. DRG. No. –	
BRAKE- VACUUM BLOCK, AIR PIPED & HAND LEVER	
SUSPENSION - DOUBLE LINK.	

BUILDER - CHARLES ROBERTS.	
OWNER - ALGECO.	
REGISTERED BY - C.M. & E.E. (B.R.B.)DERBY.	
YEAR BUILT - 1965.	
REGISTRATION Nos49084 TO 49086.	
OWNERS Nos 1040 TO 1042,	

ISSUE 2 EX.P.O.DIAGRAM 6/149

EXCESS LENGTH 4	Н	М	L	Ε
tonnes	46	46	15	15
VB	0	0	0	0
AB	26	26	10	10
RA	8	8	1	1
MAX. SPEED	-60	60	45	45

TOPS CODE		
CARKND	AARKND	OPERATING PANEL No
TTB	TTBA	1 2 9 2



TARE - 14 550 kg	
CARRYING CAPACITY - 31 400 kg	· ·
CAPACITY - 39.414 litres	
MAX.SPEED - 60 mile/h	
WHEELS - 952 DIA.	
JOURNALS - 140 DIA. ROLLER E	BEARINGS


BUFFERS HYDRAULIC 406 DIA. HEADS	
COLELINGS - INSTANTER	
MIN CURVE - 31 m	
GEN, ARRGT, DRG No. –	
BRAKE - AIR BLOCK, VACUUM PIPED & HAND LEVER.	
SUSPENSION - DOUBLE LINK	

BUILDER - CHARLES ROBERTS

EX. P.O. DIAGRAM 3/830 (ALLOCATED)

EXCESS LENGTH 4	Н	М	L	E
tonnes	46	46	15	15
VB	18	18	8	8
AB				
RA	8	8	1	1
MAX. SPEED	60	60	45	45

TOPS CODE						
CARKND	AAF	RKND	-	PERA	TING No	
TTF	TT	FA	1	4	4	3



TARE-	14 550kg.
CARRYING CAPACITY	31 400kg
CAPACITY	39,414 m.3
MAX. SPEED -	60 mile/h.
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS


BUFFERS-	HYDRAULIC 406 DIA. HEADS.
COUPLINGS -	INSTANTER.
MIN. CURVE -	31m.
GEN. ARRGT. DRG.	No. –
BRAKE-	VACUUM BLOCK & HAND LEVER
SUSPENSION -	DOUBLE LINK.

BUILDER -	CHARLES ROBERTS.
OWNER -	ALGECO (U.K.) LTD.
REGISTERED BY-	C.M.& E.E. ( B.R.B.)DERBY.
YEAR BUILT-	1964/65.
REGISTRATION Nos	. – 49063 - 49067.
OWNERS Nos	

ISSUE 2
EX P.O. DIAGRAM 6/820 (ALLOCATED).

EXCESS LENGTH 4	Н	М	L	E
tonnes	45	46	15	15
VB	26	26	10	10
AB				
RA	8	В	1	1_
MAX SPEED	60	60	45	45

TOPS CODE		
CARKND	AARKND	OPERATING PANEL No
TTB	TBA	1 2 9 2



TARE	14 550 kg.
CARRYING CAPAC	ITY-31 400 kg.
CAPACITY	39.414 m <sup>3</sup>
MAX SPEED	60 mile/h.
WHEELS	952 DIA.
JOURNALS -	140 DIA. ROLLER BEARINGS.

HYDRAULIC 406 DIA. HEADS.
INSTANTER.
31m.
10 -
VACUUM BLOCK & HAND LEVE
DOUBLE LINK.


BUILDER -	CHARLES ROBERTS.
OWNER	ALGECO ( U.K.) LTD.
RECISTERED BY	C.M.& E.E. (B.R.B.) DERBY.
YEAR BUILT -	1964/65.
REGISTRATION NO	49023
OWNERS Nos -	

ISSUE 2 EX.P.O. DIAGRAM 6/835 (ALLOCATED).

## 46 tonnes G.L.W. TANK WAGON

EXCESS 4	Н	M	L	E
tonnes	46	46	15	15
VB	18	18	8	8
AB	I			
RA	8	8	ı	1
MAX. SPEED	60	60	45	45

TOPS CODE	
CARKND : AARKND	OPERATING PANEL No.
TTVTTVA	1 4 4 3



TARE-	(4 550 kg
CARRYING CAPA	CITY- 31400 kg
CAPACITY-	39414 litres
MAX. SPEED-	60 mile/h
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS


BUFFERS-	HYDRAULIC 406 DIA. HEADS
COUPLINGS-	INSTANTER
MIN. CURVE-	31 m
GEN. ARRGT. DRG.	No
BRAKE-	VACUUM BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK

BUILDER-	CHARLES ROBERTS			
OWNER-	ALGECO (U.K.) LTD.			
REGISTERED BY-	C.M. & E.E. (B.R.B.) DERBY			
YEAR BUILT-	1964/65			
REGISTRATION Nos.	- 49083			
OWNERS Nos				

ISSUE 2 EX. P.O. DIAGRAM 6/148

LOT NUMBER				

	TOPS INFORMATION								
AARKND	OPERATING	OPERATING	SPEED	BRAKE	FORCE DATA	EXCESS	RA	DESIGN	
CARKND	PANEL No.	60 mile/h UP TO	46 tonne GLW	1Ot FORCE	UP TO CLU	LENGTH	(GLW)	SHEET	
TTAA		mile/h-ABOVE	40 forme gray	26t FORCE	UP TO ABOVE SOME TO TO THE ABOVE	4	9	W1520	




TARE-	13,800 Kg
CAPACITY, WEIGHT-	32.200 Kg
CAPACITY, VOLUME-	39.414 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	
	•

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

### 46 tonne GLW TANK WAGON-CLASS A

LOT NUMBER				

TOPS INFORMATION								
AARKND OPERATING OPERATING SPEED				BRAKE FORCE DATA	EXCESS	RA	DESIGN	
CARKND	PANEL No.	45 mile/h UP TO	GLW	5t FORCE UP TO CO.	LENGTH			
TTAA		60 mile/h ABOVE	GLVV	5t FORCE UP TO 23t FORCE ABOVE3O 5tonne GLW	4	9	WIII9	




TARE-	13.600 Kg	
CAPACITY, WEIGHT-	32.400 Kg	
CAPACITY, VOLUME	38.450 litres	······································
MIN. CURVE-	31m	
GEN. ARRGT. DRG. NO		

BRAKE-	AIR BLOCK & HAND LEVER
h	DOUBLE LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE |

EXCESS 4 LENGTH 4	Н	M	L	Ε
tonnes	46	46	15	15
VB	18	18	8	8
AB-				ļ
PA	8	8	1	1
MAX. SPEED	60	60	45	45

T	OPS CODE	
CARKND	,AARKND	OPERATING PANEL NO
TTV	TTVA	1 4 4 4




TARE -	14750kg
CARRYING CAPA	CITY-31200kg
CAPACITY-	39018 litres
MAX. SPEED -	60 mile/h
WHEELS -	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS

BUFFERS -	HYDRAULIC 406 DIA. HEADS
COUPLINGS -	!NSTANTER
MIN. CURVE –	3lm
GEN. ARRGT. DRG.	No. –
BRAKE –	VACUUM BLOCK & HAND LEVER
SUSPENSION -	DOUBLE LINK

EXCESS LENGTH 4	H	М	L	Ε
tonnes	46	46	14	14
VB	18	18	8	8
AR				
				<u></u>
RA	8	8	ı	i
MAX. SPEED	60	60	45	45

TOPS CODE					
CARKND	(ND AARKND OPERATING PANEL NO				
TTF	TTFA	1 4 4 5			



TARE - 13 700	kg.				
CARRYING C	APACI	TY- 3	5 300		
CAPACITY-3	9 018 li	itres.			
MAX. SPEED -	60 m	ile/h.			
WHEELS -	952	DIA	۸٠		
JOURNALS-	140	DIA.	ROLLER	BEARINGS	

ROLLERS-	- HYDRAULIC	400	DIA. HEADS
COUPLING	S - INSTANTE	R	
MIN. CUR	/E - 31m,		
GEN. ARRO	ST. DRG. Ņo		
BRAKE	VACUUM BL	OCK &	HAND LEVER.
SUSPENSI	ON- DOUBLE	LINI	K


BUILDER -	CHARLES ROBERTS
OWNER -	TIGER RAILCAR LEASING
REGISTERE	D BY-C.M. & E.E. (B.R. B.) DERBY.
YEAR BUIL	T 1965
REGISTRA	ON Nos - 51382 TO 51407
OWNERS N	los A 382 TO A 407


EX. P.O. DIAGRAM 6/137

## 46 tonnes G.L.W. TANK WAGON

### TTO2OC

EXCESS LENGTH 4	Н	M	L	E
tonnes	46	46	14	14
VB	0	0	0	0
AB	27	27	10	10
RA	8	8	1	1
MAX. SPEED	60	60	60	60





: RF  4000 kg.	_
CARRYING CAPACITY- 32 000 kg	_
CAPACITY - 31022 litres.	_
of Attro 60 mile/h.	
952 DIA.	


BUFFERS	HYDRAULIC 406 DIA. HEADS
COUPLING	S INSTANTER
MIN CURV	f 31m.
GEN AREC	T DRG No
bhare	VACUUM BLOCK & HAND LEVER.
SUSPENIA	CLOUCESTER PEDESTAL

BUILDER - CHARLES ROBERTS
OWNER - TIGER RAILCAR LEASING.
REGISTERED BY C.M. & E.E. (B.R. B.) DERBY.
YEAR BUILT 1965
REGISTRATION (15) 51408 & 51409
OWNERS (15) A 408 & A 409
ISSUE 3.

EX. P.O. DIAGRAM 6 / 138

EXCESS LENGTH 4	Н	М	L	E
tonnes	46	46	14	14
VB	18	18	8	8
AB			ļ <u>.</u>	_
RA	8	8	1	1
MAX. SPEED	60	60	45	45

TOPS CODE					
CARKND	AARKND	OPERATING PANEL No			
TTF	TITIFA	1 4 4 5			





TARE - 13700	Dkg <sub>,</sub>
CARRYING	CAPACITY-32 300 kg.
CAPACITY -	38459 litres.
MAX. SPEED	-60 mile/h.
WHEELS-9	52 DIA.
JOURNALS-	- 140 DIA. ROLLER BEARINGS.

BUFFERS-HYDRAULIC 406 DIA.HEADS
COUPLINGS - INSTANT ER.
MIN. CURVE - 31m.
GEN. ARRGT. DRG. No
BRAKE-VACUUM BLOCK & HAND LEVER.
SUSPENSION - DOUBLE LINK.

BUILDER - CHARLES ROBERTS.
DWNER TEXACO
REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY.
YEAR BUILT - <b>1965</b>
REGISTRATION Nos 54812 TO 54834.
OWNERS Nos

EXCESS 4	Н	М	L	Ε
tonnes	46	46	14	14
VB	18	18	8	8
ΔB				
РΔ	8	8	ı	1
MAX UPEED	60	60	45	45






TARE -	13 700 kg
CARRYING CAPAC	ITY - 32 300 kg
CAPACITY -	38459 litres
MAX. SPEED	60 mile/h
WHEELS	952 DIA.
JOURNALS-	140 DIA- ROLLER BEARINGS

BUFFERS	HYDRAULIC 406 DIA. HEADS
COUPLY.65	INSTANTER
Not but in	31 m
GEN ARROT DRG	No -
07 H	VACUUM BLOCK & HAND LEVER
30326V910N	DOUBLE LINK

BUILDER	CHARLES ROBERTS			
OWNER -	HARGREAVES FUEL OILS			
REGISTERED BY	C.M. & E.E. (B.R.B) DERBY			
YEAR BUILT	1964			
REGISTRATION Nos.	-5395I TO 53958			
OWNERS Nos				


ISSUE 2
EX. PO. DIAGRAM 6/226 (ALLOCATED).




#### 46 tonnes G.L.W. TANK WAGON - METHANOL

TTO21A

H	М	L	Ε
46	46	13	13
0	0	0	0
29	29	0	0
8	8	1	1
60	60	60	60
	46 O 29 8	46 46 O O 29 29 8 8	46 46 13 O O O 29 29 10 B 8 I





TARE - 13 250 kg.

CARRYING CAPACITY - 33 000 kg

CAPACITY - 4300 slitres.

MAX SPEED - 60 mile/h.

AHEELS - 952 DIA
JOURNALS - 140 DIA- ROLLER BEARINGS


BUFFERS - HYDRAULIC 406 DIA · HEADS
COUPLINGS - INSTANTER
MIN. CURVE - 3Im.
GEN. ARRGT. DRG. No. BRAKE - AIR BLOCK, VACUUM PIPED & HAND LEVER
SUSPENSION - DOUBLE LINK

BUILDER - STANDARD RAILWAY WAGON COOWNER ICI.AGRICULTURAL DIV. BILLINGHAM
REGISTERED BY - C. M. & E.E. (B.R. B.) DERBY.
YEAR BUILT - 1970
REGISTRATION Nos - 54351 TO 54380
OWNERS Nos. - ML 1001 TO ML 1030

ISSUE 2 EX. P.O. DIAGRAM 6/199

EXCESS LENGTH 5	Н	М	L	Ε
tonnes.	46	46	13	13
VB	0	0	0	0
AB	29	29	10	10
RA	8	8	1	1
MAX. SPEED	60	60	60	60

TOPS CODE											
С	AR	KNI	)	AARKND			FRA NEL	tiNG No			
	T	Т	В	T	Т	В	A	1	0	6	4




TARE -	13100kg.			
CARRYING CAPAC	ITY-32900kg			
CAPACITY-	43005 litres.			
MAX. SPEED -	60 mile/h.			
WHEELS-	952 DIA.			
JOURNALS-	140 DIA. ROLLER BEARINGS.			


BUFFERS-	HYDRAULIC 406 DIA. HEADS.				
COUPLINGS	INSTANTER.				
MIN. CURVE -	31m.				
GEN. ARRGT DRG.	No. –				
BRAKE-	AIR BLOCK VACUUM PIPED & HAND LEVER.				
SUSPENSION -	DOUBLE LINK.				

BUILDER-	STANDARD RAILWAY WAGON CO.
OWNER -	PROCOR (U.K.) LTD.
REGISTERED B	Y - C.M. & E.E.( B.R.B.) DERBY.
YEAR BUILT -	1969
REGISTRATION	Nos 58136 TO 58155
OWNERS Nos	- 136 TO 155.

ISSUE 2 EX. PO. DIAGRAM 6/135.

EXCESS LENGTH 4	Н	M	L	Ε
tonnes.	46	46	23	23
VB	0	0	0	0
AB	28	28	12	12
RA	8	8	1	1
MAX. SPEED	35	35	35	35





TARE	22 <sup>35Okg</sup> .			
CARRYING CAPAC	ITY -23600kg.			
CAPACITY-	33500litres.			
MAX. SPEED	35 mile/h.			
WHEELS-	952 DIA.			
JOURNALS -	140 DIA.ROLLER BEARINGS.			


BUFFERS -	HYDRAULIC 406 DIA.HEADS.
COUPLINGS -	INSTANTER.
MIN. CURVE	31m.
GEN. ARRGT. DRG.	No
BRAKE-	AIR BLOCK, VACUUM PIPED & HAND LEVER
SUSPENSION -	DOUBLE LINK.

BUILDER-	CHARLES ROBERTS.
OWNER -	TIGER RAILCAR LEASING.
REGISTERED BY-	C.M.& E.E. (B.R.B) DERBY.
YEAR BUILT-	1965
REGISTRATION Nos.	51435 TO 51449 (RANGE)
[ <del>_</del>	1435 TO 51449 (RANGE)

ISSUE 2 EX. P.O. DIAGRAM 6/139

EXCESS 4	Н	М	L	Ε
tonnes	46	46	23	23
VB	0	0	0	0
AB	22	22	12	12
RA	8	8	1	1
MAX. SPEED	45	45	45	45


T	OPS CODE	
CARKND	AARKND	OPERATING PANEL No
TTB	TTBA	1 4 4 9





	•		
TARE	22 850 kg		
CARRYING CAPAC	ITY-23 600 kg		
CAPACITY -	33500 litres		
MAX. SPEED	45 mile/h		
WHEELS -	952 DIA.		
JOURNALS-	140 DIA. ROLLER BEARINGS		

HYDRAULIC 406 DIA. HEADS
INSTANTER
31 m
No. –
VACUUM PIPED & HAND LEVER
GLOUCESTER PEDESTAL

issue 1









tonnes


46 46 14 14

TOPS CODE



EXCESS 4	Н	М	L	E
tonnes	46	46	13	13
٧ð	0	0	0	0
AB	22	22	9.	9
&A.	8	8	_	
MAX. SPEED	60	60	45	45







TARE_13200 kg.	
CARRYING CAPACITY-32800 kg.	
CAPACITY-39614 litres.	
MAX SPEED - 60 mile/h	
WHEELS - 952 DIA	
JOURNALS- 140 DIA ROLLER BEARINGS	


BUFFERS-HYDRAULIC 406 DIA HEADS		
COUPLINGS - INSTANTER	20 ATT 6 ATT 1	
MIN. CURVE - 31 m	March 1970 - 4370 - 43	
GEN, ARRGT. DRG. No		
BRAKE - AIR BLOCK, VACUUM PIPED & H	HAND	LEVER.
SUSPENSION - DOUBLE LINK		

BUILDER - CHARLES ROBERTS
OWNER - PETROFINA (U.K.) LTD.
REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY
YEAR BUILT - 1966-67
REGISTRATION Nos. - 54701 TO 54730
OWNERS Nos. - 241 TO 270

ISSUE 2 EX. P.O. DIAGRAM 6/134 (ALLOCATED)







TARE- 13 200 kg	
CARRYING CAPACITY -	32 6 00 kg
CAPACITY - 39 9	59 OR 40 641 litres
MAX.SPEED - 60 mile.	/h
WHEELS - 952 DIA.	
JOURNALS- 140 DIA.	ROLLER BEARINGS

BUFFERS - HYDRAULIC 406 DIA. HEADS	
COUPLINGS - INSTANTER	
MIN. CURVE - 31 m	
GEN. ARRGT. DRG. No. –	
BRAKE - AIR BLOCK VACUUMPIPED & HAND LEVE	R
SUSPENSION - DOUBLE LINK	

BUILDER - STANDARD RAILWAY WAGON Co.

OWNER - PROCOR (U.K.) LTD.

REGISTERED BY -C.M. & E.E.(B.R.B.) DERBY

YEAR BUILT - 1968

REGISTRATION Nos. - 58101 TO 58135


OWNERS Nos. - 101 TO 135

ISSUE 2

EX PO. DIAGRAM 6/690 (ALLOCATED)

EXCESS 4	Н	М	L	E
tonnes.	46	46	16	16
VB	0	0	0	0
АВ	23	23	9	9
RA	8	8	1	-
MAX. SPEED	60	60	45	45

TOPS CODE				
CARKND	AARKND	OPERATING PANEL No		
TTB	TTBA	1 4 5 2		



TARE - 15200

CARRYING CAPACITY - 30800 kg

CAPACITY - 35491 litres.

MAX SPEED - 60 mile/h.

WHEELS - 952 DIA.

JOURNALS - 140 DIA. ROLLER BEARINGS.

BUFFERS - HYDRAULIC 406 DIA. HEADS
COUPLINGS - INSTANTER.
MIN. CURVE - 31m.
GEN. ARRGT. DRG. No. BRAKE - AIR BLOCK VACUUM PIPED & HAND LEVER
SUSPENSION - DOUBLE LINK.

BUILDER-CHARLES ROBERTS & CO. LTD.

OWNER-TIGER RAILCAR LEASING.

REGISTERED BY-C.M.& E.E.(B.R.B.) DERBY.


YEAR BUILT-1967

REGISTRATION Nos. - 51764 TO 51803.


OWNERS Nos. - 764 TO 803.

ISSUE 2
EX.PO. DIAGRAM 6/768 (ALLOCATED)

#### 46 tonne GLW TANK WAGON



	TOPS INFORMATION						
AARKND	OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN	
CARKND	PANEL No.	45 mile/h UP TO 16 tonne GLW	9t FORCE UP TO 314 CLW	LENGTH	(GLW)	SHEET	
TTAA		60 mile/h ABOVE	23t FORCE ABOVE SI tonne GLW	4	8	W1511	




TARE-	15. 200 Kg
CAPACITY, WEIGHT-	30.800 Kg
CAPACITY, VOLUME-	35.491 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	


BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION	- DOUBLE LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE

EXCESS LENGTH 5	Н	М	L	Ε
tonnes	46	46	14	14
VB	0	0	0	0
АВ	23	23	10	10
RA	8	8	ı	ı
MAX. SPEED	60	60	45	45

T	OPS CODE	
CARKND	AARKND	OPERATING PANEL No
TTB	TTBA	1 4 5 3






TARE -	13 450 kg
CARRYING CAPACITY-	32 500 kg
CAPACITY -	38 886 litres
MAX. SPEED -	60 mile/h
WHEELS-	952 DIA.
JOURNALS -	140 DIA ROLLER BEARINGS

BUFFERS -	HYDRAULIC 406 DIA. HEADS
COUPLINGS -	INTERNATIONAL SCREW
MIN. CURVE –	31 m
GEN. ARRGT. DRG.	No. –
BRAKE-	AIR BLOCK VACUUM PIPED & HAND LEVER
SUSPENSION -	DOUBLE LINK

BUILDER	METRO - CAMMELL
OWNER	ALGECO
REGISTERED BY -	C.M. & E.E (B.R.B) DERBY
YEAR BUILT -	1967
REGISTRATION Nos	49317 TO 49364
OWNERS Nos	187884 TO 187932

EX P.C. DIAGRAM 6/178

TOPS CODE



Н

M

E

TARE - 12 800 kg	www.row.commissioner
CARRYING CAPACITY - 33 200 kg	
CAPACITY - 39122 litres	
MAX. SPEED - 60 mile/h	
WHEELS- 952 DIA.	
JOURNALS- 140 DIA ROLLER BEARINGS	

BUFFERS - HYDRAULIC	406	DIA.	HEADS	
COUPLINGS - INSTANTER				
MIN CURVE- 31 m				
GEN, ARRGT. DRG. No			Maria Maria	
BRAKE- AIR BLOCK &	HAND	) LEV	/ER	
SUSPENSION - DOUBLE	LINK			

BUILDER - METRO CAMMELL

OWNER - BRITISH RAILWAY TRAFFIC & ELECTRIC


REGISTERED BY - C.M. & E.E.(B.R.B.) DERBY

YEAR BUILT - 1966


REGISTRATION Nos. - 57655 - 5766Q 57662 & 57663

OWNERS Nos. - 10288 TO 10313

ISSUE 2 EX PO. DIAGRAM 6/157



Ĩ	OPS CODE	
CARKNO	AARKND	PANELN
TTB	TTBA	1 4 5 5




TARE -	13000kg
CARRYING CAPAC	TY- 33000kg
CAPACITY	38359 litres
MAX. SPEED	60mile/h
WHEELS-	952 DIA
JOURNALS -	140 DIA ROLLER BEARINGS


BUFFERS -	HYDRAULIC 406 DIA. HEADS
COUPLINGS	INSTANTER
MIN OUF /2 -	31 m
GEN ARRET FIRE NO	
BRAKE -	AIR BLOCK VACUUM PIPED HAND LEVER
SUSPENSION	DOUBLE LINK

BUILDER -	METRO CAMMELL	1
O-MNER	SUKO & B.PO.	
DECTORED BY	C.M. & E.E. (B.R.B.) DERBY	
VEAR BUILT -	1967	
REGISTRATION Nos.	SUKO 60501 TO 60511 BPO 60560 TO 60568	
DWNERS Nos		

EX. PO. DIAGRAM 6/714 (ALLOCATED).

EXCESS 4	Н	М	L	E
tonnes	46	46	13	13
VB	0	0	0	0
AB	22	22	10	10
RA	8	8	1	ı
MAX. SPEED	60	60	45	45






TARE-	13 050 kg
CARRYING CAPAC	TY-32 900kg
CAPACITY-	39414 litres
MAX. SPEED -	60 mile/h
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS


BUFFERS -	HYDRAULIC406 DIA HEADS
COUPLINGS –	INSTANTER
MIN. CURVE –	31m
GEN. ARRGT. DRG.	No. –
BRAKE-	AIR BLOCK VACUUM PIPED HAND LEVER .
SUSPENSION	DOUBLE LINK

BUILDER -	CHARLES ROBERTS
OWNER	SUKO & B.P.O.
REGISTERED BY-	C.M. & E.E.(BR.B) DERBY
YEAR BUILT -	1966
REGISTRATION Nos.	SUKO 65500 TO 65617 RANGE BPO 60569 TO 60679 RANGE
OWNERS Nos	· ·

ISSUE 2 EX.P.O. DIAGRAM 6/724 (ALLOCATED)



TOPS CODE			
CARKND AARKND		OPERATING PANEL NO	
TTB	TTBA	1 4 5 5	



TARE~	[3 000 kg
CARRYING CAPAC	ITY-33 <sup>000kg</sup> .
CAPACITY - PETROI	38154 litres, KERO-GAS OIL 38745 litres
MAX SPEED -	60 mile/h
WHEELS -	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS


BUFFERS -	HYDRAULIC 406 DIA, HEADS.
COUPLINGS -	INSTANTER
MIN. CURVE	31m
GEN, ARRGT, DRG, No.	
BRAKE-	AIR BLOCK VACUUM PIPED & HAND LEVER
SUSPENSION -	DOUBLE LINK

BUILDER -	POWELL DUFFRYN			
OMVIER	SUKO & BPO.			
REGISTERED BY	BY C.M. & E.E.(B.R.B.) DERBY			
YEAR BUILT	1967			
REGISTRATION Nos	SUKO 60512 TO 67323 RANGE BPO 37188 TO 37195 RANGE			
OWNERS Nos				

EX. P.O. DIAGRAM 6/715 (ALLOCATED).

EXCESS LENGTH <b>4</b>	Н	М	L	Ε
tonnes	46	46	13	13
VB	0	0	0	0
AB	22	22	10	10
RA	8	В	1	-
MAX. SPEED	60	60	45	45

1	TOPS CODE				
	CARKND AARKND		OPERATING PANEL No		
	TTB	TTBA	1 4 5 5		



TARE	13 000 kg		
CARRYING CAPA	CITY-33000 kg		
CAPACITY-	38 700 litres		
MAX SPEED	60 mile/h.		
WHEELS -	952 DIA.		
JOURNALS -	140 DIA. ROLLER BEARINGS.		


BUFFEES	HYDRAULIC 406 DIA. HEADS.
COMBINE	INSTANTER
MIN CUP' :	31m.
GEN ARROT DOG NO	-
TRAFF.	AIR BLOCK, VACUUM PIPED & HANDLEVER
E TNON	DOUBLE LINK.

BUILDER-	POWELL DUFFRYN.
OWNER-	SUKO. & B.P.O.
REGISTERED BY-	C.M. & E.E. (B.R.B.) DERBY.
YEAR BUILT -	1966
REGISTRATION Nos.	SUKO 65618 TO 65711 RANGE BPO 65671 TO 65766 RANGE
OWNERS Nos	

ISSUE 2
EX. PO. DIAGRAM. 6/725 (ALLOCATED).

EXCESS LENGTH 4	Н	М	L	Е
tonnes.	46	46	13	13
VB	0	0	0	0
АВ	21	21	7	7
RA	8	8	1	1
MAY. SPEED	60	60	45	45

7	OPS CODE	
CARKND	AARKND	OPERATING PANEL No
TTB	TTBA	1 4 5 6





TARE -	13150kg
CARRYING CAPAC	ITY-32800kg
CAPACITY -34%81	itres-britolium,38605 litres-kero-gas oil.
MAX SPEED -	60 mile/h.
WHEELS -	952 DIA.
JOURNALS -	140 DIA. ROLLER BEARINGS.


BUFFERS	HYDRAULIC 406 DIA. HEADS.	
COUPLINGS	INSTANTER	
MIN. CURVE	31m.	
GEN. ARRGT DRG No		
BRAKF-	AIR BLOCK, VACUUM PIPED & HAND LEVER.	
SUSPENSION -	DOUBLE LINK.	

BUILDER -	R.Y. PICKERING.
OWNER –	SUKO & B.P.O.
REGISTERED BY-	C.M.& E.E.(B.R.B.)DERBY.
YEAR BUILT -	1966
REGISTRATION Nos.	SUKO 65712 TO 65745 (RANGE)
OWNERS Nos	

EX. PO, DIAGRAM 6/172







TARE - 13<sup>300 kg</sup>

CARRYING CAPACITY - 32<sup>700 kg</sup>

CAPACITY - 34840 litres BRITOL. 38636 litres KERO-GAS OIL

MAX. SPEED - 60 mile/h

WHEELS - 952 DIA

JOURNALS - 140 DIA ROLLER BEARINGS

BUFFERS - HYDRAULIC 406 DIA, HEADS,
COUPLINGS - INSTANTER
MIN. CURVE - 31 m
GEN. ARRGT. DRG. No. BRAKE - VACUUM BLOCK & HAND LEVER
SUSPENSION - DOUBLE LINK

BUILDER - R.Y. PICKERING.

OWNER - SUKO & B.P.O.


REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY.


YEAR BUILT - 1965


REGISTRATION Nos. - SUKO 66118 TO 36222 RANGE BPO 66172 TO 66271 RANGE

OWNERS Nos. -

ISSUE 2 EX. P.O. DIAGRAM 6/171.







TARE - 13 300 kg

CARRYING CAPACITY - 32 700 kg

CAPACITY - 34804 litres - BUTANE
38636 litres - KERO - GAS OIL

MAX SPEED - 60 mile/h

WHEELS - 952 DIA.

JOURNALS - 140 DIA. ROLLER BEARINGS

BUFFERS - HYDRAULIC 406 DIA. HEADS.

COUPLINGS - INSTANTER

MIN. CURVE - 31 m

GEN. ARRGT. DRG. No. 
BRAKE - VACUUM BLOCK & HAND LEVER

SUSPENSION - DOUBLE LINK

BUILDER - R.Y. PICKERING

OWNER - SUKO & B.P.O.

REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY


YEAR BUILT - 1965


REGISTRATION Nos. - SUKO 66223 TO 66318 RANGE 66272 TO 66367 RANGE

OWNERS Nos. -

ISSUE 2 EX PO. DIAGRAM 6/174

EXCESS 4	Н	М	L	Ε
tonnes	46	46	13	13
VB	0	0	0	0
AB	21	21	7	7
RA	8 •	. 8	1	1
MAX. SPEED	60	60	45	45







TARE- 13 150 kg
CARRYING CAPACITY - 32800 kg
CAPACITY - PETROL 38 154 litres, KERO-GAS OIL 38 745 litres
MAX. SPEED - 60 mile/h
WHEELS - 952 DIA.
JOURNALS - 140 DIA. ROLLER BEARINGS


BUFFERS	-HYDRAULIC	406	DIA.	HEADS.	
COUPLIN	GS - INSTAN	TER			
MIN. CUI	RVE - 31m				
GEN. AR	RGT. DRG. No. –				
BRAKE -	AIR BLOCK,V	ACUUN	PIPE	D&HAN	D LEVER.
SUSPEN	SION- DOUBL	E LIN	K		

BUILDER - R.Y.	PICKERING
OWNER -	SUKO & B.P.O
REGISTERED BY	-C.M.& E.E. (B.R.B) DERBY
YEAR BUILT -	1966 / 67
REGISTRATION	Nos - SUKO 67000 TO 67931 RANGE BPO 67060 TO 67974 RANGE
OWNERS Nos	

ISSUE 2 EX PO. DIAGRAM 6/161








TARE -	13 650 kg
CARRYING CAPAC	ITY - 32 300 kg
CAPACITY -	39436 litres.
MAX. SPEED -	60 mile/h
WHEELS-	952 DIA.
JOURNALS -	140 DIA. ROLLER BEARINGS

BUFFERS -	HYDRAULIC 406 DIA, HEADS
COUPLINGS -	INSTANTER
MIN. CURVE –	31 m
GEN. ARRGT. DRG 1	No. –
BRAKE -	VACUUM BLOCK & HAND LEVER
SUSPENSION -	DOUBLE LINK


BUILDER –	POWELL DUFFRYN
OWNER -	SUKO & BPO
REGISTERED BY -	C.M. & E.E. (B.R.B.) DERBY
YEAR BUILT -	1964
REGISTRATION Nos	SUKO 60100 TO 68204 (RANGE) BPC 60160 TO 68274 (RANGE)
OWNERS Nos	

ISSUE 2

EX. P. O. DIAGRAM 6/716 (ALLOCATED)



TOPS CODE											
	CAR	KNI	D	Δ	AARKND OPERAL PANEL						
•	T	T	F	T	T	F	A	1	4	9	9





TARE –	13 200 kg
CARRYING CAPAC	CITY -32 800 kg
CAPACITY - 37.881	itres-petrol, 38468 litres-kero-gas oil
MAX. SPEED –	60 mile/h
WHEELS-	952 DIA.
JOURNALS-	140 DIA, ROLLER BEARINGS


BUFFERS-	HYDRAULIC . 406 DIA HEADS.
COUPLINGS-	INSTANTER
MIN. CURVE -	31 m
GEN. ARRGT. DRG.	No. –
BRAKE-	VACUUM BLOCK & HAND LEVER
SUSPENSION -	DOUBLE LINK

BUILDER -	R.Y. PICKERING
OWNER –	SUKO & B.P.O.
REGISTERED BY-	C.M. & E.E. (B.R.B.) DERBY
YEAR BUILT -	1964
REGISTRATION Nos.	SUKO 60159 TO 68214 RANGE BPO 60170 TO 68280 RANGE
OWNERS Nos	

ISSUE 2 EX PO. DIAGRAM 6/159







TARE - 13 300 kg	
CARRYING CAP	ACITY - 32700 kg
CAPACITY -	37854 litres - PETROL 38440 litres KERO-GAS OIL
MAX. SPEED - 6	O mile/h
WHEELS - 952	DIA.
JOURNALS-140	DIA. ROLLER BEARINGS

BUFFERS -	HYDRAUL	IC 406	DIA. HE	ADS.
COUPLING	S - INSTA	NTER		
MIN. CURV	E 31 m			
GEN. ARRG	T. DRG. N	0		
BRAKE - V	ACUUM I	BLOCK &	HAND	LEVER
SUSPENSION	DOU - NC	BLE LIN	K	

BUILDER - R.Y. PICKERING

OWNER - SUKO & BPO


REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY

YEAR BUILT - 1965


REGISTRATION Nos - SUKO 60103 TO 68546 (RANGE)

OWNERS Nos. -

ISSUE 2 EX. PO. DIAGRAM 6/160



		7	OP	S	COI	ΣE				
CAR	CARKND AARKND OPERATING PANEL NO									
TT	T	F	T	T	F	Α	-	5	0	0





TARE-	13450kg
CARRYING CAPACITY-	32500kg
CAPACITY-	39532 litres
MAX. SPEED -	60 mile/h
WHEELS -	952 DIA.
JOURNALS -	140 DIA. ROLLER BEARING

BUFFERS	HYDRAULIC 406 DIA. HEADS
COUPLINGS -	INSTANTER
MIN. CURVE –	31 m
GEN. ARRGT. DRG.	No. –
BRAKE -	VACUUM BLOCK & HANDLEVER
SUSPENSION -	DOUBLE LINK

ISSUE 2
EX. PO. DIAGRAM 6/718(ALLOCATED)

EXCESS LENGTH 4	Н	М	L	E
tonnes	46	46	13	13
VB	0	0	0	0
АВ	22	22	10	10
RA	8	8	1	1
MAX. SPEED	60	60	45	45







TARE -	12 900 kg
CARRYING CAPAC	CITY-33 100 kg
CAPACITY-	39 232 litres
MAX. SPEED –	60 mile/h
WHEELS -	952 DIA.
JOURNALS-	140 DIA ROLLER BEARINGS

HYDRAULIC 406 DIA. HEADS
INSTANTER
31m
No
AIR BLOCK, VACUUM PIPED & HAND LEVER
DOUBLE LINK


ISSUE 2
EX. P.O. DIAGRAM 6/719 (ALLOCATED)





ISSUE 2 EX. PO. DIAGRAM 6/720. (ALLOCATED).




TT026X











# 46 tonne GLW TANK WAGON-CLASS A




			SINFORMATION			
	OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO 46 tonne				
TITIAIA		mile/h ABOVE 40 tollite	GLW 7t FORCE UP TO 24.5 tonne GLW 21t FORCE ABOVE	4	8	W895



TARE-	12.800 Kg	
CAPACITY, WEIGHT		<del>-</del>
CAPACITY, VOLUME	-37.854 litres petrol, 38*4	Olitres kero
MIN. CURVE-	31m	-gas
GEN. ARRGT. DRG. 1	NO	oil

	DDAWE	
	BRAKE-	AIR BLOCK & HAND LEVER
_	SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
1	COUPLINGS-	INSTANTER
l	BUFFERS-	HYDRAULIC 406 DIA HEADS
ل	WHEELS-	952 DIA
	JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE (



TARE - 13400 kg	
CARRYING CAPACITY-32 600 kg	
CAPACITY- 38641 litres.	
MAX. SPEED - 60 mile/h.	
WHEELS- 952 DIA.	
JOURNALS-140 DIA. ROLLER BEARINGS.	

BUFFERS-HYDRAULIC	406	DIA.	HEADS
COUPLINGS - INSTAN	TER		
MIN. CURVE - 31m.			
GEN. ARRGT. DRG. No.			
BRAKE-VACUUM BL	OCK &	HAND	LEVER
SUSPENSION - DOUBL	E LINK	 (.	

BUILDER-CHARLES ROBERTS.

OWNER-CHARRINGTON GARDENER LOCKET.

REGISTERED BY-C.M.&E.E.(B.R.B.) DERBY.


YEAR BUILT-1965.


REGISTRATION Nos. - 53731 TO 53735


OWNERS Nos. - 431TO 435


ISSUE 2 EX.P.O. DIAGRAM 6/796 (ALLOCATED.)

### 46 tonnes G.L.W. TANK WAGON










TARE	[3100kg	
CARRYING CAPACITY	32 900 kg	
CAPACITY	38186 litres	
MAX. SPEED -	60 mile/h	
WHEELS-	952 DIA	
JOURNALS-	140 DIA ROLLER BEARING	S

BUFFERS-	HYDRAULIC. 406 DIA. HEADS.
COUPLINGS	INSTANTER
MIN. CURVE -	31 m
GEN. ARRGT. DRG.	No -
BRAKE-	VACUUM BLOCK & HAND LEVER
SUSPENSION -	DOUBLE LINK

BUILDER -	R.Y. PICKERING
OWNER -	CHARRINGTON GARDNER LOCKET
REGISTERED BY	C.M. & E.E. (B.R.B.) DERBY
YEAR BUILT -	1965/66
REGISTRATION Nos.	-53771 TO 53778
OWNERS Nos. –	501 TO 508

ISSUE 2
EX. PO. DIAGRAM 6/793 (ALLOCATED)



TARE - 14 500 kg

CARRYING CAPACITY - 31 500 kg

CAPACITY - 38 140 litres

MAX SPEED - 60 mile/h

WHEELS - 952 DIA.

JOURNALS - 140 DIA ROLLER BEARINGS

BUFFERS - HYDRAULIC 406 DIA, HEADS
COUPLINGS - INTERNATIONAL SCREW
MIN. CURVE - 31 m
GEN. ARRGT. DRG. No. BRAKE - VACUUM BLOCK & HAND LEVER
SUSPENSION - DOUBLE LINK

BUILDER - R.Y. PICKERING

OWNER - BRITISH RAILWAY TRAFFIC & ELECTRIC

REGISTERED BY - C.M. & E.E.(B.R.B.) DERBY

YEAR BUILT - 1965


REGISTRATION Nos. - 57061 TO 57075

OWNERS Nos. --

ISSUE 2 EX PO. DIAGRAM 6/167

EXCESS LENGTH 4	Н	М	L	Ε
tonnes	46	46	14	14
VB	19	19	8	8
AB				
RA	8	8	ı	1
MAX. SPEED	60	60	45	45





CARRYING CAPACITY-32<sup>700 kg</sup>.

CAPACITY - 39368 litres

MAA SPEED - 60 mile/h,

AHEELS 952 DIA.

DURNALS - 140 DIA. ROLLER BEARINGS.

BUFFERS - HYDRAULIC 406 DIA.HEADS
COUPLINGS - INSTANTER.
MIN. CURVE - 31m.
GEN ARRGT. DRG. No. BRAKE - VACUUM BLOCK & HAND LEVER
SUSPENSION - DOUBLE LINK.

BUILDER R.Y. PICKERING.

UWNER BRITISH RAILWAY TRAFFIC & ELECTRIC.

REGISTERED BY C.M. & EE (B.R.B.) DERBY.


YEAR BUILT - 1965


REGISTRATION Nos. 57306 & 57307.

OWNERS Nos. 5986 & 5987

ISSUE 2 EX. P.O. DIAGRAM 6/155

EXCESS LENGTH 4	Н	М	L	Ε
tonnes	46	46	13	13
VB	24	24	7	7
<del>- AB</del>				
RA	8	8	1	-
MAX. SPEED	60	60	45	45





TARE - 13200kg	*	
CARRYING CAP	ACITY-32800kg	
CAPACITY -	37686. litres.	
MAX SPEED - 60	O mile/h	
WHEELS - 952 1	DIA.	
JOURNALS - 140	DIA.ROLLER BEARINGS.	

BUFFERS-HYDRAULIC 406 DIA. HEADS	
COUPLINGS - INSTANTER.	
MIN. CURVE – 31 m.	
GEN. ARRGT. DRG. No. –	
BRAKEVACUUM BLOCK & HAND LEVER	
SUSPENSION - DOUBLE LINK.	

BUILDER -- R.Y. PICKERING.

OWNER -- TEXACO.


REGISTERED BY -- CM. & E.E. (B.R.B.) DERBY.


YEAR BUILT -- 1965.


REGISTRATION Nos. -- 54802 TO 54809,54847


OWNERS Nos. --


ISSUE 2
EX. P.O. DIAGRAM 6/181 (ALLOCATED.)













Н	M	L	Ε
46	46	13	13
24	24	7	7
8	8	1	1
60	60	45	45
	46 24 8	46 46 24 24 8 8	46     46     13       24     24     7       8     8     1


	TOPS CODE								
	CARKND	AARKND		OPERATING PANEL No					
,	TTF	T	T	F	Α	1	5	2	0



#### 46 tonne GLW TANK WAGON



	TOPS INFORMATION						
AARKND	OPERATING	OPERATING	SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO	46 tonne GLW	5t FORCE UP TO 30 Et a. CIW	LENGTH	(GLW)	SHEET
TTAA		mile/h ABOVE	40 tollie dev	22t FORCE ABOVE 30.5 tonne GLW	4	9	WII8O



TARE-	13.500 Kg
CAPACITY, WEIGHT-	31,300 Kg
CAPACITY, VOLUME-	38.641 litres
MIN. CURVE-	31m
GEN. ARRGT. DRG. NO	),-


BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE I

## 46 tonne GLW TANK WAGON-CLASS B'

LOT NUMBER			

TOPS INFORMATION						
AARKND OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN	
CARKND PANEL No.	60 mile/h UP TO 46 tonne GLW	5 t FORCE UP TO 30 5 to 30 Cly	LENGTH	(GLW)		
TTAA	mile/h_ABOVE 40 toline dew	22t FORCE ABOVE 30.5 tonne GLW	4	9	WII8I	




	12.850 Kg
CAPACITY, WEIGHT-	33.150 Kg
CAPACITY, VOLUME-	- 38.186 litres
MIN. CURVE-	31 m


BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE I

## 46 tonne GLW TANK WAGON




	TOPS INFORMATION							
	OPERATING		SPEED	BRAKE	FORCE DATA	EXCESS	RA	DESIGN
CARKND TTBA	PANEL No.	60mile/h UP TO	46 tonne GLW		UP TO ABOVE 31 tonne GLW	LENGTH		SHEET
LITUM	<u> </u>	mile/h-ABOVE		23t FORCE	ABOVE Stronne GLW	4	8	W1274





TARE-	13.000 Kg
CAPACITY, WEIGHT-	33.000 Kg
CAPACITY, VOLUME-	38.413 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO.	

DDAVE	
BRAKE-	AIR BLOCK, VAC PIPE, HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE 1









TARE - 14 750 kg CARRYING CAPACITY- 31 200 kg CAPACITY -38 822 litres MAX. SPEED - 60 mile/h WHEELS- 952 DIA. JOURNALS - 140 DIA, ROLLER BEARINGS BUFFERS-HYDRAULIC 406 DIA, HEADS COUPLINGS - INSTANTER MIN. CURVE - 31m GEN. ARRGT. DRG. No. -BRAKE- VACUUM BLOCK & HAND LEVER SUSPENSION - DOUBLE LINK

BUILDER - PRESSED STEEL OWNER-BRITISH RAILWAY TRAFFIC ELECTRIC REGISTERED BY-C.M. & E.E (B.R.B.) DERBY YEAR BUILT - 1965 REGISTRATION Nos. - 57193 OWNERS Nos. - 5759

> ISSUE 2 EX PO. DIAGRAM 6/169

EXCESS LENGTH 4	Н	М	L	Ε
tonnes	46	46	13	13
VB	19	19	8	8
AB				
RA	8	8	_	ı
MAX. SPEED	60	60	45	45





TARE - 13200kg.

CARRYING CAPACITY - 32 800kg

CAPACITY - 18297 litres.

MAX. SPEED - 60 mile/h.

WHEELS - 952 DIA.

JOURNALS - 140 DIA.ROLLER BEARINGS.

BUFFERS-HYDRAULIC 406 DIA. HEADS.
COUPLINGS-INSTANTER.
MIN. CURVE-31m.
GEN. ARRGT. DRG. No. ...
BRAKE-VACUUM BLOCK & HAND LEVER.
SUSPENSION-DOUBLE LINK.

BUILDER-POWELL DUFFRYN.

OWNER-BRITISH RAILWAY TRAFFIC & ELECTRIC.


REGISTERED BY - C.M.& E.E.(B.R.B.)DERBY.

YEAR BUILT - 1966.


REGISTRATION Nos - 57308 TO 57322

OWNERS Nos. - 5988 TO 6002

ISSUE 2
EX.P.O. DIAGRAM 6/634 (ALLOCATED)



TOPS CODE								
CARKND	AARKND OPERATING							
TTB	T	T	В	Α	1	5	1	6




TARE-	13 450kg		
CARRYING CAP	ACITY-32500 kg.		
CAPACITY -	19543 litres.		
MAX SPEED -	60 mile/h.		
WHEELS-	952 DIA.		
JOURNALS-	140 DIA ROLLER BEARINGS.		


BUFFERS -	HYDRAULIC 406 DIA. HEADS.
COUPLINGS -	INSTANTER.
MIN. CURVE –	31 m.
GEN. ARRGT. DRG.	No
BRAKE -	AIR BLOCK, VACUUM PIPED & HAND LEVER
SUSPENSION -	DOUBLE LINK.

BUILDER -	POWELL DUFFRYN.
OWNER -	B.R.T. AND E. LTD.
REGISTERED BY -	C.M. & E.E. (B. R.B.) DERBY.
YEAR BUILT -	1968
REGISTRATION Nos	57845.TO 57849 (RANGE)
OWNERS Nos -	

ISSUE 2 EX. PO. DIAGRAM. 6/196.

EXCESS 4	Н	М	L	E
tonnes	46	46	14	14
VB	22	22	13	-13
AB	0	0	0	Ó
RA	8	8.	1	1
MAX. SPEED	60	60	45	45






TARE-	<b>[4</b> 200 kg	
CARRYING CAPACI	TY-31500	
CAPACITY-	39 <sub>550</sub> litres	
MAX. SPEED -	60 mile/h	
WHEELS -	952 DIA	
JOURNALS-	140 DIA ROLLER BEARINGS	


HYDRAULIC 406 DIA HEADS
INSTANTER
31 m
No
VACUUM BLOCK,AIR PIPED & HAND LEVER
DOUBLE LINK

OWNER - B.R.T. & E.	B.R.T. & E.	
REGISTERED BY - CM. & E.E.	(B.R.B.) DERBY	
YEAR BUILT 1965		
REGISTRATION Nos 57092 TO	57127 (RANGE).	
OWNERS Nos 5658 TO 5	693 (RANGE).	

ISSUE 2 EX. PO. DIAGRAM 6/182.(ALLOCATED)

			6	
EXCESS LENGTH 4	Н	M	L	E
tonnes	46	46	14	14
VB	20	20	8	8
A8		77.47		
RA	8	8	1	ı
MAX. SPEED	60	60	45	45





TARE - 14200kg.

CARRYING CAPACITY - 31800kg.

CAPACITY - 39550 litres

MAX. SPEED - 60 mile/h.

WHEELS - 952 DIA.

JOURNALS - 140 DIA. ROLLER BEARINGS.


BUFFERS - HYDRAULIC 406 DIA. HEADS.
COUPLINGS - INSTANTER.
MIN. CURVE - 31m.
GEN. ARRGT. DRG. No. BRAKE - VACUUM. BLOCK & HAND LEVER.
SUSPENSION - DOUBLE LINK.


BUILDER-POWELL DUFFRYN.


OWNER-BRITISH RAILWAY TRAFFIC & ELECTRIC,
REGISTERED BY- C.M. & E.E.(B.R.B.)DERBY.
YEAR BUILT- 1965/66.
REGISTRATION Nos. - 57088 TO 57141. (RANGE)

OWNERS Nos. -5654 TO 5707. (RANGE)

ISSUE 2 EX. PO. DIAGRAM 6/156









TARE-	14050kg
CARRYING CAPAC	CITY-31900kg
CAPACITY-	
MAX. SPEED -	60 mile/h.
WHEELS-	952 DIA.
JOURNALS -	140 DIA. ROLLER BEARINGS.


BUFFERS-	HYDRAULIC 406 DIA. HEADS.
COUPLINGS -	INSTANTER.
MIN. CURVE -	31m.
GEN. ARRGT. DRG.	No. –
BRAKE -	AIR BLOCK, VACUUM PIPED & HAND LEVER.
SUSPENSION-	DOUBLE LINK.

BUILDER	POWELL DUFFRYN.
OWNER -	BRT&E.
REGISTERED BY-	C.M.& E.E.(B.R.B.) DERBY
YEAR BUILT -	1966.
REGISTRATION Nos	-57664 TO 57669.
OWNERS Nos	10314 TO 10319.

ISSUE 2 EX.PO. DIAGRAM 6/179.










TARE	13 200 kg
CARRYING CAPAG	CITY - 32 800 kg
CAPACITY -	19 643 litres
MAY PERG	60 mile/h
·	952 DIA.
HARLS .	140 ROLLER BEARINGS


भागाहरू	HYDRAULIC 406 DIA HEADS
COLP 1,34	INTERNATIONAL SCREW
MARCHE	31 m.
GEN ARRIT THE M	1
ERAKE	VACUUM BLOCK & HAND LEVER
SUSPENSION	DOUBLE LINK

issue 1























# 46 tonnes GLW TANK WAGON


EXCESS 4.	Н	М	L	Ε
tonnes	46	46	11	11
—-V8				
AB	22	.55	8	8
RA	8	8	1	1
SPEED	60	60	60	60


TOPS CODE			
CARKND	AARKND	Page N	
TTA	TTAA	1 5 7 0	





## 46 tonnes G.L.W. TANK WAGON CLASS B


TTO 30E
















EXCESS LENGTH 4	Н	М	L	E
tonnes	46	46	14	14
<del></del>				
AB	22	22	9	9
RA	8	8	1	1
MAX. SPEED	60	60	45	45






TARE - 13 450 kg	
CARRYING CAPACITY - 32 500 kg	
CAPACITY - 38 886 litres	
MAX. SPEED - 60 mile/h	
WHEELS - 952 DIA.	
JOURNALS - 140 DIA. ROLLER BEARINGS	


BUFFERS-	- HYDRAULIC 406 DIA, HEADS
COUPLING	SS - INTERNATIONAL SCREW, CLOSE COUPLED
MIN. CUR	/E - 31m
GEN. ARRO	GT. DRG. No. –
BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSI	ON - DOUBLE LINK

BUILDER - METRO CAMMELL
OWNER - B.R.T. & E. LTD
REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY
YEAR BUILT - 1967
REGISTRATION Nos. - 57747 TO 57821 (RANGE)
OWNERS Nos. - 10397 TO 10471 (RANGE)

ISSUE 2 EX P.O. DIAGRAM 6/222



TOPS CODE			
CARKNO AARKNO		OPERATING PANEL No	
TTA	TTAA	1 4 6 2	



TARE -13450kg.	
CARRYING CAPACITY-32500 kg.	
CAPACITY — 38 and litres.	
MAX SPEED 60 mile/h.	
WHEELS - <b>952 DIA</b> .	······································
JOURNALS-140 DIA ROLLER BEARING.	

BUFFER	SFY	DRAULIC	406 D	IA. HEA	DS.	
COUPLI	NGS	INTERNAT	TIONAL	SCREW	CLOSE	COUPLED.
MIN CU	RVE	31m.				
GEN AR	RGT.	DRG No.				
BRAĶE	AIR,	BLOCK and	DINAH E	LEVER		
SUSPEN	SION	- FAT 26.	•			

ISSUE 1


## 46 tonnes G.L.W. TANK WAGON-CLASS B - CLOSE COUPLED

EXCESS 4 ENGTH 4	H 46	M 46	L 13	E 13
VB.				
AB	22	22	9	9
RA	8	8	1	1
MAX. SPEED	60	60	60	60


## TT031D

DESIGN SHEET No. W. 878


TOPS CODE			
CARKND	AARKND	OPERATING PANEL No.	
TTA	TTAA	1 5 B 8	



# 46 tonne GLW TANK WAGON CLASS'B'-CLOSE COUPLED





	TOPS INFORMATION					
AARKND	OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO 46 tonne G	W 9t FORCE UP TO 31. CILL	LENGTH	(GLW)	
TTBA		mile/h ABOVE	W 22t FORCE ABOVE 31 tonne GLW	4	8	W1288




TARE-	13.000 Kg
CAPACITY, WEIGHT-	33.000 Kg
CAPACITY, VOLUME-	38.886 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	D

BRAKE-	AIR BLOCK, VAC PIPE, HAND LEVER	
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING	
COUPLINGS-	INTERNATIONAL SCREW CLOSE COUPL	ED
BUFFERS-	HYDRAULIC 406 DIA HEADS	
WHEELS-	952 DIA	
JOURNALS-	140 DIA ROLLER BEARINGS	18







TARE - 13450 kg

CARRYING CAPACITY - 32500 kg

CAPACITY - 39 %1 litres.

MAX. SPEED - 60 mile/h

WHEELS - 952 DIA.

JOURNALS - 140 DIA. ROLLER BEARINGS

BUFFERS - HYDRAULIC 406 DIA. HEADS
COUPLINGS INSTANTER
MIN CURVE 31 m
GEN.ARRGT. DRG. No. ERAKE - VACUUM BLOCK & HAND LEVER
SUSPENSION - DOUBLE LINK


BUILDER METRO- CAMMELL
OWNER - STORAGE & TRANSPORT SYSTEM LTD
REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY
YEAR BUILT - 1965
REGISTRATION Nos. 53062-53081,53089-53091
OWNERS Nos. - 62 - 91

ISSUE 2

EX. P.O. DIAGRAM 6/746 (ALLOCATED)

EXCESS 5	Н	М	L	Ε
tonnes	46	46	14	14
VB	0	0	0	0
AB	26	26	10	10
RA	8	8	1	1
MAX. SPEED	60	60	45	45

TOPS CODE				
CARKND AARKND		OPERATING PANEL No.		
TTB	TTBA	1 3 2 9		




TARE -	<b>13</b> 450 kg
CARRYING CAPAC	CITY-32 500 kg
CAPACITY-	39 761 litres.
MAX SPEED =	60 mile/h
WHEELS -	952 DIA.
JOURNALS -	140 DIA ROLLER BEARINGS

BUFFERS -	HYDRAULIC 406 DIA HEADS
COUPLINGS -	INSTANTER
MIN CURVE-	31 m
GEN. ARRGT. DRG.	No
BRAKE -	AIR BLOCK, VACUUM PIPED & HAND LEVER.
SUSPENSION -	DOUBLE LINK


BUILDER –	METRO - CAMMELL
OWNER -	STORAGE & TRANSPORT SYSTEM LTD.
REGISTERED BY	C.M. & E.E. (B.R.B.) DERBY)
YEAR BUILT-	1965
REGISTRATION Nos	53082- 53088
OWNERS Nos	

ISSUE 2 EX. PO. DIAGRAM 6/349

#### 46 tonne GLW TANK WAGON - CLASS A



	TOPS INFORMATION						
	OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN	
CARKND	PANEL No.	60 mile/h UP TO 46 tonne	GLW 10+ FORCE UP TO 31 toppe GLW	LENGTH	(GLW)		
TTAA		mile/h_ABOVE	26t FORCE ABOVE 31 tonne GLW	4	8	W1493	





13.800 Kg
32.200Kg
39.761 litres
31 m

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE I

EXCESS 5	Н	М	L	E
tonnes	46	46	14	14
VB	20	20	8	8
AB			-	F
RA	6	6	1	1
MAX SPEED	60	60	45	45





TARE - 13250 kg

CARRYING CAPACITY - 32700 kg

CAPACITY - 39 550 litres

MAX. SPEED - 60 mile/h

WHEELS - 952 DIA.

JOURNALS - 140 DIA. ROLLER BEARINGS

BUFFERS HYDRAULIC 406 DIA HEADS
COUPLINGS B,R, SCREW
MIN. CURVE 31 m
GEN ARRGT DRG No. BRAKE - VACUUM BLOCK & HAND LEVER
SUSPENSION - EYEBOLT

BUILDER - CHARLES ROBERTS

OWNER TIGER RAILCAR LEASING

REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY


YEAR BUILT - 1964


REGISTRATION Nos. - 51539 TO 51547

OWNERS Nos. - A539 TO A547

ISSUE 2
EX. P.O. DIAGRAM 6/762 (ALLOCATED)

EXCESS LENGTH 5	Н	M	L	E
tonnes	46	46	14	14
VB	20	20	8	8
A8				<del>                                     </del>
RA	6	6	1	1
MAX. SPEED	60	60	45	45





TARE - 13 250 kg

CARRYING CAPACITY - 32 700 kg

CAPACITY - 39 550 litres

MAX SPEED - 60 mile/h

WHEELS - 952 DIA.


JOURNALS - 140 DIA. ROLLER BEARINGS.

BUFFERS - HYDRAULIC 406 DIA. HEADS
COUPLINGS B.R. SCREW
MIN CUB. E 31 m
GEN ARROT DRG No
I BAKE VACUUM BLOCK & HAND LEVER
SUSPENSION EYEBOLT & AUXILIARY RUBBERS


BUILDER - CHARLES ROBERTS
OWNER TIGER RAILCAR LEASING
REGISTERED BY C.M. & E.E. (B.R.B.) DERBY
YEAR BUILT - 1963
REGISTRATION No. 51549 - 51560
OWNERS Nos - A549 - A560

ISSUE 2
EX. P.O. DIAGRAM 6/763 (ALLOCATED)

## 46 tonne GLW TANK WAGON - CLASS A



TOPS INFORMATION						
AARKND OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN	
CARKND PANEL No.	60 mile/h UP TO 46 tonne GLW	5t FORCE UP TO 2054 CLW	LENGTH	(GLW)		
TTAA	mile/h_ABOVE	5t FORCE UP TO 30.5 tonne GLW 24t FORCE ABOVE	5	9	W1492	





TARE-	12. <sup>700</sup> Kg
CAPACITY, WEIGHT-	33.300 Kg
CAPACITY, VOLUME-	39 <sup>550</sup> litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	)

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	B.R. SCREW
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE !

EXCESS LENGTH 4	Н	М	L	Ε
tonnes.	46	46	14	14
VB	17	17	8	8
<del>- 48</del> -				
RA	8	8	ı	1
MAX. SPEED	60	60	45	45





TARE - 13 500 kg

CARRYING CAPACITY - 32 500 kg

CAPACITY - 38 736 litres

MAX SPEED - 60 mile/h

WHEELS - 952 DIA.

JOURNALS - 140 DIA. ROLLER BEARINGS.

BUFFERS - HYDRAULIC 406 DIA. HEADS
COUPLINGS = INSTANTER
MIN. CURVE - 31m.
GEN. ARRGT. DRG. No. -BRAKE - VACUUM BLOCK & HAND LEVER
SUSPENSION - DOUBLE LINK.

BUILDER - CHARLES ROBERTS & CO. LTD.

OWNER - SUKO & BPO -
REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY.

YEAR BUILT - 1965


REGISTRATION Nos. - SUKO 60120 TO 60259 (RANGE)

OWNERS Nos. -

ISSUE 2
EX.PO. DIAGRAM 6/804(ALLOCATED).

EXCESS 4	Н	М	L	Ε
tonnes.	46	46	14	14
VB	18	18	7	7
AB				
RA	8	8	1	ı
MAX. ISPEED	60	60	45	45

TOPS CODE		
CARKND	AARKND OPERATING	
TTF	TTFA	1 5 0 0



TARE	13450kg
CARRYING CAPAC	CITY-32500kg
CAPACITY-	39491 litres.
MAX. SPEED -	60 mile/h
WHEELS -	952 DIA.
JOURNALS -	140 DIA. ROLLER BEARINGS

BRAKE -	VACUUM BLOCK & HAND LEVER
GEN ARRGT DRG. No.	
MIN CURVE	3im
COUPLINGS	INSTANTER
BUFFERS	HYDRAULIC 406 DIA. HEADS


BUILDER -	CHARLES ROBERTS
OWNER -	SUKO & BPO
REGISTERED BY-	C.M. & E.E. (B.R.B.) DERBY
YEAR BUILT-	1966
REGISTRATION Nos	SUKO 66319 TO 66351 BPO 66370 TO 66390
OWNERS Nos	

ISSUE 2

EX. PO. DIAGRAM 6/723 (ALLOCATED)

EXCESS 4	Н	Μ	L	Е
tonnes	46	46	14	14
VB	18	18	8	8
AB -				
RA	8	8	ı	1
MAX. SPEED	60	60	45	45






TARE	1 <b>3</b> 500 kg
CARRYING CAPAC	CITY-32 500 kg
CAPACITY-	<b>38</b> 736 litres
MAX. SPEED -	60 mile/h
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS


BUFFERS-	HYDRAULIC 406 DIA. HEADS
COUPLINGS	INSTANTER
MIN. CURVE	31 m
GEN ARRGT DRG No	
BRAKE-	VACUUM BLOCK & HAND LEVER
SUSPENSION -	DOUBLE LINK

6UILDER-	CHARLES ROBERTS
OWNER	SUKO & BPO
REGISTERED BY-	C.M.&E.E. (B.R.B.) DERBY
YEAR BUILT -	1964
REGISTRATION Nos.	SUKO 60101 TO 68254 (RANGE) BPO 60171 TO 68366 (RANGE)
OWNERS Nos	


ISSUE 2
EX. RO. DIAGRAM 6/717 (ALLOCATED)








## 46 tonne GLW TANK WAGON-CLASS A



TOPS INFORMATION							
AARKND	OPERATING	OPERATING	SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60mile/h UP TO	46 tonne GLW	6t FORCE UP TO THE CLAR	LENGTH	(GLW)	SHEET
TTAA		mile/h_ABOVE	40 tollie draa	25 t FORCE ABOVE 31 tonne GLW	4	9	W1195



TARE-	12,550 Kg
CAPACITY, WEIGHT-	33,450 Kg
CAPACITY, VOLUME-	38.736 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	D


BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE 1

## 46 tonne GLW TANK WAGON-CLASS A

LOT N	UMBER


TOPS INFORMATION							
The state of the s	OPERATING	OPERATING	SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60mile/h UP TO	46 tonne GLW	6t FORCE UP TO 31tonne GLW	LENGTH	(GLW)	SHEET
TTAA		mile/h-ABOVE	-+O toule gray	25 t FORCE ABOVE STORNE GLW	4	9	W1196




	TARE-	12.600 Kg
	CAPACITY, WEIGHT-	33,400 Kg
	CAPACITY, VOLUME-	38. <sup>736</sup> litres
	MIN. CURVE-	31 m
	GEN, ARRGT, DRG, NO	),-
.		

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

#### 46 tonne GLW TANK WAGON




TOPS INFORMATION						
AARKND	OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60mile/h UP TO 46 tonne GLW	5t FORCE UP TO OF LOOK	LENGTH	(GLW)	SHEET
TTAA		mile/h ABOVE 40 tolline dev	23t FORCE ABOVE 30.5 tonne GLW	4	9	W1296




33 200 Ka
33, 200 kg
38.736 litres
31 m

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

#### 46 tonne GLW TANK WAGON




TOPS INFORMATION								
<u>AARKN</u> D	OPERATING	OPERATING S	SPEED	BRAKE FORCE DAT		XCESS	RA	DESIGN
CARKND	PANEL No.	60mile/h UP TO	46 tonne GLW	5t FORCE UP TO	CLV/ LE	ENGTH	(GLW)	SHEET
TTAA		mile/h_ABOVE	Counte OLAA	5t FORCE UP TO 30 to 22t FORCE ABOVE	onne GLW	4	8	W1277




TARE-	13.200 Kg
CAPACITY, WEIGHT-	32 800 Kg
CAPACITY, VOLUME-	38.736 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	D

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

## 46 tonne GLW TANK WAGON-CLASS B'



TOPS INFORMATION							
	OPERATING		SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60mile/h UP TO	46 tonne GLW	5t FORCE UP TO C	LENGTH	(GLW)	SHEET
TTAA		mile/h_ABOVE	tollie GLW	5t FORCE UP TO 30.5 tonne GLW	4	9	W1353



TARE-	12.700 Kg
CAPACITY, WEIGHT-	33 <sup>300</sup> Kg
CAPACITY, VOLUME-	39. <sup>491</sup> litres
MIN. CURVE-	31m
GEN. ARRGT. DRG. NO	)


BRAKE-	AIR BLOCK & HAND LEVER
	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE I

#### 46 tonne GLW TANK WAGON (GREASE)

LOT N	JMBER


	TOPS INFORMATION					
AARKND	OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	45 mile/h UP TO 13.5 tonne GLW	7t FORCE UP TO31tonne GLW	LENGTH		
TTGA		60 mile/h ABOVE	18t FORCE ABOVE	4	8	W1375



TARE-	13.450 Kg
CAPACITY, WEIGHT-	32,100 Kg
CAPACITY, VOLUME-	39.491 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	)

BRAKE-	VAC. BLOCK, AIR PIPED, HAND LEVER
SUSPENSION-	DOUBLE LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE 1




TARE -	14 550 kg
CARRYING CAPAC	ITY-31400 kg
CAPACITY-	39 296 litres
MAX. SPEED -	60 mile/h
WHEELS -	952 DIA.
JOURNALS -	140 DIA ROLLER BEARINGS

BUFFERS -	HYDRAULIC 406 DIA. HEADS
COUPLINGS -	INTERNATIONAL SCREW
MIN CURVE -	31 m
GEN ARRGT DRG No -	
BRAKE -	VACUUM BLOCK & HAND LEVER
SUSPENSION -	DOUBLE LINK

BUILDER	METRO CAMMELL
OWNER	B.R.T. & E.
REGISTERED BY-	C.M.& E.E. (B.R.B.) DERBY
YEAR BUILT	1965
REGISTRATION Nos.	- 57041 TO 57060
OWNERS Nos	5573 TO 5592

ISSUE 2

EX. P.O. DIAGRAM 6/177





TARE-	14350 kg
CARRYING CAPAC	TY-31 800 kg
CAPACITY -	3 9296 litres
MAX. SPEED –	ô0 mile/h
WHEELS -	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS


BUFFERS-	HYDRAULIC 406 DIA HEADS					
COUPLINGS -	INSTANTER					
MIN. CURVE	31 m					
GEN. ARRGT. DRG. No	)					
BRAKE-	VACUUM BLOCK & HAND LEVER					
SUSPENSION –	DOUBLE LINK					

BUILDER -	METRO CAMMELL
OWNER –	SUKO & BPO
REGISTERED BY -	C.M. & E.E. (B.R.B.) DERBY
YEAR BUILT -	1964
REGISTRATION NOS	SUKO 64130 TO 64141 BPO 64180 TO 64187
OWNERS Nos	

ISSUE 2 EX. PO. DIAGRAM 6/176.









TARE -	<b>13</b> 550 kg
CARRYING CAPACI	TY - 32 400 kg
CAPACITY-	39277 litres
MAX. SPEED -	60 mile/h
WHEELS-	952 DIA
JOURNALS -	140 DIA ROLLER BEARINGS


BUFFERS-	HYDRAULIC 406 DIA HEADS
COUPLINGS -	INSTANTER
MIN. CURVE -	31 m
GEN. ARRGT. DRG.	No. –
BRAKE-	VACUUM BLOCK & HAND LEVER.
SUSPENSION-	DOUBLE LINK

BUILDER –	METRO-CAMMELL
OWNER	SUKO & BPO
REGISTERED BY-	C.M. & E.E. (B.R.B.) DERBY.
YEAR BUILT -	1964
REGISTRATION Nos.	SUKO 60119 TO 68311 (RANGE) BPO 60268 TO 68371 (RANGE)
OWNERS Nos	

ISSUE 2 EX. PO. DIAGRAM 6/152.







TARE -	[4 350 kg.
CARRYING CAPAC	ITY - 31600kg.
CAPACITY-	39 296 litres.
MAX. SPEED -	60 mile/h.
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS.

BUFFERS -	HYDRAULIC 406 DIA. HEADS.
COUPLINGS -	INSTANTER.
MIN. CURVE –	31 m.
GEN. ARRGT. DRG.	No. –
BRAKE-	VACUUM BLOCK & HAND LEVER
SUSPENSION -	DOUBLE LINK,


BUILDER –	METRO-CAMMELL.
OWNER –	SUKO & BPO.
REGISTERED BY-	C.M.& E.E. (B.R.B.) DERBY.
YEAR BUILT-	1964/65.
REGISTRATION Nos.	SUKO 64100 TO 64122, BPO 64160 TO 64176.
OWNERS Nos. –	


ISSUE 2 EX. P.O. DIAGRAM 6/175.


#### 46 tonnes G.L.W. TANK WAGON - CLASS B

8 864 OVER BUFFERS

TTO35E







TARE - 13 300 kg

CARRYING CAPACITY - 32700 kg

CAPACITY - 39 277 litres

MAX. SPEED - 60 mile/h

WHEELS - 952 DIA.

JOURNALS - 140 DIA, ROLLER BEARINGS

BUFFERS - HYDRAULIC 406 DIA. HEADS
COUPLINGS INSTANTER
MIN. CULTYE - 31 m
GEN ARROT DRG No. BRAKE - VACUUM BLOCK & HAND LEVER
SUSPENSION - DOUBLE LINK

BUILDER - METRO CAMMELL

OWNER - SUKO & BPO

REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY

YEAR BUILT - 1965

REG.STRATION Nos. - SUKO 66100 TO 66171

CWNERS Nos. -


ISSUE 2 EX BO. DIAGRAM 6/188

# 46 tonnes G.L.W. TANK WAGON CLASS A


Ĩ	T	0	3	5	G
•	•	_	COST	_	-

EXCESS 4	H	M	L	Ε
tonnes	46	46	13	13
V8				
AB	25	25	9	9
RA	8	8	1	1
MAX. SPEED	60	60	60	60


DESIGN SHEET No. W 769												
	TOPS CODE											
	CARKND				Α	AF	RKN	D		NEL ENY.	_	
•		T	T	A	ī	T	Α	Α	1	5	9	3



# 46 tonne GLW TANK WAGON-CLASS B



		TOPS INFORMATION										
	AARKND	OPERATING	OPERATING		BRAKE FORCE DATA	EXCESS	RA	DESIGN				
	CARKND	PANEL No.	60 mile/h UP TO	46 tonne GLW	5t FORCE UP TO 20 Etapos CIW	LENGTH	(GLW)	SHEET				
Ì	TITIAIA		mile/h-ABOVE	40 tollile grav	5t FORCE UP TO 3O.5 tonne GLW 25t FORCE ABOVE	4	9	W 1157				




TARE-	15.100 Kg
CAPACITY, WEIGHT-	30.900 Kg
CAPACITY, VOLUME-	39. <sup>296</sup> litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. N	0

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

# 46 tonne GLW TANK WAGON-CLASS B

LOT N	LOT NUMBER		

	TOPS INFORMATION					
AARKND	OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO 46 tonne GLW	5 t FORCE UP TO 30 5 to 20 G LW	LENGTH	(GLW)	SHEET
TTAA		mile/h ABOVE 40 tollie GLW	5 t FORCE UP TO 30.5 tonne GLW 23 t FORCE ABOVE	4	9	W 1159




TARE-	14,500 Kg
CAPACITY, WEIGHT-	31.500 Kg
CAPACITY, VOLUME-	39. <sup>296</sup> litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. N	0
i	


BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE I

### 46 tonne GLW TANK WAGON-CLASS A



TOPS INFORMATION							
	RATING	OPERATING	SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKNO PAN	VEL No.	60 mile/h UP TO	46 tonne GLW	5t FORCE UP TO 3 I tonne GLW	LENGTH	(GLW)	SHEET
TTAA		mile/h_ABOVE	TO TOTALE OLYV	24t FORCE ABOVE	4	9	W 1224




TARE-		12.600 Kg	
CAPACITY, \	NEIGHT-	33,400 Kg	
CAPACITY, \	/OLUME-	39.277 litres	
MIN. CURVE	-	3 m	


BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE !

# 46 tonne GLW TANK WAGON-CLASS A




TOPS INFORMATION							
<b>AARKND</b>	OPERATING	OPERATING S	SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKNO	PANEL No.	60 mile/h UP TO	46 tonne GLW	5t FORCE UP TO 20 Ftons CIW	LENGTH	(GLW)	SHEET
TTAA		mile/h_ABOVE	-+O (blille GLVV	5t FORCE UP TO 30.5 tonne GLW 23t FORCE ABOVE	4	8	W1298




TARE-	13.500 Kg
CAPACITY, WEIGHT-	32.500 Kg
CAPACITY, VOLUME-	39. <sup>277</sup> litres
MIN. CURVE-	31m
GEN. ARRGT. DRG. NO	)

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

# 46 tonne GLW TANK WAGON-CLASS B



TOPS INFORMATION							
AARKND	OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN	
CARKND	PANEL No.	45 mile/h UP TO 13.5 tonne GLW	8t FORCE UP TO 31toppe CIW	LENGTH	, ,		
TTGA		60 mile/h ABOVE	8t FORCE UP TO 31 tonne GLW 19t FORCE ABOVE	4	8	W 1348	




TARE-	13.300 Kg
CAPACITY, WEIGHT-	32. <sup>700</sup> Kg
CAPACITY, VOLUME-	39. <sup>277</sup> litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. N	0

BRAKE-	VAC. BLOCK, AIR PIPED, HAND LEVER
SUSPENSION-	DOUBLE LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

## 46 tonne GLW TANK WAGON-CLASS B

LOT N	UMBER

	TOPS INFORMATION							
AARKND	OPERATING	OPERATING	SPEED	BRAKI	FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO	46 tonne GLW	5t FORCE	UP TO 30 5 topog GIW	LENGTH	(GLW)	SHEET
TTAA		mile/h_ABOVE	-70 tollic dev	24t FORCE	ABOVE Stonne GLW	4	9	W1350




TARE-	12.550 Kg
CAPACITY, WEIGHT-	33.450 Kg
CAPACITY, VOLUME-	39,277 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	0
GEN. ARNOT. DRG. IN	J

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

## 46 tonne GLW TANK WAGON-CLASS B' COILED

LOT N	UMBER


	TOPS INFORMATION							
AARKND OPERATING OPERATING SPEED			BRAKI	FORCE DATA	EXCESS	RA	DESIGN	
CARKND	PANEL No.	60 mile/h UP TO	46 tonne GLW	6t FORCE	UP TO 30.5 tonne GLW	LENGTH	(GLW)	SHEET
TTAA		mile/h ABOVE	tollile of a	25t FORCE	ABOVE SOLVE	4	9	W1326




TARE-	14.650 Kg
CAPACITY, WEIGHT-	
CAPACITY, VOLUME	- 39. <sup>296</sup> litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. N	VO

r	
BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE !






TARE -	13 450 kg
CARRYING CAPAC	ITY-32 500 kg
CAPACITY -	38 641 litres
MAX. SPEED -	60 mile/h
WHEELS	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS


BUFFERS -	HYDRAULIC 406 DIA. HEADS
COUPLINGS -	INSTANTER
MIN. CURVE -	31 m
GEN. ARRGT. DRG.	No. –
BRAKE-VACUUM E	BLOCK AIR PIPED & HAND LEVER
SUSPENSION -	DOUBLE LINK

ISSUE 2
EX. P.O. DIAGRAM 6/797 (ALLOCATED).

### 46 tonne GLW TANK WAGON-CLASS B




	TOPS INFORMATION							
AARKND	OPERATING	OPERATING	SPEED	BRAKE	FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60mile/h UP TO	46 tonne GLW	5t FORCE	UP TO 2051 CIV	LENGTH	(GLW)	1 1
TTAA		mile/h-ABOVE	40 toinie draa	22t FORCE	UP TO 30.5 tonne GLW	4	9	W1183




TARE-	13.050 Kg
CAPACITY, WEIGHT-	32.950 Kg
CAPACITY, VOLUME-	38.186 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. N	0

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION	-DOUBLE LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

## 46 tonne GLW TANK WAGON - CLASS B




	TOPS INFORMATION						
	OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN	
CARKND	PANEL No.	60 mile/h UP TO 46 tonne GLW	5t FORCE UP TO OF LOOK	LENGTH	(GLW)	SHEET	
TTAA		mile/h-ABOVE	5t FORCE UP TO 30.5 tonne GLW	4	9	W1182	




TARE-	13. <sup>200</sup> Kg
CAPACITY, WEIGHT-	32.800 Kg
CAPACITY, VOLUME-	38.641 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	),-

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

EXCESS LENGTH 4	Н	М	L	E
tonnes	46	46	14	14
VB	17	17	7	7
AB				
RA	8	8	1	1
MAX SPEED	60	60	45	45





TARE  4350kg	
CARRYING CAPACITY - 31600kg,	
CAPACITY-39196 litres.	
MAX SPEED - 60mile/h.	
WHEELS 952 DIA.	
JURNALS- 140 DIA- ROLLER	BEARINGS

LIVODALILIC	406	DIA LIFADO	
HYDRAULIC	400	DIA HEADS.	
S INSTANTE	R		
/E. 31m.			
GT DRG No			
VACUUM BLO	CK& F	IAND LEVER.	
ON - DOUBLE	LINK		
	SS - <b>INSTANTE</b> √E - <b>31m.</b> GT DRG No VACUUM BLC	GS - <b>Instanter</b> √E - <b>31m.</b> GT DRG No VACUUM BLOCK & F	√E <sub>.</sub> - <b>3im.</b>


BUILDER METRO CAMMELL OWNER - ALGECO REGISTERED BY - C.M.& E.E. (B.R.B.) DERBY. YEAR BUILT - 1965 REGISTRATION Nos. 49254 TO 49290 OWNERS Nos - 186596 TO 186645 (RANGE)

ISSUE 2

EX- P-O- DIAGRAM 6/173

EXCESS LENGTH 4	Н	М	L	E
tonnes	46	46	13	13
VB-				
AB	22	22	10	10
RA	8	8	ı	1
MAX. SPEED	60	60	45	45

T T	OPS CODE	
CARKND	AAPKND	assissify
TTA	TTAA	1 4 9 1



TARE	13 200 kg
CARRYING CAPACITY -	32800 kg
CAPACITY-	18502litres
MAX. SPEED -	60 mile/h
WHEELS-	952 DIA.
JOURNALS -	140 DIA. ROLLER BEARINGS

BUFFERS-	HYDRAULIC 406 DIA. HEADS
COUPLINGS -	INSTANTER
MIN. CURVE	31 m
GEN ARRGT DRG No.	
BRAKE -	AIR BLOCK & HAND LEVER
SUSPENSION -	DOUBLE LINK


BUILDER -	ROOTES PRESSING
OWNER -	STORAGE & TRANSPORT SYSTEM
REGISTERED BY -	C.M.& E.E. (B.R.B.) DERBY
YEAR BUILT-	1966
REGISTRATION Nos	53111 TO 53128
OWNERS Nos	1011 TO 1028


ISSUE 2


EX. P.O. DIAGRAM 6/747 (ALLOCATED)


EXCESS 4	. Н	М	L	Ε
tonnes	46	46	13	13
<del>- ∨B</del>	-		1	
AB	18	16	7	7
8 <b>A</b>	8	8	1	1
MAX SPEED	60	60	60	60

TOPS CODE							
CARKND	AARKND	OPERATING PANEL NO					
TT	TTAA	8 6 3					









TARE -	13350 kg.
CARRYING CAPAC	ITY-32600 kg
CAPACITY-	38414 & 39096 litres.
MAX. SPEED -	60 mile/h.
WHEELS -	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS.


BUFFERS-	HYDRAULIC 406 DIA, HEADS.
COUPLINGS -	INSTANTER.
MIN. CURVE	26 m.
GEN. ARRGT. DRG.	No
BRAKE-	AIR BLOCK VACUUM PIPED &HAND LEVER.
SUSPENSION	DOUBLE LINK.

STANDARD RAILWAY WAGON Co.
V.I.P. PETROLEUM LTD.
C.M.& E.E.(B.R.B.) DERBY.
1966/67
-55201 TO 55244.
OOI TO 044.


ISSUE 2
EX. P.O. DIAGRAM 6/165 (ALLOCATED).

EXCESS 4	H	М	L	E
tonnes	46	4.6	13	13
٧B	0	,0	0	0
AB	23	23:	8	8
R4	8	8	1	1
MAX S <b>PEED</b>	60	60	60	60


[	TOPS CODE								
	CAR	KŅ	D	AARKND			D	ending	
•	T	T	В	T	T	В	Α	1 5 9 7	



## 46 tonne GLW TANK WAGON-CLASS A





	TOPS INFORMATION									
AARKND										
CARKND	PANEL No.	60 mile/h UP TO	46 tonne GLW	8t FORCE UP TO 314 CIW	LENGTH	(GLW)	SHEET			
TTAA		mile/h-ABOVE	40 follile OLAA	8t FORCE UP TO 31 tonne GLW 23t FORCE ABOVE	4	8	W 1305			




TARE-	12,650 Kg
CAPACITY, WEIGHT-	33,350 Kg
CAPACITY, VOLUME-	38.414 & 39.096 litres
MIN. CURVE-	26 m
GEN. ARRGT. DRG. NO	0

AIR BLOCK & HAND LEVER
DOUBLE LINK & PARABOLIC SPRING
INSTANTER
HYDRAULIC 406 DIA HEADS
952 DIA
140 DIA ROLLER BEARINGS







TARE- 14250kg.

CARRYING CAPACITY - 31700kg.

CAPACITY - 38641 litres.

MAX. SPEED - 60 mile/h.

WHEELS - 952 DIA.

JOURNALS-140 DIA. ROLLER BEARINGS.

BUFFERS - HYDRAULIC 406 DIA. HEADS.
COUPLINGS - INSTANTER.
MIN. CURVE - 31m
GEN. ARRGT. DRG. No. BRAKE - AIR BLOCK, VACUUM PIPED, HAND LEVER.
SUSPENSION - DOUBLE LINK.

BUILDER - CHARLES ROBERTS.

OWNER - CHARRINGTON, GARDENER, LOCKET (LONDON)LTD.

REGISTERED BY - C.M. & E.E. (B.R.B.)DERBY.

YEAR BUILT - 1966


REGISTRATION Nos. - 53763 TO 53767.


OWNERS Nos. - 463 TO 467.

ISSUE 2
EX. P.O. DIAGRAM. 6/798 (ALLOCATED.)

#### 46 tonnes G.L.W. TANK WAGON

EXCESS LENGTH 5	Н	М	L	Ε
tonnes	46	46	14	14
VB	18	18	7	7
——AB				
RA	8	8	ı	1
MAX SPEID	60	60	45	45





TARE - 13700kg	
CARRYING CAPACITY-32 300kg	
CAPACITY- 413% litres.	
MAX. SPEED - 60 mile/h.	
WHEELS - 952 DIA.	
JOURNALS - 140 DIA ROLLE	R BEARINGS


406	DIA. HEADS,
ER	
CK& HA	AND LEVER.
E LINI	K
	ER CK& HA

BUILDER - CHARLES ROBERTS
OWNER - GULF OIL (G-B) LTDREGISTERED BY - C.M.& E.E. (B.R.B.) DERBY.
YEAR BUILT - 1966
REGISTRATION Nos. - 54206 TO 54224
OWNERS Nos. OO7 TO O25

ISSUE 2 EX: P:O: DIAGRAM 6/146

LOT NUMBER		
$\geq$		

	Older Sp. 18 - Option and Spine (19), Spine and annual spine annual spine and annual spine annual		TOPS INFO	NOITAMRO				
AARKND	OPERATING	OPERATING	SPEED	BRAKE FORCE	DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	45 mile/h UP TO	13-5 tonne GLW	71 FORCE UP TO	30.5 tonne G.L.W.	LENGTH	(GLW)	SHEET
TTAL		60 mile/h ABOVE	COUNTRY OF A	28t FORCE ABOVE	30°3 forme G.E.W.	5	9	W 864




TARE-	13 500 kg
CAPACITY, WEIGHT-	32 500 kg
CAPACITY, VOLUME-	
MIN. CURVE-	31m
GEN. ARRGT. DRG. NO	

BRAKE-	AIR. BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDFAULIC 411 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA RELLER ELAKINGS

ISSUE 1

LOT N	LOT NUMBER	

		TOPS INF	ORMATION			
AARKND	OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	45 mile/h UP TO 13-3 tonne GLW	71 FORCE UP TO 30-5 tonnes G.L.W.	LENGTH	(GLW)	SHEET
TTAA		60 mile/h ABOVE	28† FORCE ABOVE	5	9	W 890




TARE-	13 300 kg
CAPACITY, WEIGHT-	32 700 kg
CAPACITY, VOLUME-	
MIN. CURVE-	31m
GEN. ARRGT. DRG. NO	
UCIN. ANNUT. DNG. INU	. <del>-</del>

BRAKE-	AIR, BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA. HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS

ISSUE 1.

LOT N	UMBER
$\geq$	$\leq$

TOPS INFORMATION					
AARKNO OPERATING	OPERATING SPEED	Brake force data	EXCESS	RA	DESIGN
CARKNO PANEL No. 4	5 mile/h UP TO 13.5 tonne GLW	71 FORCE UP TO 30.5 tonne G.L.W.	LENGTH	(GLW)	SHEET
TTAL 6	o mile/h ABOVE	281 FORCE ABOVE	5	9	W 892




TARE-	13 500 kg
CAPACITY, WEIGHT-	32 500 kg
CAPACITY, VOLUME-	
MIN. CURVE-	31m
GEN. ARRGT. DRG. NO	

BRAKE-	AIR. ELOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 LIA
JOURNALS-	140 LIA. ROLLER EEAFRIGS

ISSUE 1

LOT N	UMBER
$\geq$	$\leq$


1						
	TOPS INFO	DRMATION	The second secon	CONTRACTOR DESCRIPTION	a salara anno de la compansión de la compa	ì
	AARKND OPERATING OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN	
	CARKND PANEL No. 60 mile/h UP TO 46 tonne GLW	7+ FORCE UP TO	LENGTH		SHEET	ĺ
	TTAAA   mile/h ABBVE 40 toline BLVV	28+ FORCE ABOVE 30.5 tonne G.L.W.	5	8	W 1316	
				4		1




CAPACITY, WEIGHT- 32	500 kg
CAPACITY, VOLUME-	Standard management (management and management and
MIN. CURVE- 31	II)
GEN. ARRGT. DRG. NO.	

BRAKE-	AIR BLCCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTEP
BUFFERS-	HYLHAULIC 406 DIA HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. HOLLER BEARINGS

ISSUE !




	, TOPS INFORMATION							
AARKND	OPERATING	OPERATING	SPEED	BRAKE FO	RCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO	46 tonne GLW	71 FORCE UP TO	30.5 tonnes G.L.W.	LENGTH	(GLW)	SHEET
T T A A		-mile/h-ABOVE	40 Mille OFAA	28† FORCE ABOVE	30 3 formes G.E.M.	5	9	W 1500




TARE-	13 100 kg
CAPACITY, WEIGHT-	32 900 kg
CAPACITY, VOLUME-	
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	.*
GEN. ARNOT. DRG. NO	·*

BRAKE-	AIR, BLOCK & HAND LEVER	1
SUSPENSION-	U.I.C. DOUBLE LITIK + PARABOLIC TAPERLEAF SPR	ING
COUPLINGS-	INSTANTER	
BUFFERS-	HYDRAULIC 406 DIA. HEADS	
WHEELS-	952 DIA.	
JOURNALS-	140 DIA. ROLLER BEARINGS	]

ISSUE 1.



	TOPS INF	CRMATION				
AARKND OPERATING OPERATING	SPEED	BRAKE FO	RCE DATA	EXCESS	RA	DESIGN
CARKND PANEL No. 60 mile/h UP TO	46 tonne GLW	7† FORCE UP TO	20.5 hanna (134	LENGTH	(GLW)	SHEET
T T A A   mile/h ABOVE	. 40 COINE GLAV	281 FORCE ABOVE	30·5 tonne G.L.W.	5	9	W 1507




TARE-	13 050 kg
CAPACITY, WEIGHT-	32 950 kg
CAPACITY, VOLUME-	
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO.	.=

BRAKE-	AIR, BLOCK & HAND LEVER	
SUSPENSION-	SINGLE FRICTION LINK & PARABOLIC TAPERLEAF	SPRING
COUPLINGS-	INSTANTER	
BUFFERS-	HYDRAULIC 406 DIA, HEADS	i
WHEELS-	952 DIA.	
JOURNALS-	140 DIA ROLLER BEARINGS	ISSUE

LOT NUMBER		
$\geq$		

		TOPS INFO	DRMATION		***************************************			i
AARKND OPERAT	NG <u>OPERATING SPE</u>	EEO	BRAKE FOR	RCE DATA	EXCESS	RA	DESIGN	100
CARKND PANEL	lo. 60 mile/h UP TO 40	6 tonne GLW	7+ FORCE UP TO	30-5 tonne G.L.W.	LENGTH	(GLW)	SHEET	
TTAA	mile/h-A80VE- "	o folling OFAA	28+ FORCE ABOVE	30.3 (0) Millor C. OC.	5	9	W 1674	į




TARE-	13 500 kg
CAPACITY, WEIGHT-	32 500 kg
CAPACITY, VOLUME-	
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	

BRAKE-	AIR. BLOCK & HAND LEVER
SUSPENSION-	PARABOLIC SPRING & B.R. SHORT SINGLE LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA. HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE 1.

LOT N	JMBER

the state of the s			TOPS INFO	DRMATION	- Andrew Constitution of the Constitution of t	AND DESCRIPTION OF THE PERSON		
A COLUMN THE PROPERTY OF THE PARTY OF THE PA	OPERATING	OPERATING SPEE	0	BRAKE FOR	RCE DATA	EXCESS	RA	DESIGN
[CARKND]	PANEL No.	60 mile/h UP TO	tonne GLW	7+ FORCE UP TO	30.5 tonne G.L.W.	LENGTH	(GLW)	SHEET
TTAAA		mile/h ABOVE	MINIE OFAA	281 FORCE ABOVE	20 3 101111E G.E.W.	- 5	9	W1675




2 500 kg
1111

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	PARABOLIC SPRING & BR SHORT SINGLE LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS


LOT N	LOT NUMBER	

	TOPS INFO	DRMATION			
AARKND OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKND PANEL No. 60	Million Of 10 /A toppo CIA/	7t FORCE UP TO 30.5 tonne G.L.W.		(GLW)	SHEET
TTAA	mile/h ABOVE	28t FORCE ABOVE	5	9	W 1676




	2 500 kg
0.4.0.4.0.4.4.4.4.	
CAPACITY, VOLUME-	
MIN. CURVE- 3	1 m
GEN. ARRGT. DRG. NO	

BRAKE-	AIR. BLOCK & HATID LEVER
SUSPENSION-	PARABOLIC SPRING & B.R. SHORT SINGLE LINK
COUPLINGS.	MISTAHTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA.
JOURNALS.	140 DIA HOLLER EEARINGS




	TOPS INF	ORMATION		<u> </u>	
CARKND PANEL No. 60 mil	OPERATING SPEED le/h UP TO 46 tonne GLW le/h ABOVE	BRAKE FORCE DATA  71 FORCE UP TO 30-5 tonne G.L.W.	EXCESS LENGTH 5	RA (GLW) 8	DESIGN SHEET W1677




CAPACITY, WEIGHT-	32 500 kg
	76 300 K-
CAPACITY, VOLUME-	
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	PÁRABOLIC SPRING & B.R. SHORT SINGI E LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER EEAHINGS




	TOPS INFORMATION							
AARKND	OPERATING	OPERATING S	SPEED	BRAKE FORCE	DATA	<b>EXCESS</b>	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO	46 tonne GLW	7† FORCE UP TO	30.54 6434	LENGTH	(GLW)	SHEET
TTAA		mile/h ABOVE	46 (Oline GLVV)	281 FORCE ABOVE	30.5tonne GLW	5	9	W 1678




TARE-	13 000 kg
CAPACITY, WEIGHT-	33 000kj
CAPACITY, VOLUME-	
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	•

BRAKE-	AIR. BLOCK & HAND LEVER
SUSPENSION-	PARABOLIC SPRING & B.R. SHORT SINGLE LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA. HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS

EXCESS 5	Н	М	L	Ε
tonnes	46	46	14	14
VB	17	17	7	7
AB				
RA	8	8	1	ı
MAX. SPEED	60	60	45	45





ARE\_13 200 kg

ARRYING CAPACITY - 32800 kg

APACITY - 38 186 litres

'AX SPEED: 60 mile/h

HEELS - 952 DIA.
DURNALS - 140 DIA ROLLER BEARINGS

BUFFERS - HYDRAULIC 406 DIA HEADS
COUPLINGS - INTERNATIONAL SCREW
MIN. CURVE - 31 m
GEN. ARRGT. DRG. No. BRAKE - VACUUM BLOCK & HAND LEVER
SUSPENSION - DOUBLE LINK

BUILDER - R.Y. PICKERING

OWNER - ALGECO

REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY.

YEAR BUILT - 1965

REGISTRATION Nos. - 49104 to 49253


OWNERS Nos. - 1800 to 1979 (RANGE)


ISSUE 2 EX. PO. DIAGRAM 6/162

#### 46 tonnes G.L.W. TANK WAGON-CLASS A

**TTO43C** 

EXCESS LENGTH 5	Н	М	L	Е
tonnes.	46	46	14	14
VB	19	19	8	8
<del>- Aa-</del>				
RA	8	8	1	_
MAX. SPEED	60	60	45	45





TARE-13450kg.

CARRYING CAPACITY-32500kg.

CAPACITY-39709 litres.

MAX SPEED-60mile/h.

WHEELS-952 DIA.

JOURNALS-140 DIA. ROLLER BEARINGS.

BUFFERS - HYDRAULIC 406 DIA HEADS.
COUPLINGS - INTERNATIONAL SCREW.
MIN. CURVE - 31m.
GEN. ARRGT. DRG. No. BRAKE - VACUUM BLOCK & HAND LEVER.
SUSPENSION - DOUBLE LINK.

BUILDER- R.Y. PICKERING.

OWNER-BRITISH RAILWAY TRAFFIC & ELECTRIC.

REGISTERED BY-C.M. & E.E.(B.R.B.)DERBY.

YEAR BUILT - 1965.


REGISTRATION Nos. - 57246 TO 57294. (RANGE)

OWNERS Nos. - 5925 TO 5974. (RANGE)

ISSUE 2 EX. PO. DIAGRAM 6/154

EXCESS LENGTH 5	Н	М	L	Ε
tonnes.	46	46	14	14
VB	19	19	8	8
AB	0	0	0	0
RA	8	8	-	ì
MAX SPEED	60	60	45	45

-	TOPS CODE				
	CARKND	AARKND		OPERATING PANEL No.	
	TTG	TT	G A	1 5 5 7	



TARE-	13450kg	
CARRYING CAPAC	CITY-32500kg	
CAPACITY-	39709 litres.	
MAX SPEED -	60mile/h.	
WHEELS-	952 DIA.	
JOURNALS-	140 DIA. ROLLER BEARINGS.	


BUFFERS -	HYDRAULIC 406 DIA. HEADS.		
COUPLINGS-	INTERNATIONAL SCREW.		
MIN. CURVE –	31 m.		
GEN. ARRGT, DRG.	No. –		
BRAKE	VACUUM BLOCK AIR PIPED HANDLEVER.		
SUSPENSION -	DOUBLE LINK.		


BUILDER-	R.Y. PICKERING.
OWNER-	B.R.T.& E.
REGISTERED BY-	C.M.& E.E. (B.R.B.)DERBY.
YEAR BUILT-	1965.
REGISTRATION Nos	-57245,73,76,79,82,85.
OWNERS Nos	5925,53,56,59,62,65.
	·····


ISSUE 2
EX. PO. DIAGRAM 6/19 (ALLOCATED.)

#### 46 tonnes G.L.W. TANK WAGON-CLASS A

TTO43E







TARE-13450kg,

CARRYING CAPACITY-32500kg,

CAPACITY- 38186 litres.

MAX. SPEED-60 mile/h,

WHEELS-952 DIA

JOURNALS-140 DIA. ROLLER BEARINGS.

BUFFERS - HYDRAULIC 406 DIA. HEADS
COUPLINGS - INTERNATIONAL SCREW.
MIN. CURVE - 31m.
GEN. ARRGT. DRG. No BRAKE - AIR. BLOCK & HAND LEVER
SUSPENSION - DOUBLE LINK.

BUILDER - R.Y. PICKERING.

OWNER - BRITISH RAILWAY TRAFFIC & ELECTRIC.

REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY.


YEAR BUILT - 1967.


REGISTRATION Nos. - 57822 TO 57840.

OWNERS Nos. - 10472 TO 10490.

ISSUE 2 EX. P.O. DIAGRAM 6/158

EXCESS LENGTH 5	Н	М	L	Ε
tonnes	46	46	14	14
VB	18	18	8	8
AB-				
RA	8	8	ı	1
MAX. SPEED	60	60	45	45






TARE - 13 700	kg		
CARRYING CA	APACITY-	32 300 kg	
CAPACITY - 37732 litres			
MAX. SPEED –	60 mile/l	1	
WHEELS-	952 DIA.		<del></del> .
JOURNALS-	140 DIA	ROLLER	BEARINGS

BUFFERS	HYDRAULIC 406 DIA HEADS
COUPLING	S - INTERNATIONAL SCREW
MIN CUR	VE 31 m
GEN. ARR	GT. DRG. No. –
BRAKE -	VACUUM BLOCK & HAND LEVER
SUSPENS	ON - DOUBLE LINK

BUILDER - R.Y. PICKERING
OWNER - ESSO
REGISTERED BY - C.M.& E.E. (B.R.B.) DERBY
YEAR BUILT - 1965
REGISTRATION Nos. - 56000 TO 56103
OWNERS Nos. - 6000 TO 6103

ISSUE 2 EX- P-O- DIAGRAM 6/150





TARE - 13750kg.	
CARRYING CAPACITY - 32200 kg	
CAPACITY- 39322 litres	
MAX. SPEED - 60 mile/t.	
WHEELS - 952 DIA.	
JOURNALS-140 DIA ROLLER BEARINGS.	


BUFFERS-HYDRAULIC 406 DIA.HEADS	
COUPLINGS-INTERNATIONAL SCREW.	
MIN. CURVE - 31m	
GEN. ARRGT. DRG. No	
BRAKE-VACUUM BLOCK & HAND LEVER	
SUSPENSION - DOUBLE LINK.	

UILDER - POWELL DUFFRYN.	
WNER-ESSO.	
EGISTERED BY - C.M. & E.E.(B.R.B.)DERBY.	
EAR BUILT-1965.	
EGISTRATION Nos56241 - 56281 (RANGE)	
WNERS Nos624! - 628! (RANGE)	

ISSUE 2 EX.PO. DIAGRAM 6/151.







TARE -	13_400kg
CARRYING CAPAC	CITY-32500kg
CAPACITY-	38186 litres.
MAY SPEAN	60 mile/h.
गुमहर, ह	952 DIA.
JOURNALS	140 DIA.ROLLER BEARINGS.

BUFFERS	HYDRAULIC 406 DIA. HEADS.
COUPLINGS -	INTERNATIONAL SCREW&CLOSE COUPLED,
MIN CURVE	31m.
GEN ARPGT DRG	No
BRAKE AIR BLOC	CK, VACUUM PIPE & HAND LEVER
SUSPENSION	DOUBLE LINK.

BUILDER	R.Y. PICKERING CO. LTD.		
OWNER -	B.R.T. & E.		
REGISTERED BY	C.M.&E.E. (B,R.B.) DERBY		
YEAR BUILT-	1967.		
REGISTRATION Nos.	-57478 & 57479		
OWNERS Nos	10128 & 10129,		


iSSUE 2

EX. PO. DIAGRAM 6/214

٦

LOT NUMBER	
$\sim$	

TOPS INFORMATION								
AARKND	OPERATING	OPERATING	SPEED	BRAKE FORC	CE DATA	EXCESS		DESIGN
CARKNO	PANEL No.	45 mile/h UP TO	13·7 tonne GLW	8+ FORCE UP TO	31 tonne G.L.W.	LENGTH	(GLW)	SHEET
TTFA	1 5 5 4	60 mile/h ABOVE	13 / LOTHIG OF AA	18t FORCE OVER	or folling d.c.w.	5	8	





TARE-	13 700 kg
CAPACITY, WEIGHT-	32 300kg
CAPACITY, VOLUME-	37 732 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	A GOLD A GOLD CONTRACTOR OF THE CONTRACTOR OF TH


BRAKE-	VACUUM BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK
COUPLINGS-	INTERNATIONAL SCREW
BUFFERS-	HYDRAULIC 406 DIA. HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE 3

EX. P.O. DIAGRAM 6/215







TARE -	13 450kg
CARRYING CAPAC	ITY-32500 kg
CAPACITY-	38 186 litres
MAX. SPEED -	60 mile/h
WHEELS-	952 DIA.
JOURNALS -	I40 DIA. ROLLER BEARINGS


BUFFERS-	HYDRAULIC 406 DIA. HEADS.
COUPLINGS -	INTERNATIONAL SCREW & CLOSE COUPLED.
MIN. CURVE	31m.
GEN. ARRGT. DRG	No
BRAKE	AIR BLOCK & HAND LEVER
SUSPENSIO.4	DOUBLE LINK


BUILDER -	R.Y. PICKERING CO. LTD.
OWNER -	BRITISH RAILWAYS TRAFFIC & ELECTRIC LTO
REGISTERED BY -	C.M. & E.E. (B.R.B.) DERBY.
YEAR BUILT -	1967
REGISTRATION Nos.	57484 - 57576 (RANGE).
OWNERS Nos	

ISSUE 2

EX. P.O. DIAGRAM 6/214

EXCESS 5	Н	М	L	E
tonnes	46	46	14	14
VB	17	17	7	7
AB.				
RA	8	8	1	-
IMAX ISPEED	60	60	45	45






E -	13000 kg
RYING CAPAC	ITY- 33000 kg
ACITY —	38 168 litres
⟨ SPEED	60 mile/h
EELS-	952 DIA.
RNALS -	140 DIA. ROLLER BEARINGS


BUFFERS -	HYDRAULIC 406 DIA.HEADS
COUPLINGS	INTERNATIONAL SCREW
MIN. CURVE -	31 m
GEN. ARRGT DPG No.	
BRAKE-	VACUUM BLOCK & HAND LEVER
SUSPENSION -	DOUBLE LINK


BUILDER -	R.Y. PICKERING
OWNER	ALGECO
REGISTERED BY -	C.M. & E.E. (B.R.B.) DERBY
YEAR BUILT-	1965
REGISTRATION Nos	- 49087 - 49103
OWNERS Nos	1780 to 1979 (RANGE)

ISSUE 2 EX. P.O. DIAGRAM 6/132

## 46 tonnes G.L.W. TANK WAGON CLASS A









JOURNALS

# 46 tonne GLW TANK WAGON-CLASS A CLOSE COUPLED

EXCESS 4	Н	М	L	E
tonnes	46	46	14	14
√B				·
AB	20	20	9	9
RA	8	8	1	1
MAY	60	60	60	60





TARE	13 +50	kg		
CARRYING CAPAC	TY- 32500	kg		
CAPACITY -	3818 <b>6</b>	Litres		
MAX SPEED	60 mile	e/h		
WHEELS	<b>9</b> 952			
JOURNALS	Ø 140	ROLLER	BEARINGS	

BUTTERS	H)	DRAULIC	Φ 406	HEADS	
COUPLING	S	INSTANTE	Ŕ		
MIN CURV	E	31m			
GEN ARRG	T DI	RG No			
BRAKE	AIR	BLOCK,		HAND	LEVER
SUSPENSIO	N	FAT	26		


ISSUE 1

EX PO. DIAGRAM 6/214

#### 46 tonne GLW TANK WAGON-CLASS A

LOT	NUMBER		


TOPS INFORMATION								
AARKND	OPERATING	OPERATING	SPEED	BRAKE	FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO	46 tonne GLW	5t FORCE	UP TO 20 Example ON	LENGTH	(GLW)	SHEET
TTAA		mile/h-ABOVE		24t FORCE	UP TO 30.5 tonneGLW	5	9	W328 1
**************************************								W1168




TARE-	13.000 Kg
CAPACITY, WEIGHT-	33, 000 Kg
CAPACITY, VOLUME-	37. 732 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	)
	•

PKg	BRAKE-	AIR BLOCK & HAND LEVER
°Kg	SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
<sup>2</sup> litres	COUPLINGS-	INTERNATIONAL SCREW
	BUFFERS-	HYDRAULIC 406 DIA HEADS
	WHEELS-	952 DIA
	JOURNALS-	140 DIA ROLLER BEARINGS isit http://www.barrowmoremrg.co.uk)
Original diagrams courtesy of Chri	is Dugaale, 2016 (v	isit http://www.barrowmoremrg.co.uk)

## 46 tonne GLW TANK WAGON - CLASS A



	TOPS INFORMATION						
AARKND							
CARKND	PANEL No.	60 mile/h UP TO 46 tonne GLW	7t FORCE UP TO SELECTIVE	LENGTH	(GLW)		
TTAA		mile/h-A80VE	7t FORCE UP TO 30.5tonneGLW 28t FORCE ABOVE	5	8	W 926	




TARE-	13,7°° Kg
CAPACITY, WEIGHT-	32. <sup>300</sup> Kg
CAPACITY, VOLUME-	37. 732 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	)

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION	- GLOUCESTER PIVOT LINK
COUPLINGS-	INTERNATIONAL SCREW
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE |

LOT NUMBER				

TOPS INFORMATION							
	ENOLUGI IIIA DEGICIO						
CARKND	PANEL No.	60 mile/h UP TO	46 tonne GLW	8t FORCE UP TO 31tage GIW	LENGTH	(GLW)	SHEET
TTAA		mile/h-ABOVE	40 Mille GEW	19t FORCE ABOVE 31 tonne GLW	5	9	WIO43




TARE-	12. <sup>800</sup> Kg
CAPACITY, WEIGHT	- 33. <sup>200</sup> Kg
CAPACITY, VOLUME	- 38. <sup>186</sup> litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG.	NO

	BRAKE-	AIR BLOCK & HAND LEVER
	SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
res	COUPLINGS-	INTERNATIONAL SCREW
	BUFFERS-	HYDRAULIC 406 DIA HEADS
		952 DIA
	JOURNALS-	140 DIA ROLLER BEARINGS (visit http://www.barrowmoremirg.co.uk)
Original diagrams courtesy of Ci	nris Dugaale, 2016	(visit nitp://www.barrowmoremrg.co.uk)

# 46 tonne GLW TANK WAGON - CLASS A

LOT NUMBER				

	TOPS INFORMATION						
AARKND	AARKND OPERATING OPERATING SPEED BRAKE FORCE DATA EXCESS RA DESIGN						
CARKND	PANEL No.	60mile/h UP TO	46 tonne GLW	6t FORCE UP TO OF LOOP CLW	LENGTH	(GLW)	LSHEET
TTAA		mile/h-ABOVE	Connie OLVV	6t FORCE UP TO 30.5 tonne GLW 25t FORCE ABOVE	5	9	พีเริ่า



TARE-	13.700 Kg	
CAPACITY, WEI	GHT- 32.300 Kg	
CAPACITY, VOLI	UME- 39 322 litres	
MIN. CURVE-	31 m	
GEN. ARRGT. DI	RG. NO	


	. —
BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INTERNATIONAL SCREW
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE |

#### 46 tonne GLW TANK WAGON-CLOSE COUPLED

LOT N	LOT NUMBER			


TOPS INFORMATION							
AARKND	OPERATING	OPERATING	SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKNO	PANEL No.	60 mile/h UP TO	46 tonne GLW	5t FORCE UP TO 30 54 CIW	LENGTH	(GLW)	SHEET
TTAA		mile/h-ABOVE	40 tollile GLYY	5t FORCE UP TO 30.5 tonneGLW 24t FORCE ABOVE	4	9	W1309




TARE-	12. <sup>500</sup> Kg
CAPACITY, WEIGHT-	33 <sub>.</sub> 500 Kg
CAPACITY, VOLUME-	37. 732 litres
MIN. CURVE-	31m
GEN. ARRGT. DRG. NO	

BRAKE-	AIR BLOCK & HAND LEVER	
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING	
COUPLINGS-	INTERNATIONAL SCREW & CLOSE COUP	LED
BUFFERS-	HYDRAULIC 406 DIA HEADS	
WHEELS-	952 DIA	
JOURNALS-	140 DIA ROLLER BEARINGS	IS

## 46 tonne GLW TANK WAGON-CLASS A - CLOSE COUPLED



TOPS INFORMATION								
	OPERATING	OPERATING SI	PEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN	
CARKND	PANEL No.	60 mile/h UP TO	46 tonne GLW	IOt FORCE UP TO all	LENGTH	(GLW)	SHEET	
TTA		mile/h_ABOVE	TO tolline GLVV	IOt FORCE UP TO 31 tonne GLW	4	9	W1418	




TARE-	12 <sub>.</sub> 700 Kg
CAPACITY, WEIGHT-	33,300 Kg
CAPACITY, VOLUME-	38.186 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	)

BRAKE-	AIR BLOCK & HAND LEVER	
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING	
COUPLINGS-	INTERNATIONAL SCREW & CLOSE COUP	LED
BUFFERS-	HYDRAULIC 406 DIA HEADS	
WHEELS-	952 DIA	]
JOURNALS-	140 DIA ROLLER BEARINGS	ISSU

### 46 tonnes G.L.W. TANK WAGON CLASS B - CLOSE COUPLED.

#### **TTO44A**



TARE - 13550kg.

CARRYING CAPACITY-32 400 kg

CAPACITY-39905 litres

MAX. SPEED - 60 mile/h

WHEELS - 952 DIA

JOURNALS-140 DIA ROLLER BEARINGS

BUFFERS - HYDRAULIC 406 DIA HEADS
COUPLINGS - INTERNATIONAL SCREW, CLOSE COUPLED
MIN. CURVE - 31 m
GEN. ARRGT. DRG No. BRAKE - AIR BLOCK & HAND LEVER.
SUSPENSION - DOUBLE LINK

BUILDER - POWELL DUFFRYN

OWNER - B.R.T. & E. LTD.

REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY

YEAR BUILT - 1966/67


REGISTRATION Nos. - 57382 - 57476 (RANGE)


OWNERS Nos. - 10027 - 10126 (RANGE).


ISSUE 2 EX. B.R. DIAGRAM 6/221

### 46 tonnes G.L.W. TANK WAGON

TT044C








TARE - 16 950 kg CARRYING CAPACITY - 29000kg CAPACITY -32722 litres. MAX. SPEED - 60 mile/h WHEELS - 952 DIA. JOURNALS-140 DIA. ROLLER BEARINGS BUFFERS - HYDR AULIC 406 DIA. HEADS. COUPLINGS INTERNATIONAL SCREW, CLOSE COUPLED. MIN CURVE - 31 m GEN ARRGT DRG No. --BRAKE - AIR BLOCK, VACUUM PIPED & HAND LEVER . SUSPENSION - DOUBLE LINK


BUILDER - POWELL DUFFRYN OWNER - SUKO REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY YEAR BUILT - 1966 REGISTRATION Nos. 61513 TO 61637 OWNERS Nos. -


> ISSUE 2 EX P.O. DIAGRAM 6/733 (ALLOCATED)

#### 46 tonnes G.L.W. TANK WAGON

TTO44D







TARE - | 6 500 kg

CARRYING CAPACITY - 29 500 kg.

CAPACITY - 33013 litres.

MAX. SPEED - 60 mile/h

WHEELS - 952 DIA.

JOURNALS - 140 DIA. ROLLER BEARINGS

BUFFERS -- HYDRAULIC406 DIA. HEADS.
COUPLINGS -INTERNATIONAL SCREW, CLOSE COUPLED.
MIN. CURVE - 31 m
GEN. ARRGT. DRG. No. BRAKE - AIR BLOCK, VACUUM PIPED & HAND LEVER.
SUSPENSION - DOUBLE LINK

BUILDER - POWELL DUFFRYN

OWNER - SUKO.

REGISTERED BY - C.M. & E. E. (B.R.B.) DERBY


YEAR BUILT - 1967

REGISTRATION Nos. - 61638 TO 61907 (RANGE).


OWNERS Nos. -

ISSUE 2

EX. P.O. DIAGRAM 6/734(ALLOCATED.)




TOPS CODE						
CARKND	AARKND	OPERATING PANEL No				
TTA	TITAA	1 5 8 6				





TARE-	16500 kg.
CARRYING CAPACITY -	29 500 kg
CAPACITY-	33013 litres.
MAX SPEED -	60mile/h.
WHEELS -	952 DIA.
JOURNALS -	140 DIA. ROLLER BEARINGS.

BUFFERS -	HYDRAULIC 406 DIA, HEADS,
COUPLINGS	INTERNATIONAL SCREW, CLOSE COUPLED.
MIN. CURVE -	3lm.
GEN. ARRGT. DRG.	No. –
BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION -	DOUBLE LINK

BUILDER -	POWELL DUFFRYN,
OWNER –	BRT&E
REGISTERED BY -	C.M.& E. E. (B.R. B.) DERBY,
YEAR BUILT-	1967.
REGISTRATION Nos	57394 TO 57450(RANGE)
OWNERS Nos	







TARE- 13 700 kg

CARRYING CAPACITY - 32 300 kg

CAPACITY-39368 litres.

MAX. SPEED - 60 mile/h

WHEELS- 952 DIA.

JOURNALS- 140 DIA. ROLLER BEARINGS

BUFFERS-HYDRAULIC 406 DIA. HEADS.
COUPLINGS- INTERNATIONAL SCREW
MIN. CURVE- 31 m
GEN. ARRGT. DRG. No. BRAKE- VACUUM BLOCK & HAND LEVER
SUSPENSION- DOUBLE LINK

BUILDER - PRESSED STEEL

OWNER -BRITISH RAILWAY TRAFFIC & ELECTRIC


REGISTERED BY -C.M. & E.E.(B.R.B.) DERBY


YEAR BUILT - 1965

REGISTRATION Nos. - 57192

OWNERS Nos. - 5758

EXCESS LENGTH 5	Н	М	L	E
tonnes.	46	46	14	-14
VB	0	0	0	0
AB	22	22	10	0
RA	8	8	1	1
MAX. SPEED	60	60	45	45





TARE - 13700kg.

CARRYING CAPACITY - 32300kg.

CAPACITY - 39550 litres.

MAX. SPEED - 60mile/h.

WHEELS - 952 DIA.

JOURNALS - 140 DIA: ROLLER BEARINGS

BUFFERS - HYDRAULIC 406 DIA: HEADS.
COUPLINGS - INTERNATIONAL SCREW
MIN. CURVE - 31m.
GEN ARRGT. DRG. No. BRAKE - AIR BLOCK, VACUUM PIPED & HAND LEVER.
SUSPENSION - DOUBLE LINK

BUILDER - ROOTES PRESSINGS

OWNER - B·R·T· & E· LTD·

- LGISTERED BY - C.M.& E.E. (B.R.B.) DERBY.

YEAR BUILT - 1966


REGISTRATION Nos. - 57350 TO 57376

OWNERS Nos. - 10000 TO 10026

ISSUE 2 EX- P-O- DIAGRAM 6/170

EXCESS LENGTH	Н	M	L	E
TONS .	46	46	14	14
VB	18	18	7	7
- Aa				
RA	8	8	1	1
MAX. SPEED	60	60	60	60


١	DESIGN INF	ORMATION SHEET WII34					
	TOPS CODE						
	CARKND	AARKND OPERATING PANEL NO					
	TTF	T T F A I 5 5 3					





TARE _ 14 200kg	
CARRYING CAPACITY - 31800kg	
CAPACITY - 37 968 litres	
MAX. SPEED - 60 mile / h	
WHEELS - 952 DIA.	
JOURNALS - 140 DIA. ROLLER	BEARINGS

BUFFERS - HYDRAULIC 406 DIA. HEADS	
COUPLINGS - INTERNATIONAL SCREW	
MIN. CURVE – 31m	
GEN. ARRGT. DRG. No. –	
BRAKE- <b>VACUUM BLOCK &amp; HAND LEVER</b>	
SUSPENSION - DOUBLE LINK	

ISSUE 3. EX. P.O. DIAGRAM 6/136







TARE	16000 kg
CARRYING CAPA	CITY-30000kg
CAPACITY	29094 litres
MAX SPEED -	60 mile/h
WHEELS	952 DIA.
JOURNALS	140 DIA. ROLLER BEARINGS.


BUFFERS	HYDRAULIC 406 DIA.HEADS
COUPLINGS -	INTERNATIONAL SCREW.
MIN. CURVE -	31 m
GEN. ARRGT. DRG. No	
BRAKE-	AIR BLOCK VACUUM PIPE & HAND LEVER
SUSPENSION -	DOUBLE LINK.

BUILDER -	R.Y. PICKERING.
OWNER -	B.R.T.&E. LTD.
REGISTERED BY -	C.M. & E.E. (B.R.B.) DERBY
YEAR BUILT	1966.
REGISTRATION Nos.	- 57670. TO 57696. (RANGE)
OWNERS Nos	10320. TO 10346. (RANGE)

ISSUE 2 EX.PO.DIAGRAM 6/201.

EXCESS 4	Н	М	L	Ε
tonnes	4 6	46	13	13
VB	0	0	0	0
AB	22	22	10	10
RA	8	8	1	1
MAX SPEED	60	60	60	60

TOPS CODE					
CARKND	AARKND	CPERAT N			
TTB	TTBA	1 3 7 0			




TARE	13 000	kg	
CARRYING CAPACI	ITY - 33000	kg	
CAPACITY -	39550	Litres	
MAX SPEED	60 mile	/h .	
WHEELS	Ø 952		
JOURNALS	Ø 140	ROLLER	BEARINGS

SUSPENS	SION	FAT	26		
BRAKE	AIR	BLOCK,	VAC PIPED,	HAND	LEVER
GEN ARE	RGT D	RG No			
MIN CUI	RV E	31m			
COUPLIN	GS	INTERNAT	IONAL SCRE	W	
BUFFERS	H,	YDRAULIC	Ø 406 HEA	NDS	

# 46 tonne GLW TANK WAGON-CLASS A

LOT NUMBER					


TOPS INFORMATION									
AARKND	AARKND OPERATING OPERATING SPEED BRAKE FORCE DATA EXCESS RA DESIGN								
CARKND	PANEL No.	60 mile/h UP TO 46 tonne GLW	5t FORCE UP TO 305tage CIV	LENGTH	(GLW)	white			
TTAA		mile/h_ABOVE	5t FORCE UP TO 30.5tonneGLW	5	9	WI3ĪŎ			




TARE-	[4,300 Kg
CAPACITY, WEIGHT-	31,700 Kg
CAPACITY, VOLUME-	37. <sup>968</sup> litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INTERNATIONAL SCREW
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

## 46 tonne GLW TANK WAGON - CLASS'B'



	TOPS INFORMATION					
	OPERATING		BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO 46 tonne GLW	12t FORCE UP TO 214 CIV		(GLW)	
TTBA		mile/h-ABOVE - Coming all VV	I2t FORCE UP TO 31 tonne GLW	5	8	W1170




TARE-	16.000 Kg	
CAPACITY, WEIGHT-	3O 000 Kg	
CAPACITY, VOLUME-	29.094 litres	
MIN. CURVE-	31 m	
GEN. ARRGT. DRG. NO	0	
GEN. ARRGT. DRG. NO	0	

BRAKE-	AIR BLOCK, VAC PIPE, HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INTERNATIONAL SCREW
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE I

EXCESS 5	Н	М	L	Ε
tonnes	46	46	14	14
VB	18	18	7	7
AB-				
RA	8	8	ı	ı
MAX SPEED	60	60	60	60

T	OPS CODE	
CARKND	AAŘKND	11554* No. 24NE No.
TTF	TTFA	1 4 8 7



TARE - 14050 kg

CARRYING CAPACITY - 31900 kg

CAPACITY - 39 550 litres

MAX. SPEED - 60 mile/h

WHEELS - 952 DIA.


JOURNALS - 140 DIA. ROLLER BEARINGS

BUFFERS - HYDRAULIC 406 DIA. HEADS
COUPLINGS INTERNATIONAL SCREW
MIN. CURVE - 31 m
GEN. ARRGT. DRG No -BRAKE - VACUUM BLOCK & HAND LEVER
SUSPENSION - DOUBLE LINK


BUILDER - CHARLES ROBERTS
OWNER - TIGER RAILCAR LEASING.
REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY
YEAR BUILT - 1966
REGISTRATION Nos. - 51824 - 51834
OWNERS Nos. - A824 - A834

ISSUE 2

Original diagrams courtesy of Chris Dugdale, 2016 (visit http://www.barrowmoremrg.co.uk). B.R. DIAGRAM 6/770 (ALLOCATED)



TOPS CODE			
CARKND AARKND OPERATING PANEL NO			
TTB	TTBA	1 5 1 5	



TARE - 13<sup>100kg</sup>.

CARRYING CAPACITY - 32<sup>.900 kg</sup>

CUBIC CAPACITY - 28503. litres.

MAX. SPEED - 60 mile/h,

WHEELS - 952 DIA.

JOURNALS - 140 DIA. ROLLER BEARINGS.

BUFFERS - HYDRAULIC 406 DIA. HEADS
COUPLINGS - INSTANTER.
MIN. CURVE - 31m.
GEN. ARRGT. DRG. No. BRAKE - AIR BLOCK, VACUUM PIPED & HAND LEVER.
SUSPENSION - DOUBLE LINK.

BUILDER - STANDARD RAILWAY WAGON CO.

OWNER - PROCOR (U.K) LTD.

REGISTERED BY - C.M. & E.E.(B.R.B.)DERBY.


YEAR BUILT - 1966.

REGISTRATION Nos. - 58202, 58204 TO 58211.

OWNERS Nos. - 202, 204 TO 211.

ISSUE 2
EX. PO. DIAGRAM 6/691 (ALLOCATED.)

### 46 tonnes G.L.W. TANK WAGON-SODIUM HYPERCHLORITE TTO49B




TARE - 12 950 kg CARRYING CAPACITY - 33 000 kg CAPACITY- 26730 litres MAX. SPEED - 60 mile/h WHEELS- 952 DIA. JOURNALS - 140 DIA. ROLLER BEARINGS

BUFFERS - HYDRAULIC 406 DIA. HEADS COUPLINGS - INSTANTER MIN. CURVE - 31 m GEN. ARRGT. DRG. No. – BRAKE-AIR BLOCK, VACUUM PIPED & HAND LEVER SUSPENSION - DOUBLE LINK

BUILDER - STANDARD RAILWAY WAGON Co. LTD. OWNER - PROCOR (U.K.) LTD REGISTERED BY - CM. & E.E. (BRB.) DERBY YEAR BUILT - 1966 REGISTRATION Nos. - 58213 TO 58216, 58218 TO 58220 OWNERS Nos. - 213 TO 216 , 218 TO 220

> ISSUE 2 EX. P.O. DIAGRAM 6/692 (ALLOCATED)



TARE - 12900 kg	
CARRYING CAPACITY- 33 100 kg	
CUBIC CAPACITY - 23730 litres	
MAX. SPEED - 60 mile/h.	
WHEELS - 952 DIA.	
JOURNALS - 140 DIA. ROLLER	BEARINGS.

SUSPENSION	I-DOUBLE LINK.
	BLOCK, VACUUM PIPED & HAND LEVER.
GEN. ARRGT.	DRG. No. –
MIN. CURVE -	- 31 m.
COUPLINGS -	INSTANTER.
	YDRAULIC 406 DIA HEADS.

BUILDER - STANDARD RAILWAY WAGON CO.

OWNER - PROCOR (U.K.)LTD.

REGISTERED BY - C.M. & E.E.(B.R.B.) DERBY.

YEAR BUILT - 1967.

REGISTRATION Nos. - 58300 TO 58307.


OWNERS Nos. - 300 TO 307.


ISSUE 2
EX.PO. DIAGRAM 6/693 (ALLOCATED)

# 46 tonnes G.L.W. TANK WAGON - TRICHLORETHYLENE

### TTO49 D

EXCESS LENGTH 5	Н	М	L	E
tonnes	46	46	13	13
٨Ŗ	0	0	0	0
AB	27	27	10	10
RA	8	8	ı	1
MAX. SPEED	60	60	60	60







TARE - 12 700	kg.
CARRYING C	CAPACITY-33 300 kg.
CAPACITY-2	4 276 litres.
MAX. SPEED -	60 mile/h.
WHEELS- 95	2 DIA
JOURNALS-	40 DIA.ROLLER BEARINGS

BUFFERS - HYDRAULIC 406 DIA. HEADS
COLUMN TO MAKE TANIFED
COUPLINGS - INSTANTER
MIN. CURVE - 31m
GEN. ARRGT. DRG. No
BRAKE - AIR BLOCK, VACUUM PIPED & HAND LEVER.
SUSPENSION - DOUBLE LINK

BUILDER-STANDARD RAILWAY WAGON Co.
OWNER-PROCOR (U.K.) LTD.
REGISTERED BY-C. M. & E.E. (B. R. B.) DERBY.
YEAR BUILT-1970
REGISTRATION Nos. -58308 TO 58313
OWNERS Nos - 308 TO 313

EXCESS LENGTH 4	Н	М	L	Ε
tonnes	46	46	14	14
VB	0	0	0	0
AB	22	22	8	8
RA	8	8	1	ı
MAX SPEED	60	60	45	45





TARE - 13200 kg	
CARRYING CAPACITY - 32 800 kg	
CAPACITY - 22325 litres	
MAX. SPEED - 60 mile/h	
WHEELS - 952 DIA.	
JOURNALS-140 DIA. ROLLER BEARINGS	,

BUFFERS HYDRAULIC 406 DIA. HEADS
COUPLINGS - INSTANTER
MINICURVE - 31 m
GEN. ARRGT, DRG, No
BRAKE - AIR BLOCK, VACUUM PIPED & HAND LEVER
SUSPENSION - DOUBLE LINK

BUILDER - STANDARD RAILWAY WAGON Co.

OWNER - PROCOR (U.K.) LTD.


REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY

YEAR BUILT - 1968

REGISTRATION Nos. - 58681 - 58780

OWNERS Nos. - 661 - 780

ISSUE 2
EX. P.O. DIAGRAM 6/694 (ALLOCATED.)





TARE .	13450kg
CARRYING CAPACITY	32 <sup>500kg.</sup>
CAPACITY	20 384 litres.
MAX SPEED -	60mi'e/h.
WHEELS	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS.


BUFFERS -	HYDRAULIC 406 DIA. HEADS.
COUPLINGS -	INSTANTER
MIN. CURVE -	31 m.
GEN. ARRGT. DRG	. No
BRAKE-	AIR BLOCK, VACUUM PIPED & HAND LEVER
SUSPENSION -	DOUBLE LINK.


BUILDER -	STANDARD RAILWAY WAGON Co.
OWNER –	PROCOR (U.K.) LTD.
REGISTERED BY-	C. M. & E.E. (B.R.B.) DERBY.
YEAR BUILT -	1966
REGISTRATION Nos	_58200,58201,58203,58212,58217,5822
OWNERS Nos	202, 204 TO 2II.

ISSUE 2
EX P.O. DIAGRAM 6/69I (ALLOCATED)











TOPS CODE	
CARKND AARKND	FERST N
TTBTTBA	1 4 8 8




TARE	14.000	kg		
CARRYING CAPAC	ITY - 32000	kg		
CAPACITY -	20382	Litres		
MAX SPEED	60 mile	∕h		
WHEELS	Ø 952			
JOURNALS	φ 140	ROLLER	BEARINGS	

BLFFERS	Н,	ORAULIC	φ 406	HEAD	S	
COUPLIN	GS	INSTANT	ER			
MIN CUE	₹. €	50m				
GEN ARE	RGT DI	RG No				
BRAKE	AIR	BLOCK,	VACUUM F	D39K	HAND	LEVER
SUSPENS	SION	DOUBLE	LINK			

EXCESS 4	Н	М	L	Ε
tonnes	46	46	13	13
٧B	0	0	0	0
AB	21	21	7	7
RA	8	8	1	1
MAX SPEEC	60	60	45	45





TARE	13 100	kg	
CARRYING CAPACITY -	32900	kg	
CAPACITY -	28503	Litres	
MAX SPEED	60 mile	e/h	
WHEELS	Ø 952	-	
JOURNALS	φ 140	ROLLER	BEARINGS


BUTTERS	HYDRAULIC Ø 406 HEADS
COUPLINGS	INSTANTER
MIN CURTE	31m
GEN ARRGT	DRG No
BRAKE A	R BLOCK, VACUUM PIPED HAND LEVER
SUSPENSION	DOUBLE LINK

# 46 tonne GLW TANK WAGON SODIUM HYPOCHLORITE

TT049K

EXCESS 4	Н	М	L	Ε
tonnes	46	46	13	13
· VB	0	0	0	0
AB	21	21	7	7
RA	8	8	1	1
MAX SPEEL	60	60	45	45







TARE	12 9 5 0	kg	
CARRYING CAPAC	CITY -33 000	kg	
CAPACITY -	26730	Litres	
MAX SPEED	60 mile	/h	
WHEELS	Ø 952		
JOURNALS	φ 140	ROLLER	BEARINGS


BUFFERS	Н,	YDRAULIC	φ 40 <i>6</i>	HEAD	S	
COUPLINGS	3	INSTANT	TER .			
MIN CURVI		31m				
GEN ARRG	T D	RG No				
BRAKE	NIR	BLOCK,	VACUUM	PIPED,	HAND	LEVER
SUSPENSIC	N	DOUBLE	LINK			

# 46 tonne GLW TANK WAGON CAUSTIC LIQUOR

TT049L









TARE	13 200	kg		
CARRYING CAPAC	CITY - 32800	kg		
CAPACITY -	22 32 5	Litres		
MAX SPEED	60 mile	/h		
WHEELS	Ø 952			
JOURNALS	Ø 140	ROLLER	BEARINGS	


BUFFERS	HYDRAULIC	Ø 406 H	HEADS	
COUPLINGS	INSTANTE	R		
MIN CURVE	,31m			
GEN ARRGT	DRG No			
BRAKE A	R BLOCK,		HAND	LEVER
SUSPENSION	FRICTION CO	NTROLLEC	PARABOLIC	SPRING

# 46 tonne GLW TANK WAGON CAUSTIC LIQUOR

## TT 049M









TARE	13200	kg	
CARRYING CAPACIT	Y - 32 400	kg	-
CAPACITY -	22325	Litres	
MAX SPEED	60 mile	/h	
WHEELS	<b>9</b> 952		
JOURNALS	Ø 140	ROLLER	BEARINGS

BUFFERS	H'	'DRAULIC	φ 406	HEADS	
COUPLIN	GS	INSTANTE	Ř		
MIN CUI	₹v.E	31m			
GEN ARE	RGT DI	RG Nu			
BRAKE	AIR	BLOCK,		HAND	LEVER
SUSPENS	ION	DOUBLE	LINK		








TARE	13 <sup>400</sup> kg
CARRYING CAPACITY -	32 600 kg
CAPACITY -	28503 Litres
MAX SPEED	60 mile/h
WHEELS	Ø 952
JOURNALS	Φ 140 ROLLER BEARINGS

BUFFERS	HYDRAULIC	ø 406	HEADS	
COUPLINGS	INSTANTE	R		
MIN CURVE	31m			
GEN ARRGT	DRG No			
BRAKE A	R BLOCK,		HAND	LEVER
SUSPENSION	DOUBLE	LINK		

LENGTH 4	H 46	M 46	L 14	E 14
VΒ	0	⊣ 0	0	0
AB	23	23	8	8
RA	В	8	1	1
MAX SPEED	60	60	60	60


	OPS CODE	
CARKND	AARKND	COEMATINA PANELINA
TTB	TTBA	1 6 2 4




TARE	14 100 kg	
CARRYING CAPACITY-	31900 kg	
CAPACITY -	21800 Litr	.ez
MAX SPEED	60 mile/h	
WHEELS	<b>4</b> 952	
JOURNALS	Φ 140 ROLL	ER BEARINGS

BUFFERS	H	ORAULIC	φ 40	6 HEAD	S	
COUPLIN	GS	INSTAN	TER			
MIN CUP	₹ E	31m				
GEN ARE	GT DI	RG No				
BRAKE	AIR	BLOCK,	VACUUM	PIPED,	DUAH	LEVER
SUSPENS	ION	FAT	26			

## 46 tonne GLW TANK WAGON-HYDROCHLORIC ACID



		TOP	S INF	DRMATION			
Contract of the last of the la	OPERATING			BRAKE FORCE DATA	EXCESS	RA	DESIGN
	PANEL No.	60mile/h UP TO 46 tonne	GLW	8t FORCE UP TO 31 tonne GLW	LENGTH	(GLW)	
TTAA		mile/h_ABOVE TO turne		23t FORCE ABOVE STRONG GLW	4	8	W1058




TARE-	13.100 Kg
CAPACITY, WEIGHT-	32,900 Kg
CAPACITY, VOLUME-	28,503 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO.	•

L	BRAKE-	AIR BLOCK & HAND LEVER
	SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
L	COUPLINGS-	INSTANTER
	BUFFERS-	HYDRAULIC 406 DIA
	WHEELS-	952 DIA
	JOURNALS-	140 DIA ROLLER BEARINGS
ric	Duadala 2016 /	visit http://www.barrowmoromra.co.ukh

# 46 tonne GLW TANK WAGON - CAUSTIC SODA LIQUOR

LOT N	UMBER

				ORMATION				
	OPERATING		SPEED	BRAKE	FORCE DATA	EXCESS	RA	DESIGN
	PANEL No.	60 mile/h UP TO	46 tonne GLW	8t FORCE	UP TO 31 tonne GLW			
TTBA		mile/h-ABOV€		23t FORCE	ABOVE STORME GLW	4	9	W1091




TARE-	13,400 Kg	
CAPACITY, WEIGHT-	32 600 Kg	
CAPACITY, VOLUME-	20.384 litres	
MIN. CURVE-	31 m	
GEN. ARRGT. DRG. NO	-	

BRAKE-	AIR BLOCK, VAC. PIPE, HAND LEVER
SUSPENSION	-DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

## 46 tonne GLW TANK WAGON-SODIUM HYPOCHLORITE

LOT N	UMBER

			TOPS INFO	DRMATION			
	OPERATING	OPERATING		BRAKE FORCE DATA	EXCESS	RA	DESIGN
	PANEL No.	60 mile/h UP TO	46 tonne GLW	7t FORCE UP TO 31tonne GLW	LENGTH	(GLW)	SHEET
TTBA		mile/h ABOV€	40 tunne activ	21t FORCE ABOVE STORNE GLW	4	9	W1400




TARE-	12,600 Kg
CAPACITY, WEIGHT-	33,400 Kg
CAPACITY, VOLUME-	28. <sup>503</sup> litres
MIN. CURVE-	31m
GEN. ARRGT. DRG. NO	


BRAKE-	AIR BLOCK, VAC, PIPE, HAND LEVER
SUSPENSION	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE |

## 46 tonne GLW TANK WAGON-SODIUM HYPOCHLORITE



TOPS INFORMATION								
AARKND OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN			
	O mile/h UP TO 46 tonne GLW	7t FORCE UP TO 31 tonne GLW	LENGTH					
TTBA	mile/h-ABOVE tolline dev	21t FORCE ABOVE STronne GLW	4	9	W1401			





TARE- CAPACITY, WEIGHT-	12.800 Kg 33.200 Kg	
CAPACITY, VOLUME-		
MIN. CURVE-	31 m	-

BRAKE-	AIR BLOCK VAC PIPE HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE |

EXCESS 4 LENGTH 4	Н	М	L	E	
tonnes	46	46	16	16	
VB	0	0	0	0	
AB	22	22	10	10	
RA	8	8	1	1	
MAX. SPEED	60	60	45	45	





TARE - 16 250 kg

CARRYING CAPACITY - 29 700 kg.

CAPACITY - 24221 litres.

MAX. SPEED - 60 mile/h.

WHEELS - 952 DIA.

JOURNALS - 140 DIA. ROLLER BEARING.

BUFFERS - HYDRAULIC 406 DIA. HEADS.
COUPLINGS - INSTANTER.
MIN. CURVE - 31 m.
GEN. ARRGT. DRG. No. BRAKE - AIR BLOCK, VACUUM PIPED & HAND LEVER.
SUSPENSION - DOUBLE LINK.

BUILDER - CHARLES ROBERTS.

OWNER - TIGER RAILCAR LEASING,

REGISTERED BY - C. M. & E. E. (B. R. B.) DERBY,


YEAR BUILT - 1966/67.

REGISTRATION Nos. - 51561 TO 51585.

OWNERS Nos. - A 561 TO A 585.

EXCESS 4 Ε Н Μ 46 46 16 tonnes 0 0 0 VΒ 23 9 9 23 AB 8 8 RA MAX. ISPEED 60 60 45 60

	TOPS CODE											
	С	AR	KNI	D	AARKND		OPERATING PANEL No					
١		T	T	В	Т	T	В	A	ı	5	3	7



TARE-16 250 kg.

CARRYING CAPACITY-29 700 kg.

CAPACITY-21889 litres.

MAX SPEED 60 mile/h.

WHEELS-952 DIA.

JOURNALS-140 DIA. ROLLER BEARINGS.

BUFFERS -- HYDRAULIC 406 DIA. HEADS.
COUPLINGS INSTANTER.
MIN. CURVE 31 m.
GEN. ARRGT. DRG No -BRAKE - AIR BLOCK, VACUUM PIPE & HAND LEVER.
SUSPENSION -- DOUBLE LINK.

BUILDER -CHARLES ROBERTS.

OWNER TIGER RAILCAR LEASING.

REGISTERED BY -C. M. & E. E. (B. R. B.) DERBY.

YEAR BUILT - 1967/8.

REGISTRATION Nos. -51649 -51723.

OWNERS Nos. - A 649 -A723.


ISSUE 2
EX. P.O. DIAGRAM 6/766 (ALLOCATED.)

### 46 tonnes G.LW. TANK WAGON

TTO5ID

			,	
EXCESS 4	Н	M	L.	E
tonnes	46	46	17	17
VB	0	0	0	0
AB	23	23	9	9
RA	8	8	ı	ı
MAX. SPEED	60	60	45	45

TOPS CODE					
CARKND	AARKND	OPERATING PANEL No			
TTB	TTBA	1 5 3 8			



₹E _ 16750	) kg.	
RRYING	CAPACITY -29 20	O kg.
PACITY -	24221 litres.	
X. SPEED	– 60 mile/h.	
EELS -95	52 DIA.	
JRNALS-	140 ROLLER BE	ARINGS.

BUFFERS - HYDRAULIC	406 DIA	A. HEADS.	
COUPLINGS - INSTANTE	R.		
MIN. CURVE 31 m,			
GEN ARRGT DRG. No -			
BRAKE <b>AIR BLOCK,VA</b>	CUUM PIF	ED & HAND	LEVER.
SUSPENSION DOUBLE	LINK		


BUILDER - CHARLES ROBERTS.
OWNER TIGER RAILCAR LEASING.
REGISTERED BY - C.M. & E.E. (B. R. B.) DERBY
YEAR BUILT -1969.
REGISTRATION Nos51410 TO 51434
OWNERS Nos

ISSUE I EX. P. O. DIAGRAM 6/76((ALLOCATED.)

#### 46 tonne GLW TANK WAGON

LOT NUMBER				


	TOPS INFORMATION						
AARKND	OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN	
CARKND	PANEL No.	60 mile/h UP TO 46 tonne GLW	9t FORCE UP TO 31 tonne GLW	LENGTH	(GLW)	1	
TTAA		mile/h-ABOVE 40 tolline acvv	23t FORCE ABOVE STORING GLW	4	8	W1023	




TARE-	16. <sup>750</sup> Kg
CAPACITY, WEIGHT-	29, <sup>200</sup> Kg
CAPACITY, VOLUME-	24. <sup>221</sup> litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	l

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	SINGLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE I



Ţ	OPS CODE	
CARKND	AARKND	PENATA PANE N
TTA	T T A A	1 6 2 9



TARE	13250	kg
CARRYING CAPACITY -	32800	kg
CAPACITY -	24975	Litres
MAX SPEED	60 mile/	<b>′</b> h
WHEELS	Ø 952	
JOURNALS	Ø 140 F	ROLLER BEARINGS

BUFFERS	H,	ORAULIC	ø 406	HEADS		
COUPLINGS	<del>-</del>	INSTANTE	R			
MIN CURVE		31m				
GEN ARRGI	DI	RG No				
BRAKE A	NR	BLOCK,		НА	ND	LEVER
SUSPENSIO	N	FAT	28			

ISSUE 1


EX PO. DIAGRAM 6/766(ALLOCATED)

### 46 tonne GLW TANK WAGON-CHLORINE.

		_	_		
	T	$\boldsymbol{\cap}$	•	1	
1		1 1	_	- 4	
		u	J	- 1	
•		•	_	•	

EXCESS 4	Н	М	L	Ε
tonnes	46	46	16	16
<del>∨8</del>				
AB	23	23	9	9
RA	8	8	1	1
MAX SPEEL	60	60	60	60

T	OPS CODE	
CARKND	AARKND	KARATA PANKETA
TTA	TTAAA	1 6 2 9




TARE	16 100	kg	
CARRYING CAPACITY -	29 900	kg	
CAPACITY -	21889	Litres	
MAX SPEED	60 mile	/h	
WHEELS	Ø 952		
JOURNALS	φ 140	ROLLER	BEARINGS


BUFFERS	HYDRAULIC	ø 406	HEADS	
COUPLINGS	INSTANT	R		
MIN CURVE	31m			
GEN ARRGT	DRG No			
BRAKE A	R BLOCK,		HAND	LEVER
SUSPENSION	FAT	28		

ISSUE 1

EX PO. DIAGRAM 6/766(ALLOCATED)



Ţ	OPS COD	E
CARKNO	AARKNE	
TTB	TIB	A 1 5 3 6



16250	kg		_ `
Y- 29700	kg		
24221	Litres		
60 mile	/h		
Ø 952			
Ø 140	ROLLER	BEARINGS	
	Y - 29700 24221 60 mile 4 952	Y - 29 700 kg  24221 Litres  60 mile/h  Φ 952	Y - 29 <sup>700</sup> kg 24221 Litres 60 mile/h


BUFFERS	HYDRAULIC \$ 406 HEADS
COUPLINGS	INSTANTER
MIN CURVE	31m
GEN ARRGT	DRG No
BRAKE A	R BLOCK, VACUUM PIPED, HAND LEVER
SUSPENSION	N DOUBLE LINK

ISSUE 1

### 46 tonne GLW TANK WAGON - SULPHURIC ACID

LOT NUMBER				


	TOPS INFORMATION							
	OPERATING	OPERATING SF	PEED	BRAKE	FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO	16 tonne GLW	IOt FORCE	UP TO 31 tonne GLW	LENGTH	(GLW)	SHEET
TTAA		mile/h-ABOVE	TO TOTAL OLAY	22t FORCE A	ABOVE STRONG GEW	4	9	WII87



TARE-	15,200 Kg
CAPACITY, WEIGHT-	30,800 Kg
CAPACITY, VOLUME-	24. <sup>221</sup> litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	)

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE I



TARE - 16 750 kg	
CARRYING CAPACITY - 33 300 kg	
CAPACITY-22166 litres.	
MAX. SPEED - 60 mile/h	
WHEELS - 952 DIA.	
JOURNALS - 140 DIA. ROLLER BEAF	RINGS

BUFFERS H	YDRAULIC 406 DIA. HEADS
COUPLINGS	INSTANTER
MIN. CURVE	31 m.
GEN ARRGT	DRG. No
BRAKE - AIR	BLOCK, VACUUM PIPED & HAND LEVER
SUSPENSION	I - DOUBLE LINK

BUILDER - STANDARD RAILWAY WAGON Co.

OWNER - PROCOR (UK) LTD

REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY


YEAR BUILT - 1968


REGISTRATION Nos. 58410 -58909(RANGE.)

OWNERS Nos. PA/OI-PA/24

ISSUE 2
EX. P.O. DIAGRAM 6/224 (ALLOCATED)

EXCESS LENGTH 4	Н	М	L	E
tonnes	46	46	13	13
VB	0	0	0	0
АВ	26	26	10	0
RA	8	8	ı	1
MAX. SPEED	60	60	60	60





TARE - 13200 kg.	
CARRYING CA	PACITY-32 800 kg.
CAPACITY-218	71 litres.
MAX. SPEED - 6	O mile/h.
WHEELS-952	DIA.
JOURNALS-14	O DIA. ROLLER BEARINGS


BUFFER	S-HYDRAULIC 406 DIA. HEADS.
COUPLI	NGS – INSTANTER
MIN. CU	RVE -31m
GEN. AR	RGT. DRG. No. –
BRAKE-	AIR BLOCK, VACUUM PIPED & HAND LEVER
SUSPEN	SION - DOUBLE LINK

BUILDER-STANDARD RAIL	WAY WAGON CO.
OWNER-PROCOR (U.K.)	TD.
REGISTERED BY-C.M. & E.I	E. (B.R.B.) DERBY,
YEAR BUILT - 1971/72	
REGISTRATION Nos 5860	OI TO 5866O
OWNERS NosCUI TO CU	6O.


ISSUE 2 EX P.O. DIAGRAM 6/218

# 46 tonne G.L.W. TANK WAGON SULPHURIC ACID

TT 053B.










## 46 tonne GLW TANK WAGON - UREA FORMALDEHYDE RESIN

### TT053C







TARE	12 700	kg	
CARRYING CAPACITY-	33300	kg	
CAPACITY -	38186	Litres	
MAX SPEED	60 mile	/h	
WHEELS -	Ø 952	<del></del>	<del></del>
JOURNALS -	Ø 140	ROLLER	BEARINGS

BUFFERS	HYDRAULIC Ø 406 HEADS
COUPLING	INSTANTER
MIN CURV	31m
GEN ARRG	DRG No
BRAKE A	IR BLOCK, VACUUM PIPED, HAND LEVER
SUSPENSIC	N DOUBLE LINK


ISSUE 1

### 46 tonne GLW TANK WAGON-UREA FORMALDEHYDE RESIN

### TT053D

EXCESS 4	Н	М	L	Ε
tonnes	46	46	13	13
VB	0	0	O	0
AB	26	26	10	10
RA	8	8	1	1
MAX SPEED	60	60	60	60

1	OPS CODE	
CARKND	AARKND	E E HIZET No. E INTERNO. No.
TTB	TTSA	1 6 0 0



12700	kg	
33900	kg	
39122	Litres	
60 mile	/h	
Ø 952		•
φ 140	ROLLER	BEARINGS
	33 <sup>3</sup> 00 39122 60 mile	33 <sup>900</sup> kg 39122 Litres 60 mile/h


BUFFERS	HYDRAULIC Ø 406 HEADS
COUPLINGS	INSTANTER
MIN CURVE	31m
GEN ARRGI	DRG No
BRAKE A	R BLOCK, VACCUM PIPED, HAND LEVER
SUSPENSIO	D D CUBLE LINK


ISSUE 1


EX PO DIAGRAM 6: 218 (ALLOCATED)

# 46 tonne GLW TANK WAGON CAUSTIC LIQUOR

TT053E









TARE	13200	kg	
CARRYING CAPACITY-	32 600	kg	
CAPACITY -	21871	Litres	
MAX SPEED	60 mile	/h	
WHEELS	<b>Ø</b> 952		
JOURNALS	Ø 140	ROLLER	BEARINGS


BUFFERS	H,	/DRAULIC	ø 406	HEADS	
COUPLIN	GS	INSTANT	ER		
MIN CUI	RVE	31m	** ** **** **		
GEN ARE	RGT DI	RG No			
BRAKE	AIR	BLOCK,	VACUUM	PIPED , HAND	LEVER
SUSPENS	ION	D0UBL	ELINK		

ISSUE 1

EX PO. DIAGRAM 6/218 (ALLOCATED)








TARE	12 700	kg	
CARRYING CAPACITY-	33 200	kg	
CAPACITY -	21871	Litres	
MAX SPEED	60 mile	/h	
WHEELS	Ø 952		
JOURNALS -	9 140	ROLLER	BEARINGS


BUFFERS	H	YDRAULIC	ø 406	HEADS	
COUPLIN	iGS	INSTANT	ER		
MIN CUI	RIE	31m			
GEN ARE	RGT D	RG No			
BRAKE	AIR	BLOCK,	VACUUM	PIPED, HAND	LEVER
SUSPENS	SION	DOUBLE	LINK		

ISSUE 1

EX PO. DIAGRAM 6/216 (ALLOCATED)



Ţ	OPS CODE		
CARKNO	AARKND	- + + + A - + A*4+	e K N
TTB	TTBA	1 4	8 8




TARE	13 200	kg		
CARRYING CAPACITY -	32 800	kg		
CAPACITY -	21871	Litres		
MAX SPEED	60 mile	e/h		
WHEELS	Ø 952			
JOURNALS	Ø 140	ROLLER	BEARINGS	


BLFFERS	Н,	YDRAULIC	ø 406	HEADS	
COUPLIN	GS	INSTANTE	R		
MIN CUP	I . E	31m			
GEN ARH	GT D	RG No			
BRAKE	AiR	BLOCK, V	ACUUM	PIPED, HAND	LEVER
SUSPENS	ION	DOUBLE	LIN	<b>(</b>	

ISSUE 1

#### 41 tonne GLW TANK WAGON - MOLASSES



	TOPS INFORMATION								
	OPERATING		SPEED	BRAKE FO	RCE DATA	EXCESS	RA	DESIGN	
	PANEL No.	60 mile/h UP TO	41 tonne GLW	Ot FORCE UP	TO 214-2-2 CIV	LENGTH	(GLW)	SHEET	
TTAA		mile/h-ABOVE		26t FORCE AB	OVE 31 tonne GLW	4	7	WIO96	




TARE-	12.800 Kg
CAPACITY, WEIGHT-	28. <sup>200</sup> Kg
CAPACITY, VOLUME-	21.871 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	


BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE |

#### 41 tonne GLW TANK WAGON - MOLASSES



TOPS INFORMATION								
AARKND OPERATING OPERATING SPEED BRAKE FORCE DATA EXCESS RA							DESIGN	
	7	60 mile/h UP TO		IOt FORCE	UP TO 31 tonne GLW	LENGTH		
TITIAA	T T T	mile/h-ABOVE	41 tonne GLW	26t FORCE	ABOVE	4	7	W1098




TARE-	[3,150 Kg
CAPACITY, WEIGHT-	27. <sup>850</sup> Kg
CAPACITY, VOLUME-	21.871 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	0
<u> </u>	

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE |

EXCESS LENGTH 7	Н	Μ	L	E
tonnes	46	46	16	16
VB	0	0	0	0
AB	24	24	П	11
RA	8	8	. 1	ı
MAX. SPEED	60	60	60	60

TOPS CUDE				
CARKND	AARKND	Contenting		
TTB	TTBA	1 5 6 6		



TARE 15 750 kg.	
CARRYING CAPACITY-30000kg	
CAPACITY-40287 litres	
MAX. SPEED 60 mile/h	
WHEELS - 952 DIA.	<del></del>
JOURNALS- 140 DIA: ROLLER	BEARINGS

BUFFERS	SELF CONTAINED 400 DIA HEADS
COUPLING	S - INTERNATIONAL SCREW
MIN. CUR'	VE -36m
GEN. ARR	GT. DRG. No -
BRAKE-A	IR BLOCK, VACUUM PIPE & HAND LEVER.
SUSPENS	ON- DOUBLE LINK

BUILDER - CHARLES ROBERTS

OWNER - TIGER RAILCAR LEASING.

REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY.

YEAR BUILT - 1969/71


REGISTRATION Nos. - 51895 TO 51947

OWNERS Nos. - 895 TO 947

ISSUE 2 EX- P-O- DIAGRAM 6/187

EXCESS LENGTH 5	Н	M	L	E
tonnes	46	46	18	18
VB	0	0	0	0
АВ	24	24	12	12
RA	3	8	1	i
MAX. SPEED	60	60	60	60

	TOPS CODE						
С	AR	KNI	)	AARKND OPERATING PANEL No			
	T	T	В	T T B A 1 2 4			5



TARE -	17550 kg	
CARRYING CAPAC	CITY- 28 400kg	
CAPACITY-	29094 litres	
MAX. SPEED -	60 mile/h	
WHEELS-	IOOO DIA.	
JOURNALS-	140 DIA.ROLLER BEARINGS.	


BUFFERS -	HYDRAULIC 406 DIA.HEADS
COUPLINGS -	INTERNATIONAL SCREW.
MIN. CURVE –	31 m
GEN. ARRGT. DRG. 1	No. –
BRAKE-	AIR BLOCK, VACUUM PIPED & HAND LEVER
SUSPENSION -	GLOUCESTER PEDESTAL.

BUILDER-	FAUVET - GIREL FRANCE
OWNER -	STORAGE & TRANSPORT SYSTEMS.
REGISTERED	BY- C.M.& E.E. (B.R.B.) DERBY
YEAR BUILT-	1970.
REGISTRATIO	N Nos <b>53219 TO 53235.</b>
OWNERS Nos	- 2026 TO 2035.

ISSUE 2 EX. P.O. DIAGRAM 6/211.

EXCESS LENGTH	Н	М	L	Ε
tonnes	46	46	18	18
VB	0	0	0	0
AB	25	25	13	ย
RA	8	8	1	1
MAX. SPEED	60	60	60	60

TOPS CODE						
CARKND	OPERATING PANEL No					
TTB	TTBA	1 0 7 8				



TARE -	17 800 kg.	
CARRYING C	CAPACITY - 28200 kg	
CAPACITY -	29 ooo litres	
MAX. SPEED	60 m.p.h.	
WHEELS -	952 DIA.	
JOURNALS-	- 140 DIA, ROLLER BEARINGS	


BUFFERS - HYDRAULIC 406 DIA HEADS
COUPLINGS - INTERNATIONAL SCREW
MIN. CURVE - 31 m SINGLY 35 m CLOSE COUPLED
GEN. ARRGT. DRG No FAUVET-GIREL 113 390
BRAKE - AIR BLOCK HAND SCREW & LEVER
SUSPENSION - GLOUCESTER PEDESTAL

ISSUE 1

### 46tonne GLW TANK WAGON

LOT NUMBER					

	TOPS INFORMATION						
AARKND	AARKND OPERATING OPERATING SPEED BRAKE FORCE DATA EXCESS RA DESIGN						
CARKND	PANEL No.	60 mile/h UP TO 46 tonne GLW	12t FORCE UP TO 314000 CIW	LENGTH	(GLW)	SHEET	
TTAA		mile/h_ABOVE 40 tollile dEW	12t FORCE UP TO 31 tonne GLW 24t FORCE ABOVE	5	8	W1342	



TARE-	17.550 Kg
CAPACITY, WEIGHT-	28.400 Kg
CAPACITY, VOLUME-	29.094 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	


BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	GLOUCESTER PEDESTAL
COUPLINGS-	INTERNATIONAL SCREW
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	1000 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE |

### 46 tonne GLW TANK WAGON

LOT NUMBER			

	TOPS INFORMATION							
AARKND	OPERATING	OPERATING	SPEED	BRAKE	FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60mile/h UP TO	46 tonne GLW	13t FORCE	UP TO 31 tonne GLW	LENGTH	(GLW)	SHEET
TTAA		mile/h_ABOVE	folling OFAA	25t FORCE		5	8	W1341



TARE-	17,800 Kg
CAPACITY, WEIGHT-	28. <sup>200</sup> Kg
CAPACITY, VOLUME-	29.000 litres
MIN. CURVE- 31m SINGL	Y,35mCLOSE COUPLED
GEN. ARRGT. DRG. NO	
	FAUVET-GIREL 113390

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	GLOUCESTER PEDESTAL
COUPLINGS-	INTERNATIONAL SCREW
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS


ISSUE |

### 46 tonnes G.L.W TANK WAGON CLASS B LAGGED & COILED.

TTO56A

EXCESS LENGTH 4	Н	Σ	L	Ε
tonnes	46	46	IS	15
VB	0	0	0	0
AB	19	19	8	8
RA	8	8	ı	1
MAX. SPEED	60	60	60	60

1	OPS CODE		]
CARKND	AARKND	OPERATING PANEL No	
TTB	TTBA	1 4 8 9	1



TARE _ 13400kg
CARRYING CAPACITY - 32600kg
CUBIC CAPACITY - 35686. litres.
MAX. SPEED - 60 mile/h
WHEELS-952 DIA.
JOURNALS - 140 DIA. ROLLER BEARINGS


BUFFERS-H	YDRAULIC 406 DIA. HEADS.
COUPLINGS	-INSTANTER.
MIN. CURVE	- 31m.
GEN. ARRGT.	. DRG. No. –
BRAKE – AIR	BLOCK, VACUUM PIPED & HAND LEVER.
SUSPENSION	-DOUBLE LINK.

BUILDER-STANDARD RAILWAY WAGON CO. LTD.
OWNER - PROCOR (UK) LTD.
REGISTERED BY - CM & EE. (B.R.B.) DERBY.
YEAR BUILT-1968
REGISTRATION Nos 58061 TO 58078.
OWNERS Nos 61 TO 78.

ISSUE 2 EX.P.O. DIAGRAM 6/689 (ALLOCATED)

EXCESS LENGTH 5	Н	М	L	Ε
tonnes	46	46	17	17
VB	0	0	0	0
AB	23	23	14	14
RA	8	8	ı	ı
MAX. SPEED	60	60	45	45

TOPS CODE		
CARKND	AARKND	OPERATING PANEL No.
TTB	TTBA	1 5 3 9



1 / RE _16 750kg.	
CARRYING CAPACITY-29 200 kg	
CAPACITY-33 004 litres.	
VAX. SPEED - 60 mile/h.	
WHEELS 952 DIA.	
JOURNALS -140 DIA. ROLLER BEARINGS	

BUFFERS-HYDRAULIC 406 DIA. HEADS	
COUPLINGS - INSTANTER	
MIN. CURVE -31m.	
GEN. ARRGT. DRG. No. –	
BRAKE-AIR BLOCK, VACUUM PIPED & HAND I	LEVER.
SUSPENSION - DOUBLE LINK	

BUILDER-STANDARD RAILWAY WAGON CO.

OWNER - PROCOR (U.K.) LTD.

REGISTERED BY -C.M. & E.E. (B.R. B.) DERBY.

YEAR BUILT - 1970


REGISTRATION Nos. - 58001 TO 58025

OWNERS Nos. - 9001 TO 9025

ISSUE 2 EX P.O. DIAGRAM 6/206

EXCESS LENGTH <b>5</b>	Н	М	L	Ε
tonnes	46	46	17	17
VB	0	0	0	0
AB	23	23	14	14
RA	8	8	1	ı
MAX. SPEED	60	60	45	45

	TOPS CODE	
CARKND	AARKND	PANEL NO
TTB	TIBA	1 5 3 9





TARE <b>[6750 kg</b> .	
CARRYING CAPACITY-29200kg.	
CAPACITY-33004 litres.	
MAX. SPEED - 60 mile/h.	
WHEELS-952 DIA.	
JOURNALS -140 DIA ROLLER	BEARINGS

DIA: HEADS
PIPED & HAND LEVER

BUILDER - STANDARD RAILWAY WAGON Co.	_
OWNER - PROCOR ( U.K.) LTD.	_
REGISTERED BY C.M. & E.E. (B. R. B.) DERBY.	
YEAR BUILT - <b>1971</b>	
REGISTRATION Nos 58941 TO 58946	_
OWNERS Nos I. TO 6.	_

EXCESS 4	Н	М	L	Ε
tonnes	46	46	17	17
VB	0	. 0	0	0
AB	22	22	9	9
RA	8	8	ı	1
MAX SPEED	60	60	45	45






TIRE 16 sooks	
CARRYING CAPACITY - 29 500 kg.	
CAPACITY - 31886 litres.	
MAX SPEED 60 mile/h	
WHEELS 952 DIA.	
JOURNALS 140 DIA, ROLLER BEARINGS	

BUFFERS - <b>H</b>	YDRAULIC 406 DIA. HEADS
COUPLINGS	INSTANTER
MIN. CURVE -	- 31m
GEN. ARRGT	DRG. No. –
BRAKE - <b>AIR</b>	BLOCK, VACUUM PIPED & HAND LEVER
SUSPENSION	-DOUBLE LINK

BUILDER - CHARLES ROBERTS
OWNER - SUKO
REGISTERED BY - C.M. & EE. (B. R.B.) DERBY
YEAR BUILT- 1969
REGISTRATION Nos 61908 TO 61954
OWNERS Nos

15 SUE 2 EX. P.O. DIAGRAM 6/205



TARE_ <b>[4 1</b> 00kg.	
CARRYING CAPACITY-31900 kg.	`
CAPACITY - 36118 litres.	
MAX.SPEED - 60 mile/h.	
WHEELS - 952 DA.	
JOURNALS - 140 DIA. ROLLER	BEARINGS

BUFFERS	-HYC	RAULIC	406	DIA.	HEADS	
COUPLIN	GS –	INSTAN	TER			
MIN. CUP	IVE -3	lm.				
GEN. ARF	GT. D	RG. No	-			
BRAKE	AIR	BLOCK	1AH &	ND L	EVER.	
SUSPENS	ION -	DOUBL	E LIN	K		

BUILDER - R.Y. PICKERING

OWNER - SUKO & BPO

REGISTERED BY - C. M. & E.E. (B.R. B.) DERBY.

YEAR BUILT - 1969

REGISTRATION Nos. - SUKO 63100 TO 63159 (RANGE)


OWNERS Nos. -

ISSUE 2 EX P.O. DIAGRAM 6/189


# 46 tonnes G.L.W. TANK WAGON CLASS A

TT 058C

EX PO DIAGRAM 6/189 (ALLOCATED)









## 46 tonnes G.L.W. TANK WAGON CLASS A

TT058D




Ţ	OPS CODE	
CARKNO	AARKND	PANE N
TTA	TTAAA	1 5 8 8




# 46 tonnes G.L.W. TANK WAGON BITUMEN

TT 058E

EX PO DIAGRAM 6/ 8; (ALLOCATED)









# 46 tonnes G.L.W. TANK WAGON BITUMEN

TT 058F

EXCESS 4	Н	М	L	E
tonnes	46	46	16	16
VΒ				
AB	22	22	9	9
RA	8	8	1	1
MAX SPEEC	60	60	60	60






## 46 tonne GLW TANK WAGON-CLASS B LAGGED & COILED

LOT NUMBER		

	TOPS INF	ORMATION			
AARKND OPERAT	ING OPERATING SPEED	BRAKE FORCE DATA	EXCESS		DESIGN
CARKND PANEL	No. 60 mile/h UP TO 46 tonne GIW	9t FORCE UP TO 25 tonne GLW	LENGTH		
TTAA	mile/h-ABOVE tolling BEW	22t FORCE ABOVE 25 Tolling OLW	4	191	W1087




TARE-	13,600 Kg
CAPACITY, WEIGHT-	32,400 Kg
CAPACITY, VOLUME-	36.118 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	SINGLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE |

EXCESS 4 LENGTH 4	Н	М	L	E
tonnes	46	46	14	14
— <b>∀</b> B				
AB	22	22	9	9
RA	8	8	ı	1
MAX. SPEED	60	60	45	45

TOPS CODE										
С	AR	KNI	D	AARKND			_	PERA	TING No	
	Т	Т	A	7	TTAA		ı	5	4	0



TARE -	[3 800 Kg.
CARRYING CAPACI	TY-32200 kg
CAPACITY-	35713 litres
MAX. SPEED -	60 mile/h.
WHEELS -	952 DIA.
JOURNALS-	140 DIA ROLLER BEARINGS.


BUFFERS -	HYDRAULIC 406 DIA. HEADS				
COUPLINGS -	INSTANTER.				
MIN. CURVE -	31 m				
GEN. ARRGT. DRG. No.	_				
BRAKE –	AIR BLOCK & HAND LEVER				
SUSPENSION -	DOUBLE LINK.				

BUILDER -	METRO CAMMELL.			
OWNER -	SUKO & BPO			
REGISTERED BY -	C.M. & E.E.(B.R.B)DERBY.			
YFAR BUILT-	1966/67 AND 1969.			
REGISTRATION Nos	SUKO 63200 TO 63250 BPO 63260 TO 63293			
OWNERS Nos				

ISSUE 2 EX.PO.DIAGRAM 6/186.

EXCESS 4	Н	М	L	Ε
tonnes	46	46	14	14
VB	0	0	0	0
AB	22	22	9	9
RA	8	8	ı	1
MAX. SPEED	60	60	45	45

TOPS CODE						
CARKND	AARKND	CPERA NG PANEL No				
TTB	TTBA	1 5 2 6				




TARE-	13 800 kg
CARRYING CAPACITY-	32 200 kg
CAPACITY-	35713 litres
MAX. SPEED -	60 mile/h
WHEELS -	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS


BUFFERS-	HYDRAULIC 406 DIA. HEADS
COUPLINGS -	INSTANTER
MIN. CURVE -	31 m
GEN. ARRGT. DRG. I	No. –
BRAKE-	AIR BLOCK, VACUUM PIPED & HAND LEVER
SUSPENSION -	DOUBLE LINK


BUILDER -	METRO CAMMELL					
OWNER –	SUKO & BPO					
REGISTERED BY-	C.M. & E.E. (B.R.B.) DERBY					
YEAR BUILT -	1966					
REGISTRATION Nos -	SUKO 63550 TO 63856 (RANGE) BPO 63560 TO 63895 (RANGE)					
OWNERS Nos						

## 46 tonnes G.L.W. TANK WAGON BITUMEN

TT 059C









# 46 tonnes G.L.W. TANK WAGON CLASS A

TT 059D

tonnes	H 46	M 46	L 14	E 14
∨B				
AB	22	2.2	9	9
BA	8	8	1	, 1
MAX SPEED	60	60	60	60






## 46 tonnes G.L.W. TANK WAGON CLASS A

TT 059G


EXCESS 4 LENGTH 4	H 46	M 46	L 14	E 14
<u> </u>			!	
АВ	22	22	9	9
RA	8	8	1	1
MAX SPEEL	60	60	60	60







# 46 tonnes G.L.W. TANK WAGON CLASS B

TT 059H









## 46 tonnes G.L.W. TANK WAGON CLASS B

TT 059J

EXCESS 4 LENGTH 4	H 46	M 46	L 14	E 14
V8-		·		
AB	22	22	9	9
RA	8	8	1	1
MAX SPEED	60	60	60	60






## 46 tonne GLW TANK WAGON-CLASS B - LAGGED & COILED

LOT NUMBER					

TOPS INFORMATION								
AARKND	OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN		
CARKND	PANEL No.	60 mile/h UP TO 46 tonne GLV	9t FORCE UP TO 25 tonne GLW	LENGTH	(GLW)	1 1		
TTAA		mile/h_ABOVE 40 tollile dev	22t FORCE ABOVE 25 TORING SEW	4	9	W1064		




TARE-	13.700 Kg
CAPACITY, WEIGHT-	32 <sub>.</sub> 300 Kg
CAPACITY, VOLUME-	35.713 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	)
OLN. AIIIOT. DIIG. NC	y

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

### 46 tonne GLW TANK WAGON - CLASS B

LOT N	LOT NUMBER					

	TOPS INFORMATION								
AARKND	OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN			
CARKND	PANEL No.	60 mile/h UP TO 46 tonne GLW	9t FORCE UP TO 251 CIW	LENGTH	(GLW)	SHEET			
TTAA		mile/h_ABOVE Contre GEVV	9t FORCE UP TO 25 tonne GLW 22t FORCE ABOVE	4	9				
						WI089			




TARE-	13,600 Kg
CAPACITY, WEIGHT-	32.400 Kg
CAPACITY, VOLUME-	35. <sup>713</sup> litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	
	<b>→</b>

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	SINGLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

### 46 tonne GLW TANK WAGON - CLASS'B'

LOT NUMBER					

	TOPS INFORMATION								
AARKND	OPERATING	OPERATING	SPEED	BRAKE FORCE DATA		EXCESS	RA	DESIGN	
CARKND	PANEL No.	60 mile/h UP TO	46 tonne GLW	9t FORCE UP TO 25tons 22t FORCE ABOVE	e GIW	LENGTH	(GLW)	SHEET	
TTBA		mile/h-ABOVE		22t FORCE ABOVE 251011		<del></del>	9	W1085	




TARE-	13 700 Kg
CAPACITY, WEIGHT-	32 <sub>.</sub> 300 Kg
CAPACITY, VOLUME-	35.713 litres
MIN. CURVE-	31m
GEN. ARRGT. DRG. NO.	-

BRAKE-	AIR BLOCK, VAC. PIPE, HAND LEVER
SUSPENSION-	SINGLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

#### 46 tonne GLW TANK WAGON - BITUMEN

LOT N	UMBER

	TOPS INFORMATION					
AARKND	OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	45 mile/h UP TO 13.8 tonne GLW	9t FORCE UP TO 254 CIW	LENGTH		: ;
TTAA		60 mile/h ABOVE 13.0 tolline GEVV	9t FORCE UP TO 25tonne GLW 22t FORCE ABOVE	4	9	WI248




TARE-	13,800 Kg
CAPACITY, WEIGHT-	32 000 Kg
CAPACITY, VOLUME-	35.713 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	)


BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE !

### 46tonne GLW TANK WAGON - CLASS A




	TOPS INFORMATION					
AARKND	OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS		DESIGN
CARKND	PANEL No.	45 mile/h UP TO 13.8 tonne GLW	9t FORCE UP TO 251 CLV	LENGTH	,,	SHEET
TTAA		60 mile/h ABOVE 13.8 tolline BEVV	9t FORCE UP TO 25tonne GLW 22t FORCE ABOVE	4	<b>9</b> W	1300




TARE-	13.800 Kg
CAPACITY, WEIGHT-	32,200Kg
CAPACITY, VOLUME-	35. <sup>713</sup> litres
MIN. CURVE-	31m
GEN. ARRGT. DRG. NO	


BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

#### 46 fonne GLW BITUMEN TANK WAGON



	TOPS INFORMATION								
AAI	RKND	OPERATING	OPERATING	SPEED	BRAKE FORCE	DATA	EXCESS	RA	DESIGN
CAR	(ND	PANEL No.	60 mile/h UP TO	46 tonne GLW	9t FORCE UP TO	25 Anna (1 W	LENGTH	(GLW)	SHEET
TT	AA		mile/h-ABOVE	40 tonne GLW	22t FORCE ABOVE	25 tonne GLW	4	9	W 1521






TARE-	15. <sup>350</sup> Kg
CAPACITY, WEIGHT-	30. 650 Kg
CAPACITY, VOLUME-	34.500 litres
MIN. CURVE-	50 m
GEN. ARRGT. DRG. NO	)

BRAKE- AIR, C	I. BLOCK, SINGLE PRESSURE, E/L CONTROL
SUSPENSION	- DOUBLE LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEAD
WHEELS-	952 DIA
JOURNALS-	5 1/2" DIA

#### 46 tonne GLW TANK WAGON - L.P.G.

LOT NUMBER					

	TOPS INFORMATION								
AARKND	OPERATING	OPERATING	SPEED	BRAKE	FORCE DATA	EXCESS	RA	DESIGN	
CARKND	PANEL No.	60mile/h UP TO	46 tonne GLW	9t FORCE	UP TO 25 Land CLW	LENGTH	(GLW)		
TTAA		mile/h_ABOVE	Collie GLVV	9t FORCE 22t FORCE	UP TO 25 tonne GLW ABOVE	4	9	W1442	




TARE-	21,500 Kg
CAPACITY, WEIGHT-	24, <sup>500</sup> Kg
CAPACITY, VOLUME-	
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	)


BRAKE-	AIR BLOCK & HAND LEVER	
SUSPENSION-	SHORT SINGLE LINK & PARABOLIC SPRIN	IG
COUPLINGS-	INSTANTER	
BUFFERS-	HYDRAULIC 406 DIA HEADS	
WHEELS-	952 DIA	
JOURNALS-	140 DIA ROLLER BEARINGS	

ISSUE I

#### 46 tonne GLW TANK WAGON - L.P.G.



	TOPS INFORMATION								
AARKND	OPERATING	OPERATING	SPEED	BRAKE	FORCE DATA	EXCESS	RA	DESIGN	
CARKND	PANEL No.	60 mile/h UP TO	46 tonne GLW	9t FORCE	UP TO DE LOS CLW	LENGTH	(GLW)	1 1	
TTAA		mile/h_ABOVE	COULLE GEAA	22t FORCE	UP TO 25 tonne GLW	4	9	W1443	




TARE-	21,550 Kg
CAPACITY, WEIGHT-	24,450 Kg
CAPACITY, VOLUME-	
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	D

BRAKE-	AIR BLOCK & HAND LEVER	
SUSPENSION-	SHORT SINGLE LINK & PARABOLIC SPRIN	IG
COUPLINGS-	INSTANTER	
BUFFERS-	HYDRAULIC 406 DIA HEADS	
WHEELS-	952 DIA	
JOURNALS-	140 DIA ROLLER BEARINGS	

#### 46 tonne GLW TANK WAGON - BITUMEN

LOT NUMBER							


TOPS INFORMATION								
AARKND								DESIGN
	PANEL No.	60 mile/h UP TO 46	tonne GLW	9t FORCE UP TO 25 to	nna GIW	LENGTH		SHEET
TTAA		mile/h_ABOVE	tomic OLW	22 t FORCE ABOVE		4	9	WIII8




TARE-	15,650 Kg
CAPACITY, WEIGHT-	30. 350 Kg
CAPACITY, VOLUME-	35.713 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	1

BRAKE-	AIR BLOCK, VAC. PIPE, HAND LEVER
SUSPENSION-	SINGLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

#### 46 tonne GLW TANK WAGON BITUMEN



	TOPS INFORMATION								
AARKND	OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN			
CARKND	PANEL No.	60 mile/h UP TO 46 tonne GLW	9t FORCE UP TO 25tonne GLW 22t FORCE ABOVE	LENGTH	(erM)	3 1			
TTAA		mile/h ABOVE	22t FORCE ABOVE 25 Tolline 32.	4	9	WI484			



TARE-	15 <sub>,</sub> 150 Kg
CAPACITY, WEIGHT-	30,850 Kg
CAPACITY, VOLUME-	35.713 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	D


BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	SINGLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

**ISSUE** 1

## 46tonne GLW TANK WAGON - CLASS B' LAGGED & COILED

LOT NUMBER					

	TOPS INFORMATION								
AARKND	OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN			
CARKND	PANEL No.	60 mile/h UP TO 46 tonne GLW	9t FORCE UP TO 25 tongs CIW	LENGTH	(GLW)	SHEET			
TTA		mile/h ABOVE	9t FORCE UP TO 25 tonne GLW 22t FORCE ABOVE	4	8	W1615			



TARE-	13,800 Kg
CAPACITY, WEIGHT-	32. <sup>200</sup> Kg
CAPACITY, VOLUME-	35.713 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	


BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

# 46 tonnes G.L.W. TANK WAGON, CLASS B, LAGGED & COILED.

XCESS 4	Н	М	L	Ε	
tonnes	46	46	14	14	
VB	0	.0	0	0	
AB	22 22		9	9	
RA	8	8	1	1	
MAX SPEEL	60	60	45	45	


### TT 060A

	TOPS CODE							
	CARKND AARKND				i	ERA NE	*1 <b>%</b> 1.	•
•	TTB	T	ΤB	Α	1	5	2	6



EXCESS 4	Н	М	L	Ε
tonnes	46	46	14	14
VE	0	0	0	0
AB	22	22	9	9
RA	8	8	ŀ	ı
MAX. SPEED	60	60	60	60

TOPS CODE					
CARKND	OPERATING PANEL NO				
TTB	TTBA	1 5 8 9			




TARE \_ 14100 kg CARRYING CAPACITY- 31900 kg CAPACITY- 36118 litres. MAX SPEED - 60 mile/h WHEELS - 952 DIA. JOURNALS - 140 DIA. ROLLER BEARINGS BUFFERS-HYDRAULIC 406 DIA. HEADS. COUPLINGS - INSTANTER MIN. CURVE - 31 m GEN. ARRGT. DRG. No. --BRAKE-AIR BLOCK, VACUUM PIPED & HAND LEVER. SUSPENSION - FAT 26

BUILDER - R.Y. PICKERING OWNER - SUKO REGISTERED BY . C.M. & E.E. (B.R.B.) DERBY YEAR BUILT - 1966 - 67 REGISTRATION Nos. -SUKO 65900 - 65903 OWNERS Nos. --


> ISSUE I. EX. PO. DIAGRAM 6/185


# 46 tonnes G.L.W. TANK WAGON CLASS B


TT 060E















### 46 tonne GLW TANK WAGON - CLASS B

LOT NUMBER						

	TOPS INFORMATION								
AARKND	OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN			
CARKND	PANEL No.	60mile/h UP TO 46 tonne GLW	9t FORCE UP TO 25 tonne GLW	LENGTH	(GLW)	WHEE!			
TTBA		mile/h_ABOVE TO Tolline GEVV	22t FORCE ABOVE 25 Tolling GEW	4	9	WIO90			



TARE-	13.800 Kg
CAPACITY, WEIGHT-	32,200 Kg
CAPACITY, VOLUME-	36.118 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	

BRAKE-	AIR BLOCK, VAC.PIPE, HAND LEVER
SUSPENSION-	SINGLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS


# 41 tonnes G.L.W. TANK WAGON BITUMEN

EXCESS 4	Н	М	L	E
tonnes	41	41	16	16
٧B	20	20	9	9
AB	0	0	0	0
RA	8	8	1	1
MAX	60	60	45	45

### TT 061B

DESIGN SHEET No. W548

1	TOPS CODE											
	CARKND		AARKND				OPERATING, PANEL No.					
		T	٢	G	T	٢	G	Α	1	5	6	3




### 46 tonnes G.L.W. TANK WAGON-CLASS.B. LAGGED & COILED.

#### TT062A

EXCESS LENGTH 5	Н	Μ	L	Ε
tonnes	46	46	14	14
VB	0	0	0	0
AB	24	24	11	Η
RA	8	8	ı	l.
MAX. SPEED	60	60	60	60

	TOPS CODE										
c	AR	KNI	D	AARKND		OPERATING PANEL No					
	T	T	В	Т	T	В	Α	1	0	3	9





TARE -	14200 kg.	
CARRYING CAP	ACITY-31800kg	
CAPACITY-	36232 litres.	
MAX. SPEED	60 mile/h.	
WHEELS-	952 DIA.	
JOURNALS -	140 DIA-ROLLER	BEARINGS.


BUFFERS-	HYDRAULIC 406 DIA. HEADS
COUPLINGS -	INTERNATIONAL SCREW.
MIN. CURVE –	3lm.
GEN. ARRGT. DRG. N	lo. –
BRAKE-	AIR BLOCK, VACUUM PIPED & HAND LEVER
SUSPENSION-	DOUBLE LINK.

BUILDER -	STANDARD RAILWAY WAGON Co.
OWNER-	B.R.T. AND E.LTD.
REGISTERED BY-	C.M. & E.E. (B. R. B.) DERBY.
YEAR BUILT-	1970.
REGISTRATION Nos	57851.TO 5788O.
OWNERS Nos	10521.70 10550.

ISSUE 2 EX. P.O. DIAGRAM 6/190.







TARE - 16300 kg

CARRYING CAPACITY - 29 700 kg.

CAPACITY-31722 litres.

MAX SPEED 60 mile/h.

WHEELS 952 DIA.

JOURNALS - 140 DIA. ROLLER BEARINGS.

BUFFERS - HYDRAULIC 406 DIA. HEADS.

COUPLINGS-INSTANTER

MIN. CURVE - 31 m.

GEN ARRGT DRG No. -

BRAKE-AIR BLOCK, VACUUM PIPED & HAND LEVER.

SUSPENSION - DOUBLE LINK.

BUILDER-METRO CAMMELL.

OWNER - SUKO & BPO

REGISTERED BY - C.M. & E.E. (B.R. B)DERBY.


YEAR BUILT - 1966

REGISTRATION Nos BPO 61500 - 61512 (RANGE)


OWNERS Nos. -

ISSUE 2
EX. PO. DIAGRAM 6/732 (ALLOCATED)

#### 46 tonne GLW TANK WAGON



- Company of the Comp	TOPS INFORMATION					
AARKND	OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	45 mile/h UP TO 16.3 tonne GLV	8t FORCE UP TO 31tone CIW	LENGTH	(GLW)	SHEET
TTAA		60 mile/h ABOVE 10.5 tolline dev	23t FORCE ABOVE 31 tonne GLW	4	9	W1249



TARE-	16.300 Kg
CAPACITY, WEIGHT-	29. <sup>700</sup> Kg
CAPACITY, VOLUME-	31,722 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	


BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE 1

#### 46 tonne GLW TANK WAGON-BITUMEN

LOT NUMBER		

	TOPS INFORMATION							
AARKND O	PERATING	OPERATING	SPEED	BRAKE	FORCE DATA	EXCESS	RA	DESIGN
CARKNO P	PANEL No.	60 mile/h UP TO	46 tonne GLW	8 t FORCE	UP TO any con-	LENGTH	(GLW)	SHEET
TTAA		mile/h ABOVE	Conne grav	23t FORCE	UP TO 31 tonne GLW	4	9	W1174




TARE-	15,700 Kg
CAPACITY, WEIGHT-	30,300 Kg
CAPACITY, VOLUME-	31,722 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	). <del>-</del>

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	SINGLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE I

EXCESS 5	Н	М	L	E
tonnes	46	46	13	13
∨B				
АВ	55	55	8	8
RA	8	8	1	_
MAX. SPEED	60	60	60	60

TOPS CODE				
CARKND	AARKND	GPERATING PANEL No		
TTA	TTAA	1 5 7 1		




TARE -	12500 kg
CARRYING CAPACI	TY-33500 kg
CAPACITY -	34608 litres
MAX. SPEED -	60 mile/h
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS


BUFFERS-	SELF CONTAINED 400 DIA HEADS
COUPLINGS -	INTERNATIONAL SCREW
MIN. CURVE -	31 m
GEN. ARRGT. DRG. I	No. –
BRAKE-	AIR BLOCK & HAND LEVER.
SUSPENSION -	FAT 26

BUILDER	C.F.P.M. FRANCE
OWNER –	E.G. STEELE
REGISTERED BY	C.M. & E.E. (B.R.B.) DERBY.
YEAR BUILT	1968
REGISTRATION Nos.	- 55056 - 55078
OWNERS Nos	3056 - 3078

ISSUE 1 EX. PO. DIAGRAM, 6/143.

EXCESS LENGTH 4	Н	М	L	Е
tonnes	46	46	16	16
VB				
AB	21	19	9	9
RA	8	8	1	
MAX. SPEED	60	60	60	60





TARE - 15250kg

CARRYING CAPACITY - 30700kg

CAPACITY - 35 459 litres.

MAX. SPEED - 60 mile/h.

WHEELS - 952 DIA.

JOURNALS - 140DIA. ROLLER BEARINGS.

BUFFERS - HYDRAULIC 406 DIA HEADS.
COUPLINGS - INSTANTER.
MIN. CURVE - 31 m.
GEN. ARRGT. DRG. No. BRAKE - AIR BLOCK & HAND LEVER.
SUSPENSION - DOUBLE LINK.

BUILDER - CHARLES ROBERTS.

OWNER - TIGER LEASING LTD

REGISTERED BY - C.M. & E.E. (B.R.B) DERBY.


YEAR BUILT - 1967.


REGISTRATION Nos. - 51724 - 51763.


OWNERS Nos. - A 724 - A 763.

ISSUE 2

EX. P.O. DIAGRAM 6/767 (ALLOCATED.)








ISSUE 2 EX. P.O. DIAGRAM 6/184

#### 46 tonnes G.L.W. TANK WAGON - CLASS 'B'

#### TTO66E

EXCESS 4	Н	М	L	Е
tonnes	46	46	16	16
VB	21	19	9	9
—AB				
RA	8	8	ı	ı
MAX. SPEED	60	60	45	45

TOPS CODE				
CARKND	AARKND	OPERATING PANFL No		
TTF	TTFA	1 5 3 1		



RE-15800 kg
RRYING CAPACITY-30200 kg
PACITY-35367 litres

X SPEED 60 mile/h
EELS-952 DIA
RNALS-140 DIA ROLLER BEARINGS

BUFFERS-HYDRAULIC 406 DIA HEADS
COUPLINGS-INSTANTER
MIN. CURVE 31 m
GEN. ARRGT. DRG. No. -BRAKE-VACUUM BLOCK & HAND LEVER
SUSPENSION - DOUBLE LINK

BUILDER - METRO CAMMELL

OWNER - BRITISH RAILWAY TRAFFIC & ELECTRIC


REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY

YEAR BUILT - 1965

REGISTRATION Nos. - 57086 & 57087

OWNERS Nos. -- 5652 & 5653

ISSUE 2




TARE -	<b>[6</b> 500 kg.
CARRYING CAPAC	ITY-29500kg.
CAPACITY-	31367 litres,
MAX. SPEED-	60 mile/h.
WHEELS-	952 DIA.
JOURNALS-	40 DIA. ROLLER BEARINGS.


BUFFERS-	HYDRAULIC 406 DIA. HEADS.
COUPLINGS-	INSTANTER.
MIN. CURVE-	3lm.
GEN. ARRGT. DRG	. No
BRAKE-	AIR BLOCK, VACUUM PIPE & HAND LEVER,
SUSPENSION-	DOUBLE LINK.

BUILDER-	METRO-CAMMELL.		
OWNER-	SUKO		
REGISTERED BY-	C.M.& E.E. (B.R.B.) DERBY		
YEAR BUILT-	1965.		
REGISTRATION Nos	-SUKO 61107.		
OWNERS Nos	-		

ISSUE I EX. P.O. DIAGRAM 6/540.









# 46 tonnes G.L.W. TANK WAGON BITUMEN

TT 066H








46 tonnes G.L.W. TANK WAGON CLASS B

TT 066J

W 6 1 4

EXCESS 4	Н	Μ	L	Ε
tonnes	46	46	15.	15
VB.				
AB -	26	26	11	11
RA	8	8	1	1
MAX SPEED	60	60	60	60


TOPS CODE											
С	AR	KN	)	Δ	AARKND		D		ERA NEL	*(*\.). *\	
	T	T	Α	T	T	Α	Α	8	9	5	3



## 46 tonne GLW TANK WAGON CLASS B LAGGED & COILED

LOT N	UMBER

	TOPS INFORMATION					
AARKNO OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN	
CARKND PANEL No.	60 mile/h UP TO 46 tonne GLW	5t FORCE UP TO 20 5. CILL	LENGTH	(GLW)	SHEET	
TTAA	mile/h-ABOVE.	5t FORCE UP TO 30.5 tonneGLW	4	9	WII58	




TARE-	15.300 Kg	
CAPACITY, WEIGH	IT- 30,700 Kg	
CAPACITY, VOLUN	1E- 34.718 litres	
MIN. CURVE-	31 m	
GEN. ARRGT. DRG	NO-	

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

## 46 tonne GLW TANK WAGON - CLASS B

LOT	NUMBER		
	\ 		

			TOPS INFO	RMATION				
AARKND OP	ERATING	OPERATING	SPEED	BRAKE	FORCE DATA	EXCESS	RA	DESIGN
CARKND PA	ANEL No. 6	60 mile/h UP TO	46 tonne GLW	5t FORCE	UP TO 20 C. CIW	LENGTH	(GLW)	SHEET
TTAA		mile/h_ABOVE	to tours OFAA	23t FORCE	UP TO 30.5 tonne GLW ABOVE	4	9	W1160




TARE-	[4,500 Kg
CAPACITY, WEIGHT	. 31 <sub>.</sub> 500 Kg
CAPACITY, VOLUME	- 34. <sup>718</sup> litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. I	VO

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

LOT NUMBER		

	TOPS INFORMATION					
AARKND	OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO 46 tonne GLW	6t FORCE UP TO 20 Changly	LENGTH	(GLW)	SHEET
TTAA		mile/h_ABOVE	6t FORCE UP TO 30.5 tonneGLW 25t FORCE ABOVE	4	. 8	W1335




TARE-	14.850 Kg
CAPACITY, WEIGHT-	31,150 Kg
CAPACITY, VOLUME-	34.718 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. N	0
GEN. ARRGT. DRG. N	0

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

## 46 tonne GLW TANK WAGON - CLASS B' LAGGED & COILED

LOT N	UMBER

TOPS INFORMATION								
AARKND	OPERATING	OPERATING	SPEED	BRAKE	FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO	46 tonne GLW	5t FORCE	UP TO 30.5tonneGLW ABOVE	LENGTH	(GLW)	SHEET
TTAA		mile/h=ADOVE	FOULE OF AS	23t FORCE	ABOVE S. STOTILLE SEW	4	8	M133.7




TARE-	13.750 Kg
CAPACITY, WEIGHT-	32,250 Kg
CAPACITY, VOLUME-	34,718 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. N	0

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

## 46 tunne GLW TANK WAGON - CLASS B

LOT NUMBER		
	a de la constantina della cons	


	TOPS INFORMATION							
AARKND	OPERATING	OPERATING	SPEED	BRAKE	FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO	46 tonne GLW	5.3t FORCE	UP TO 30.5 tonne GLW	LENGTH	(GLW)	SHEET
TTAA		mile/h-ABOVE	10 TOTAL OF AA		ABOVE SOLD FORMEGLW	4	9	WI403




TARE-	14.500 Kg
CAPACITY, WEIGHT-	31,500 Kg
CAPACITY, VOLUME-	34.718 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	0

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

## 46 tonne GLW TANK WAGON - CLASS B



	TOPS INFORMATION						
AARKND	<b>OPERATING</b>	OPERATING	SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO	46 tonne GLW	5.3 t FORCE UP TO 30.5 tonne GLW	LENGTH	(GLW)	SHEET
TITAA		mile/h-ABOVE	~+O forme gras	23.2 t FORCE ABOVE S. STORING OF W	4	9	WI4O5




TARE-	14.700 Kg
CAPACITY, WEIGHT-	31,300 Kg
CAPACITY, VOLUME-	34,718 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO	0

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

## 46 tonne GLW TANK WAGON - CLASS B

LOT NUMBER				


TOPS INFORMATION								
-	OPERATING	OPERATING	SPEED	BRAKE	FORCE DATA	EXCESS	RA	DESIGN
CARKNO	PANEL No.	60 mile/h UP TO	46 tonne GLW	5.3t FORCE	UP TO 30.5 tonneGLW	LENGTH	(GLW)	SHEET
TTAA		mile/h_A80VE	O folling OFAA	23.2t FORCE	ABOVE 30.5 fonneulw	4	9	W1404




TARE-	14.000 Kg
CAPACITY, WEIGHT-	32,000 Kg
CAPACITY, VOLUME-	34 718 litres
MIN. CURVE-	31 m
GEN. ARRGT. DRG. N	0

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER DIAGRAM

		_	
Ι	Μ	L	E
46	46	13	13
0	0	0	0
.25	25	10	10
8	6	1	ı
60	60	45	45
	46 O 25 8	46 46 O O 25 25 8 6	46 46 13 O O O 25 25 1O 8 6 1





3 200 kg	
CARRYING CAPACITY - 32800 kg	
CAPACITY-	
MAX SPEED - 60 mile/h	
WHEELS - 952 DIA.	
JOURNALS - 140 DIA. ROLLER BEARINGS	


SUSPENSION	- DOUBLE LIN	K		
BRAKE - AIR	BLOCK,VACUUM	PIPE	& HAND	LEVER
GEN ARRGT	DRG. No			
MIN. CURVE	- 31m			
COUPLINGS	-INSTANTER			
	YDRAULIC 406	DIA.	HEADS	

BUILDER-I.M.C. (HARTLEPOOL)
OWNER-STORAGE & TRANSPORT SYSTEMS
REGISTERED BY-C.M.& E.E. (B.R.B.) DERBY
YEAR BUILT-1972
SEGISTE TION Nos.-53318 TO 53344
OWNERS Nos.-

ISSUE 2 EX P.O. DIAGRAM 6/228 (ALLOCATED)

EXCESS 4	Н	Μ	L	Ε
tonnes	46	46	13	13
V8				
AB	25	25	9	9
RA	В	8	1	1
MAX SPEED	60	60	60	60

. 1		OPS CODE	
	CARKND AARKND		CREBATING C PANE IN
	TTA	i T A A	1 3 7 4




TARE	12 850	kg	
CARRYING CAPACITY -	33100	kg	
CAPACITY -	32633	Litres	
MAX SPEED	60 mile	/h	
WHEELS	Ø 952		
JOURNALS	Ø 1/.O	POLLED	BEARINGS

BUFFERS		ORAULIC		HEADS	
COUPLINGS		INSTANTE	R		
MIN CURVE		31m			
GEN ARRGT	DF	RG No			
BRAKE A	IR.	BLOCK,		GNAH	LEVER
SUSPENSIO	N	FAT	26		

# 46 tonne GLW TANK WAGON ACETIC ACID

EXCESS 4	Н	М	L	E
tonnes	46	46	13	13
∀B				
AB -	25	25	10	10
84	8	8	1	1
MAX	/ ^	4.0	15	15

	OPS CODE	
CARKND	AARKND	Explanating Surgeting
TTA	TAA	1 4 7 1




TARE	13200	kg	
CARRYING CAPACITY-	32800	kg	
CAPACITY -		Litres	
MAX SPEED	60 mile	/h	
WHEELS	Ø 952		
JOURNALS	Ø 140	ROLLER	BEARINGS

BLFFERS	HYDRAULIC	ø 406	HEADS	
COUPLINGS	INSTANTER	₹		
MIN CURVE	31m			
GEN ARRGT	DRG No			
BRAKE A	R BLOCK,		DHAH	LEVER
SUSPENSION	DOUBLE	LINK		

### 46 tonne GLW TANK WAGON (ACETIC ACID, ETHANOL)

LOT	NUMBER			


	TOPS INFORMATION						
AARKND	OPERATING	OPERATING	SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO	46 tonne GLW	10t FORCE UP TO 37 tonne GLW	LENGTH	(GLW)	SHEET
TTAA		mile/h_ADOVE	-10 forme OFAA	25t FORCE ABOVE 37 Fonne GLW	4	8	W 954




TARE-	12,300	Kg	
CAPACITY, WEIGHT-	33,700	Kg	
CAPACITY, VOLUME	•	A. COLOR	
MIN. CURVE-	31m		
GEN. ARRGT. DRG. I	VO		

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION	-DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

EXCESS LENGTH 4	Н	М	L	Ε
tonnes	46	46	14	14
VB	20	20	8	8
— AB		-		_
RA	8	8	ı	1
MAX. SPEED	60	60	45	45





TARE - 13600 kg	
CARRYING CAPACITY - 32 400	kg
CAPACITY- 21775 litres	
MAX. SPEED 60 mile/h	
WHEELS- 952 DIA.	
JOURNALS-140 DIA. ROLLER	BEARINGS

B FERS-HYDRAULIC 406 DIA. HEADS	
GOUPLINGS - INSTANTER	
MIN. CURVE - 31 m	
GEN. ARRGT. DRG No. –	
BRAKE-VACUUM BLOCK & HAND LEVER	
SUSPENSION - DOUBLE LINK	

BUILDER - PRESSED STEEL

OWNER - B.R.T. & E. LTD.


REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY

YEAR BUILT - 1966


REGISTRATION Nos - 57194 TO 57243 (RANGE)

OWNERS Nos -- 5760 TO 5809

ISSUE I EX P.O. DIAGRAM 6/192




T	OPS CODE		
CARKND	AARKND	Frank Frank	
TTA	TTAA	1 6 1	2




TARE	13450	kg	
CARRYING CAPACITY -	32500	kg	
CAPACITY -	23171	Litres	
MAX SPEED	60 mile	/h	
WHEELS	Ø 952		
JOURNALS	Ø 140	ROLLER	BEARINGS

BUFFER	H,	YDRAULIC	Ø 406	HEADS	
COUPLIN	iGS	INSTANTE	R		
MIN CUI	R.F	31m			
GEN AR	RGT D	RG No			
BRAKE	AiR	BLOCK,		HAND	LEVER
SUSPEN	SION	FAT	26		

EXCESS LENGTH 4	Н	М	L	Ε
tonnes	46	46	13	13
VB	0	0	0	0
AB	22	22	7	7
RA	8	8	ı	ı
MAX SPEED	60	60	45	45





TARE -   3150 kg	
CARRYING CAPACITY- 32 800kg	
CAPACITY- 23403 litres	
MAX. SPEED 60 mile/h	
WHEELS-952 DIA.	
JOURNALS 140 DIA. ROLLER BEARINGS	~


BUFFERS HYDRAULIC 406 DIA. HEADS	
COUPLINGS - INSTANTER	
MIN CURVE - 31m	
GEN. ARRGT. DRG. No -	
BRAKE - AIR BLOCK, VACUUM PIPED & HAND LEV	'ER
SUSPENSION - DOUBLE LINK	


BUILDER METRO	CAMMELL
OWNER - B.R.T. & E.	LTD.
REGISTERED BY C.I	M. & E.E. (B.R.B.) DERBY
YEAR BUILT - 1966	
REGISTRATION Nos -	57697 TO 57746 (RANGE)
OWNERS Nos - 1034	17 TO 10396


ISSUE 2 EX RO. DIAGRAM 6/194

## 46 tonne GLW TANK WAGON CAUSTIC LIQUOR.

TT 069C








TARE	13150	kg	
CARRYING CAPACITY -	32 800	kg	
CAPACITY -	23403	Litres	
MAX SPEED	60 mile	/h	
WHEELS	Ø 952		
JOURNALS	Ø 140	ROLLER	BEARINGS

BUTTERS	HYDRAULIC	φ 406 HI	ADS	
COUPLINGS	INSTANTER	₹		
MIN CURVE	31m			
GEN ARRGI	DRG No			
BRAKE A!	R BLOCK,		HAND	LEVER
SUSPENSION	I FAT	2 6		

EXCESS LENGTH 4	Н	М	L	Ε
tonnes	46	46	13	13
VB	0	0	0	0
AB	26	26	10	10
RA	8	8	ľ	1
MAX. SPEED	60	60	60	60

ा	OFS CODE	
CARKND	AARKND	OPERATING
TTB	TTBA	1 4 8 8



TARE	13 200 kg
CARRYING CAP	ACITY- 32600 kg
CAPACITY-	21871 litres
TYX SPEED	60 mile/h
WHEELS-	952 DIA.
*C***RNALS	140 DIA. ROLLER BEARINGS.


BUFFEPS -	HYDRAULIC 406 DIA. HEADS
COUPLINGS -	INSTANTER
MIN. CURVE -	31 m
GEN. ARRGT, DRG. No	_
BRAKE-	AIR BLOCK, VACUUM PIPED & HAND LEVER
SUSPENSION –	DOUBLE LINK.

BUILDER - S'	TANDARD RAILWAY WAGON Co.
OWNER -	PROCOR (UK.)LTD.
REGISTERED BY -	C.M. & E.E. (B.R.B.) DERBY
YEAR BUILT-	1971
REGISTRATION Nos	58400. TO 58599. (RANGE)
OWNERS Nos	C.L.I. TO C.LIOS.

ISSUE 2 EX. P.O. DIAGRAM. 6/219.


EXCESS 4	Н	М	L	Ε
tonnes	46	46	13	<b>1</b> 3
VB	0	0	0	0
AB	26	26	10	10
RA	8	8	1	1
MAX SPEED	60	60	60	60


T	OPS CODE	
CARKND	AARKND	PANE N
TTB	TTBA	1 6 0 0




TARE	13150	kg		
CARRYING CAPACITY	- 32800	kg		
CAPACITY -	38186	Litres		
MAX SPEED	60 mile	·/ከ		
WHEELS	Ø 952			
JOURNALS	Ø 140	ROLLER	BEARINGS	

BUFFERS	Н	YDRAULIC	φ 406	ь Н	EADS	5	
COUPLINGS		INSTANT	r ER				
MIN CURVE		31m					
GEN ARRG	D	RG No					
BRAKE A	NR.	BLOCK,	VACLUM	PIF	PED,	HAND	LEVER
SUSPENSIO	N	DCARLE	LINK				







TARE	13800	kg	
CARRYING CAPACITY-	32200	kg	•
CAPACITY -	39122	Litres	
MAX SPEED	60 mile	/h	
WHEELS	Ø 952		
JOURNALS	φ 140 l	ROLLER	BEARINGS


BLEFERS	H'	YDRAULIC	Ø 400	HEAD	S	
COUPLIN	GS	INSTANT	ER			
MIN CUF	₹. E	31m				
GEN ARE	RGT DI	RG No				
BRAKE	A!R	BLOCK,	VACUUM	PIPED,	HAND	LEVER
SUSPENS	ION	DOUBLE	LINK			

### 46 tonne GLW. TANK WAGON UREA FORMALDEHYDE RESIN

DESIGN SHEET	No. W. 772						
T	TOPS CODE						
CARKND	OPERATING						
TTB	TTBA	1 6 0 0					

TT070D

EXCESS 4	Η	М	L	E
tonnes	46	46	13	13
٧B	0	0	0	0
A8	26	26	10	10
RA	8	8	1	1
MAX SPEED	60	60	60	60



TARE -	13050	kg		
CARRYING CAPACITY -	32900	kg		
CAPACITY -	39550	Litres		
MAX SPEED -	60 mile	/h		
WHEELS -	Ø 952	<del></del>		
JOURNALS	Ø 140	ROLLER	BEARINGS	


BUFFERS - HYC COUPLINGS - II					
MIN CURVE -					
GEN. ARRGT. DR	i No -				
BRAKE - AIR	BLOCK, W	ACUUM F	PED	HAND	LEVER

ISSUE 2.

#### 46 tonne GLW TANK WAGON-CAUSTIC LIQUOR

LOT NUMBER					


,	TOPS INFORMATION							
AARKND	OPERATING	OPERATING S	SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN	
CARKND	PANEL No.	60mile/h UP TO	46tonne GLW	IOt FORCE UP TO 31. CLW	LENGTH	(GLW)	SHEET	
TTA		mile/h-A90V£	46tonne GLVV	26t FORCE ABOVE 31 tonne GLW	4	8	W1002	




TARE-	13300	K9
CAPACITY, WEIGHT-	32700	K9
CAPACITY, VOLUME-	21871	lifres
MIN. CURVE-	31m	
GEN. ARRGT. DRG. NO		,

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS

## 4 I tonne GLW TANK WAGON (MOLASSES)





	TOPS INFORMATION							
Company of the Company of the Company	OPERATING	OPERATING :	SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN	
CARKND	PANEL No.	60mile/h UP TO	4   tonne GLW	10t FORCE UP TO 21. CLU	LENGTH	(GLW)	SHEET	
TTA		mile/h-ABOVE	4   tonne GLW	26t FORCE ABOVE 31 tonne GLW	4	7	WIO97	




Kg Litres
litres
and the second s

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA. HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS







TARE - 13200kg

CARRYING CAPACITY - 32 000 kg

CAPACITY - 19138 litres

MAX. SPEED - 60 mile/h

WHEELS - 952 DIA.

JOURNALS - 140 DIA. ROLLER BEARINGS

BUFFERS - HYDRAULIC 406 DIA: HEADS
COUPLINGS - INSTANTER
MIN. CURVE - 31 m
GEN. ARRGT. DRG. No. BRAKE - AIR BLOCK & HAND LEVER
SUSPENSION - DOUBLE LINK

BUILDER - I. M. C. (HARTLEPOOL)

OWNER - STORAGE & TRANSPORT SYSTEMS

REGISTERED BY - C.M. & E.E.(B.R.B) DERBY

YEAR BUILT - 1971


REGISTRATION Nos. - 53129


OWNERS Nos. - 1029


ISSUE 2 EX PO DIAGRAM 6/229

## 46 tonne GLW TANK WAGON CHINA CLAY SLURRY

TT071B








TARE	13250	kg	
CARRYING CAPACITY-	32800	kg	
CAPACITY -	19138	Litres	
MAX SPEED	60 mile	/h	
WHEELS	Ø 952		
JOURNALS	Φ 140	ROLLER	BEARINGS

BULLEH.	HYDRAULIC	ø 406	HEADS	
COUPLINGS	INSTANTER	₹		
MIN CURVE	31m	_		
GEN ARRGI	DRG No	9 7		
BRAKE A	R BLOCK,		HAND	LEVER
SUSPENSION	v-Double link wi	h parabo	olic tuperleaf s	prings

EXCESS LENGTH 4	Н	М	L	E
tonnes	46	46	14	14
VB	0	0	0	0
AB	23	23	9	9
RA	8	8	1	1
MAX. SPEED	60	60	45	45

TOPS CODE					
CARKNO	AARKND	OPERATING PANEL No			
TTB	TTBA	1 5 2 8			




TARE 13700kg	
CARRYING CAPACITY - 32360 kg	
CAPACITY - 21080 litres	
MAX SPEED 60 mile/h	
WHEELS 952 DIA	
JOURNALS - 140 DIA. ROLLER	BEARINGS

BUFFERS H	YDRAULIC	406	DIA.	HEAD!	S
COUPLINGS	INSTANT	R			
MIN CURVE	31 m				
GEN ARRGT	DRG No.			-	
BRAKE -AIR	BLOCK, VA	CUUM	PIPE	D & HA	AND LEVER
SUSPENSION	- DOUBLE	LIN	К		

EX. PO. DIAGRAM 6/765 (ALLOCATED)

EXCESS 4 LENGTH 4	H 46	M 46	L 14	E 14
VB				
AB	18	18	7	7
RA	8	8	1	1
MAX SPEEC	60	60	60	60

TOPS CODE						
CARKND	AARKND	PANE N				
TTA	TTAAA	4 5 5				




TARE	13700	kg		
CARRYING CAPACITY-	32 300	kg		
CAPACITY -	2188 <b>9</b>	Litres		
MAX SPEED	60 mile	•/h		
WHEELS	Ø 952			
JOURNALS	Ø 140	ROLLER	BEARINGS	

BUFFERS	HYD	RAULIC	ø 406	HEADS		
COUPLINGS	11	NSTANTE	R			
MIN CURVE		31m				
GEN ARRGT	DRO	3 No				
BRAKE A	IR E	BLOCK,			HAND	LEVER
SUSPENSIO	V	DOUBLE	LINK	सं		

LOT NUMBER					

	TOPS INFORMATION						
AARKND	OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA DESIGN		
CARKND	PANEL No.	60 mile/h UP TO 46 tonne GLW	9t FORCE UP TO 314000 CIW	LENGTH	(GLW) SHEET		
TTA		mile/h_ABOVE 40 tolline GEV	23t FORCE ABOVE 31 tonne GLW	4	9 W1130		




Original diagrams courtesy of Chris Dugdale, 2016 (visit http://www.barrowmoremrg.co.uk)


TARE-	12,500 Kg
CAPACITY, WEIGHT-	33. <sup>500</sup> Kg
CAPACITY, VOLUME-	21.889 litres
MIN. CURVE-	31m
GEN. ARRGT. DRG. NO	

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	U/C DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

#### 46 tonne GLW TANK WAGON—CLAY SLURRY




TOPS INFORMATION								
AARKND OPERATIN	OPERATING S	SPEED		BRAKE FORCE	DATA	EXCESS	RA	DESIGN
CARKND PANEL No		46 tonne GLW	9ŧ	FORCE UP TO	OL CLW	LENGTH	(GLW)	SHEET
TTAA	mile/h_ABOVE	40 tours ara	23t	FORCE OVER	31 tonne GLW	4	8	WI272




TARE-	3,400 Kg
CAPACITY, WEIGHT-	32,600 <b>Kg</b>
CAPACITY, VOLUME-	21.889 litres
MIN. CURVE-	31m
GEN. ARRGT. DRG. NO	

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA. HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA ROLLER BEARINGS



	TOPS INFORMATION					
The same of the sa	OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA DESIGN	
CARKND	PANEL No.	45 mile/h UP TO 13.7 toppe GIW	9t FORCE UP TO 31. CIV.	LENGTH	(GLW) SHEET	
TITIA		60 mile/h ABOVE	9t FORCE UP TO 31 tonne GLW 23t FORCE ABOVE	4	8 W1327	




TARE-	13.700 Kg
CAPACITY, WEIGHT-	32300 Kg
CAPACITY, VOLUME-	21.889 Litres
MIN. CURVE-	31m
GEN. ARRGT. DRG. NO	American Supplies (Supplies Supplies Su

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION	- DOUBLE LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA. HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS

#### 46 tonne GLW TANK WAGON-CLASS'A'

LOT	NUMBER		

AND CONTROL OF STATE			TOPS INF	DRMATION				
<u>AARKN</u> D	OPERATING	OPERATING	SPEED	BRAKE FORCE	DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO	46 tonne GLW	9t FORCE UP TO		LENGTH	(GLW)	SHEET
TTAA		mile/h_ABOVE	46 tonne GLW	23t FORCE ABOVE	31 tonne GLW	4	9	W 484




TARE-	13.000 Kg
CAPACITY, WEIGHT-	32.000 Kg
CAPACITY, VOLUME-	23.700 litres
MIN. CURVE-	31m
GEN. ARRGT. DRG. NO.	*

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	UIC DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA.HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS

ISSUE I

LOT	NUMBER		
L	لمر		


	TOPS INFORMATION					
AARKND OPER	ATING OPERATING	SPEED	BRAKE FORCE DATA	EXCESS		DESIGN
CARKND PANI		46 tonne GLW	9t FORCE UP TO 31 tops CIW	LENGTH	(GLW)  ,	SHEET
TTAA	mile/h-ABOVE	46 tonne GLW	23t FORCE ABOVE 31 tonne GLW	4	9	W1502



[3,900 Kg
32. <sup>100</sup> Kg
31,000 litres
31m


BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE I



LOT N	UMBER

TOPS INFORMATION								
AARKND OPERATING OPERATING	SPEEO	BR	AKE FORCE	DATA	EXCESS	RA	DESIGN	
CARKND PANEL No. 60mile/h UP TO	46 tonne GLW	12t FOR	CE UP TO	214 (1.14)	LENGTH	(GLW)	SHEET	
TTAA DOVE	40 forme of the	24t FOR	CE ABOVE	3Itonne GLW	5	8	W1376	




17,500	Kg
28,500	Kg
28.531	litres
31m	
	28,500

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	GLOUCESTER PEDESTAL
COUPLINGS-	INTERNATIONAL SCREW
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	920 DIA.
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE I

LOT	LOT NUMBER							

TOPS INFORMATION								
	ERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN			
	UP TO 46 tonne GLW	12t FORCE UP TO 314 CLU		(GLW)	SHEET			
[  T A A    mile/h	TROVE 40 forms of 14	24t FORCE ABOVE 3Itonne GLW	5	8	W1512			




3500 Ka
3,531 litres
m

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	GLOUCESTER PEDESTAL
COUPLINGS-	INTERNATIONAL SCREW
BUFFERS-	HYDRAULIC 406 DIA. HEADS
WHEELS-	920 DIA.
JOURNALS-	140 DIA ROLLER BEARINGS

LOT N	UMBER

TOPS INFORMATION									
The state of the s	PERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN				
CARKND PANEL No. 60 mile/		O.375 + (O.5 * tonnes)	LENGTH	(GLW)	SHEET				
TTBA mile/	H-ABOVE 40 tollie gray	0.37.5 + ( 0.5 × torries )	6	8	W780				




TARE-	16.800	Kg
CAPACITY, WEIGHT-	29,200	Kg
CAPACITY, VOLUME-	13.300	litres
MIN. CURVE-	36 m	
GEN. ARRGT. DRG. NO	· 6829	O9/OI-C.ROBERTS

BRAKE-	AIR BI	OCK,T	HROUGH	VAC F	PIPE 8	S HA	ND L	EVE	R	& SCF	EW	7
SUSPENSION-										***************************************	, ,	
COUPLINGS-												
BUFFERS-			· · · · · · · · · · · · · · · · · · ·	THE PERSON NAMED AND ADDRESS OF THE PERSON NAMED AND ADDRESS O								
WHEELS-	952	DIA.		-								
JOURNALS-						**************************************	ani akamin ma			ISSU	E 1	

LOT NUMBER			
	]		


TOPS INFORMATION							
AARKND OPERATING OPERATING SPEED BRAKE FORCE DATA	EXCESS	RA	DESIGN				
CARKND PANEL No. 60 mile/h UP TO 46 tonne GLW 0.375 +(0.5 x tonnes)	LENGTH	(GLW)	SHEET				
TTAAA	6	8	W 780				





TARE-	16.800 Kg
CAPACITY, WEIGHT-	29, 200 Kg
CAPACITY, VOLUME-	13.300 litres
MIN. CURVE-	36 m
GEN. ARRGT. DRG. NO.	
	6829O9/OI

BRAKE-	AIR	BLOCK	& HAND	LEVER
SUSPENSION-				75
COUPLINGS-				
BUFFERS-				de contracto y servicio de contracto de cont
WHEELS-	952	2 DIA		
JOURNALS-				

ISSUE !







TARE -	13800 89
CARRYING CAPAC	ITY- 32 200 kg
CAPACITY -	39914 litres
MAX. SPEED -	60 mile/h
WHEELS -	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS

BUFFERS-	HYDRAULIC 406 DIA. HEADS		
COUPLINGS -	INTERNATIONAL SCREW		
MIN. CURVE	51 m		
GEN ARRGT. DRG. N	0. –		
BRAKE	AIR BLOCK & HAND LEVER.		
SUSPENSION -	DOUBLE LINK		


BUILDER-	POWELL DUFFRYN & R.Y. PICKERING
OWNER -	B.R.T. & E.
REGISTERED BY-	WESTERN REGION
YEAR BUILT -	1966/67 MODIFIED 1975
REGISTRATION Nos.	57377 - 5757O (RANGE).
OWNERS Nos	

ISSUE I
EX PO DIAGRAM 6/227 (ALLOCATED).

# 46 tonne GLW TANK WAGON CLASS B - BITUMEN

tonnes	H 46	M 4 6	L 14	E 14
₩8	<u></u>	<b>.</b>		
AB	22	22	10_	10
RA	. 8	8	1	1
SPLEU	60	60	60	60

<u> </u>	OPS CODE	
CARKND	AARKND	PANE N
TTA	TTAA	1 5 8 5




TARE	13500	kg	
CARRYING CAPAC	ITY - 32000	kg	
CAPACITY -	39914	Litres	
MAX SPEED	60 mile.	∕h	
WHEELS	Ø 952		
JOURNALS	Φ 140	ROLLER	BEARINGS


BLEFERS HYDRAULIC \$ 4	06 HEADS
COUPLINGS INTERNATIONAL	L SCREW
MIN CURVE 51m	
GEN ARRGT DRG No	
BRAKE AIR BLOCK,	HAND LEVER
SUSPENSION DOUBLE LINK & E	RUNINGHAUS SPRINGS

ISSUE 1

EX PO. DIAGRAM 6/227 (ALLOCATED)









TARE	13000	kg		
CARRYING CAPACITY-	33000	kg		
CAPACITY -	39914	Litres		
MAX SPEED	60 mile	/h /		
WHEELS	Ø 952			
JOURNALS	Ø 140	ROLLER	BEARINGS	

BUFFERS	HYDRAULIC \$ 406	HEADS	
COUPLINGS	INTERNATIONAL	SCREW	
MIN CURVE	51m		
GEN ARRGT	DRG No		
BRAKE A	R BLOCK,	HAND	LEVER
SUSPENSION	FAT 26		







TARE-	[3200kg
CARRYING CAPA	CITY- 32 800 kg
CAPACITY-	40 460 litres
MAX. SPEED-	60 mile / h
WHEELS-	952 DIA.
JOURNALS-	150 DIA. ROLLER BEARINGS


BUFFERS-	HYDRAULIC 406 DIA HEADS
COUPLINGS-	INTERNATIONAL SCREW
MIN. CURVE-	31 m.
GEN. ARRGT. DRG.	No
BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	GLOUCESTER PEDESTAL

BUILDER-	STANDARD RAILWAY WAGON CO. LTD.
OWNER-	RAILEASE LTD
REGISTERED BY-	C.M. & E.E. (B.R.B.) DERBY
YEAR BUILT-	1976
REGISTRATION Nos	- 55500 - 55509
OWNERS Nos	

ISSUE 2. EX. PO. DIAGRAM 6/348 (ALLOCATED)

LOT NUMBER		
$\sim$		

Γ	TOPS INFORMATION							
AARKND OPERATING OPERATING SPEED BRAKE		BRAKE FORCE DATA	EXCESS	RA	DESIGN			
C	CARKND	PANEL No.	60 mile/h UP TO 46 tonne GLW	7t FORCE UP TO 31 tonne G.L.W.	LENGTH	(GLW)	SHEET	
Γ	TTAA		mile/h ABOVE	26+ FORCE ABOVE	5	8		





13 200 kg
32 800 kg
31m


BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	GLOUCESTER PEDESTAL
COUPLINGS-	INTERNATIONAL SCREW
BUFFERS-	HYDRAULIC 406 DIA, HEADS
WHEELS-	952 DIA.
JOURNALS-	150 DIA ROLLER BEARINGS

ISSUE 1

EX. P.O DIAGRAM No. 6/348 (ALDIATED)







TARE	13 <sup>700 kg</sup>
CARRYING CAPAC	CITY- 32 300 kg
CAPACITY-	23 794 litres.
MAX. SPEED	60 mile/h.
WHEELS	952DIA.
JOURNALS	140 DIA. ROLLER BEARINGS.


BUFFERS-	HYDRAULIC 406 DIA. HEADS.			
COUPLINGS -	INSTANTER.			
MIN. CURVE –	5lm.			
GEN ARRGT, DRG, No.				
BRAKE-	AIR BLOCK, VACUUM PIPED & HAND LEVER			
SUSPENSION -	PEDESTAL.			


BUILDER -	POWELL DUFFRYN.
OWNER –	M.O.D.A.
REGISTERED BY -	C.M.& EE. (BRB.) DERBY
YEAR BUILT-	1976.
REGISTRATION Nos	56950 and 56951.
OWNERS Nos. –	


ISSUE I EX. P.O. DIAGRAM 6/249.


### 46 tonnes G.L.W. TANK WAGON


### TT079A
























TARE - 13800 kg	
CARRYING CAPACITY	33200 kg
CAPACITY - 39914 litres	
MAX SPEED - 60 mile/h	
WHEELS - 952 DIA.	— +
JOURNALS - 140 ROLLER	BEARING


BUFFERS HYDRAULIC 406 DIA. HEADS
COUPLINGS INTERNATIONAL SCREW
MIN. CURVE 51m SINGLE and CLOSE COUPLED
GEN ARRGT. DRG No. BRAKE - AIR BLOCK and HAND LEVER
SUSPENSION - DOUBLE LINK

ISSLE 2

# 46 tonne GLW TANK WAGON LAGGED - CYCLOHEXANE









TARE	16100	kg		
CARRYING CAPACITY	7-29900	kg		
CAPACITY -	38664	Litres		
MAX SPEED	60 mile	e/h		
WHEELS	Ø 952			
JOURNALS	φ 140	ROLLER	BEARINGS	

BIFFERS HYDRAULIC \$ 406	HEADS	
COUPLINGS INTERNATIONAL S	CREW	
MIN CUR.E 31m		
GEN ARRGT DRG No		
BRAKE AIR BLOCK,	HAND	LEVER
SUSPENSION GLOS FLOATING	PEDESTAL	



CARKND	AARKND	OPERAT N.		
TTA	TTAAA	1 5 9 1		



TARE -	13 450 kg
CARRYING CAPACITY-	32 500 kg
CAPACITY -	39532 Litres
MAX SPEED	60 mile/h
WHEELS -	<b>4</b> 952
JOURNALS -	\$ 140 ROLLER BEARINGS


SUSPENSION	BRUNINGH	ALIC CI			
BRAKE A	R BLOCK,		Н	AND	LEVER
GEN ARRGT	DRG No				
MIN CURVE	31m				
COUPLINGS	INSTANT	R			
BUFFERS	HYDRAULIC	ø 406	HEADS		

# 46 tonne G.L.W. TANK WAGON CLASS A

EXCESS 4	Н	М	L	Ε
tonnes	46	46	13	13
VB				
AB	25	25	9	9
RA	8	8	1	1
MAX SPEED	60	60	60	60

## TT088E

DES	IGN	Sł	IEE	No	). W	764					
			Ţ	OP	s (	coc	Œ				
С	CARKND AARKND				D	_	ERA'				
	T	T	A	T	T	Α	A	1	5	9	3




TARE -	12 700	kg		
CARRYING CAPACITY -	33000	kg		
CAPACITY -	3 <b>8</b> 46 <b>8</b>	Litres		
MAX SPEED -	60 mile.	/h		
WHEELS -	Ø 952			
JOURNALS -	Ø 140	ROLLER	BEARINGS	

BUFFERS -	HYDRAULIC	ø 406	HEADS	
COUPLINGS	- INSTANTE	R		
MIN CURVE	- 31m			
CEN. ARRGT	DRG No			
BRAKE - A	IR, BLOCK & H	IAND LEV	/ER	
SUSPENSIO	N - PARABOLI	C SHORT	LINK	


ISSUE 2.

## 46 tonnes G.L.W. TANK WAGON CLASS A

TT088F










## 46 tonnes G.L.W. TANK WAGON CLASS A


TT 088G








TT088H








EX PO DIAGRAM 6/159(ALLOCATED)

LOT N	UMBER
Z. E. T. Walter Harrison & Married	


TOPS INFORMATION							
the commence of the commence o	OPERATING[	OPERATING	SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN
	PANEL No.	60 mile/h UP TO	46 tonne GLW	7t FORCE UP TO OAK CIVI	LENGTH	(GLW)	SHEET
TTAA		mile/h-ABOVE	COURGEA	21t FORCE ABOVE 24.5tonne GLW	4	9	W/61-7




TARE-		13.000	Kg		· · · · · · · · · · · · · · · · · · ·	
CAPACITY,	WEIGHT-	33,000	Kg	William Constitution of the Constitution of th		
CAPACITY,	VOLUME	-PETROL	381541	KERO-GA	S OIL	38,745
MIN. CURV	E-	31 m		*** **********************************		30072
GEN. ARRG	T. DRG. 1	VO				

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA. HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS

EXCESS 4	Н	М	L	Ε
tonnes	46	46	13	13
VB.			!	
AB	21	21	7	7
RA	8	8	1	1
MAX SPEED	60	60	60	60






TARE	13 000	kg	
CARRYING CAPACITY-	.33000	kg	<del></del>
CAPACITY -	38 605	Litres	
MAX SPEED	60 mile	e∕h	
WHEELS	Ø 952		
JOURNALS	Ø 140	ROLLER	BEARINGS


BUFFERS	HYDRAULIC	ø 406	HEADS	
COUPLINGS	INSTANTE	R		
MIN CURVE	31m			
GEN ARRGT	DRG No			
BRAKE A	R BLOCK,		HAND	LEVER
SUSPENSION	UIC DOUBL	E LINK,	PARABOLIC SI	PRINGS

# 46 tonne GLW TANK WAGON CLASS B

TT088M

EXCESS 4	Н	М	L	E
tonnes	46	46	13	13
VB		<del></del>		
AB	22	22	10	10
RA	8	8	1	<u>,</u> 1
MAX SPEED	60	60	60	60






TARE	12550	kg	
CARRYING CAPACITY-	33450	kg	
CAPACITY -	39414	Litres	
MAX SPEED	60 mile	e/h	
WHEELS	Ø 952		·
JOURNALS	Ø 140	ROLLER	BEARINGS


BUFFERS	HYDRAULIC	φ 406	HEADS	·- · · · · · · · · · · · · · · · · · ·
COUPLINGS	INSTANTE	R		
MIN CURVE	31m			
GEN ARRGT	DRG No			
BRAKE A	R BLOCK,		HAND	LEVER
SUSPENSION	UIC DOUBL	E LINK, I	PARAEOLIC SP	RINGS

# 46 tonne GLW TANK WAGON CLASS B

TT088N


EXCESS 4	Н	Μ	L	Ε
tonnes	46	46	13	13
VB-				
AB	22	22	10	10
RA	8	В	1	1
MAX SPEED	60	60	60	60






TARE	13050	kg	
CARRYING CAPAC	ITY - 132 900	kg	
CAPACITY -	38700	Litres	
MAX SPEED	60 mile	/h	
WHEELS	Ø 952		
JOURNALS	Ø 140	ROLLER	BEARINGS

BUFFERS	H,	YDRAULIC	φ 406	HEADS	
COUPLIN	GS	INSTANTE	R		
MIN CUR	νE	31m			
GEN ARR	GT DI	RG No			
BRAKE	AIR	BLOCK,		HAND	LEVER
SUSPENS	ION	FAT 2	6		









# 46 tonnes G.L.W. TANK WAGON OIL

TT088Q










## 46 tonnes G.L.W. TANK WAGON ACRYLONITRILE

TT 088R








LOT N	UMBER
	2000

TOPS INFORMATION							
AARKND OPERATING OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN			
CARKND PANEL No. 60 mile/h UP TO 46 tonne GLV	IOt FORCE UP TO 314 CITY		(GLW)	SHEET			
TTAAA     mile/h A80VE	22t FORCE ABOVE 3Itonne GLW	4	8	W973			




TARE- 13.000	Kg
CAPACITY, WEIGHT- 33,000	Κg
CAPACITY, VOLUME-38,359	litres
MIN. CURVE- 31 m	
GEN. ARRGT. DRG. NO	

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION	- DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA. HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS

LOT	LOT NUMBER			

TOPS INFORMATION							
COLUMN TO SHARE THE PARTY OF TH	OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN	
CARKNO	PANEL No.	45 mile/h UP TO 13.15 tonne GLW	7t FORCE UP TO OAS.	LENGTH	(GLW)	SHEET	
TTAA		60 mile/h ABOVE 13.13 toline GEW	7t FORCE UP TO 24.5tonne GLW	4	8	W1033	




TARE-	13,150	Kg		
CAPACITY, WEIG	HT-32,800	Kg		
CAPACITY, VOLU	ME-PETROL	38,154	KERO-GAS OIL 3	38,745
MIN. CURVE-	31 m			
GEN. ARRGT. DR	G. NO	- 19		

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION	-DOUBLE LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA. HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS

#### 46 tonne GLW TANK WAGON

LOT	NUMBER		
		]	

	TOPS INFORMATION						
AARKND	OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN	
CARKNO	PANEL No.	45 mile/h UP TO 12.9 tonne GLW	10t FORCE UP TO	LENGTH	(GLW)	SHEET	
TTAA		60 mile/h ABOVE 12.9 tonne GLW	22t FORCE ABOVE 30 tonne GLW	4	8	WI034	




TARE-	12.900 Kg
CAPACITY, WEIGHT-	33.100 Kg
CAPACITY, VOLUME-	39.232 litres
MIN. CURVE-	31m
GEN. ARRGT. DRG. NO	

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA.HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA.ROLLER BEARINGS


LOT N	UMBER

	TOPS INFORMATION							
AARKND	OPERATING	OPERATING	SPEED	BRAKE FORCE	DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO	46 tonne GLW	5t FORCE UP TO	00 00	LENGTH	(GLW)	SHEET
TTAA		mile/h-ABOVE	46 tonne GLW	23t FORCE ABOVE	3Otonne GLW	4	8	WIO25




	TARE-	13,200	Kg
	CAPACITY, WEIGHT-	32,800	Kg
	CAPACITY, VOLUME	-39436	litres
	MIN.,CURVE-	31m	
	GEN. ARRGT. DRG. I	VO	
-			

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA. HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS.



	TOPS INFORMATION								
AARKND	OPERATING	OPERATING	SPEED		BRAKE FORCE	DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60mile/h UP TO	46 tonne GLW	5t f	ORCE UP TO	20. 011	LENGTH	(GLW)	SHEET
TTAA		mile/h ABOVE	40 tollie dev	23 t F	ORCE ABOVE	30 tonne GLW	4 .	8	W1026




TARE-	13,200	Kg	
CAPACITY, WE	GHT-32800	Kg	
CAPACITY, VOL	UME-37.854 <sub>l</sub>	1 PETRO'_ 384401 KERO-(	GAS OIL
MIN. CURVE-	31 m		
GEN. ARRGT. D	RG. NO		

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA, HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS


LOT NUMBER				

<u> </u>	TOPS INFORMATION								
	OPERATING	OPERATING	SPEED	BRAKE FORCE	DATA	EXCESS	RA	DESIGN	
CARKND	PANEL No.	60 mile/h UP TO	46 tonne GLW	IOt FORCE UP TO	OL CLU	LENGTH	(GLW)	SHEET	
TTAA		mile/h_ABOVE	-40 forme of AA	22t FORCE ABOVE	3Itonne GLW	4	9	W1062	




33,200	1/ _	
J_,	Kg	
-PETROL	38.154 ( KERO-GAS OIL 38	7451
31m		
۷0		
	31 m	97.11

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION	- DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA. HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS



	TOPS INFORMATION								
<del></del>	OPERATING	OPERATING SPEED			BRAKE FORCE	DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO 46 to	nne GLW	7t F	ORCE UP TO	0.4.5	LENGTH	(GLW)	SHEET
TTAA		mile/h ABOVE 40 to	IIIIG OLVA		ORCE ABOVE	24.5 tonne GLW	4	9	WI063



TARE-		2.750	Kg		
CAPACITY, V	/EIGHT-	33.250	Kg		
CAPACITY, V	OLUME-	PETROL	38!54	KERO-GAS OIL 3	8.745
MIN. CURVE-		31 m			
GEN. ARRGT.	DRG. N	10			
				•	


BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION	- DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA. HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS

## 46 TONNE GLW TANK WAGON

## TT 089A

EXCESS LENGTH	Н	М	L	E
tonnes	46	46	13	13
VB ····				
AB	29	29	8	8
RA	8	8	1	1
MAX SPEED	60	60	60	60

Г	TOPS CODE											
	CARKND		AARKND		OPERATING PANEL No							
_	T	T	T	Α	T	T	Α	Α	1	6	2	2




TARE - 12 500 Kg	
CARRYING CAPACITY-	33 <sup>500</sup> Kg
CAPACITY -	15 850Kg
MAX. SPEED = .	60 m p h
WHEELS -	953 DIA
JOURNALS -	150 DIA ROLLER BEARINGS

BUFFERS HYDRA	ULIC, 406 DIA HEADS
COUPLINGS	INSTANTER
MIN. CURVE	50 m
GEN ARRGT. DRG	No
BRAKE -AIR BLOCK	8 HAND LEVER
SUSPENSION - GLO	DUCESTER PEDESTAL

#### 46 tonne GLW TANK WAGON


LOT	NUMBER		
	_		

			TOPS INFI	ORMATION			
<u>AARKND</u>	OPERATING	OPERATING	SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO	16 tonna GIW	004 (0 40	LENGTH	(GLW)	SHEET
TTBA		mile/h_ABOVE	40 tollile devv	$0.24 + (0.48 \times tonnes)$	6	8	




TARE-	18.200 Kg
CAPACITY, WEIGHT-	27,800 Kg
CAPACITY, VOLUME-	23,700 litres
Min. Curve-	31 m
GEN. ARRGT. DRG. NO	)
	682910/OI C.ROBERTS

BRAKE-	AIR BLOCK, THRO. VAC. PIPE, HAND LEVER	
SUSPENSION	-13 LEAF SPRING, RUBBER SECONDARY SU	SPENSION
COUPLINGS-	INSTANTER	
BUFFERS-	HYDRAULIC 406DIA HEADS	
WHEELS-	952 DIA	
JOURNALS-	140 DIA ROLLER BEARINGS	ISSUE I



TOP3 CODE	i
CARKNO AARKNO	EFRATA FAMELA
TTATTAL	1 0 4 1




TARE	18200	kg		
CARRYING CAPAC	ITY - 27 800	kg		
CAPACITY -	2 <b>3700</b>	Litres		
MAX SPEED	60 mile	e/h	-	
WHEELS	Ø 952	•=		
JOURNALS	ø 140	ROLLER	BEARINGS	

BUFFERS	H)	DRAULIC	Φ 406	HEADS		
COUPLIN	iGS	INSTANT	R			<del></del>
MIN CUE	₹VE	31m				
GEN ARF	RGT DE	RG No 68	2910 / 0	1 C ROBE	RTS	
BRAKE	AIR	BLOCK,		НАІ	ND	LEVER
SUSPENS	510N13	LEAF SPR	ING, RUBB	ER SECOND	ARY	SUSPN


ISSUE 1

EX DIAGRAME/37G (ALLOCATED)

#### 46 tonne GLW TANK WAGON



ya-damanyayas saasayataanaa qadaa saasayataanaa		ORMATION			
AARKNO OPERATING		BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKNO PANEL No.	60 mile/h UP TO 46 tonne GIW	0.04.40.40	LENGTH		
TTALAL I	mile/h_ABOVE 40 tolline acvv	0.24+(0.48 x tonnes)	6	9	W1144




TARE-	18.550 Kg
CAPACITY, WEIGHT-	27,450 Kg
CAPACITY, VOLUME-	23 700 litres
MIN. CURVE-	31m
GEN. ARRGT. DRG. NO	) 682910/01 c.roberts

BRAKE-	AIR BLOCK & HAND LEVER	
SUSPENSION	-13 LEAF SPRING, RUBBER SECONDARY SU	SPENSION
COUPLINGS-		
BUFFERS-	HYDRAULIC 406 DIA HEADS	
WHEELS-	952 DIA	
JOURNALS-	140 DIA ROLLER BEARINGS	ISSUE 1

LOT NUMBER				

TOPS INFORMATION						
CAPILATE I DANIES	ING SPEED	BRAKE FORCE	DATA	EXCESS	RA	DESIGN
CARKNO PANEL No. 60 mile/h UP		10t FORCE UP TO		LENGTH	(GLW)	SHEET
TTBA mile/h-AB		22t FORCE ABOVE	31 tonne GLW	4	9	W1082




	TARE- 12.750	Kg
	CAPACITY, WEIGHT- 33300	Kg
	CAPACITY, VOLUME-38.700	litres
	MINI CURVE- 31 mx	
	GEN.: ARRGT. DRG. NO	
١		

BRAKE-	AIR BLOCK, VACUUM PIPED & HAND LEVER
SUSPENSION	- SINGLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA, HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS

LOT NUMBER				

	TOPS INFORMATION					
AARKND OPERATING		BRAKE FORCE DATA	EXCESS	RA	DESIGN	
CARKND PANEL No.	45 mile/h UP TO 13.2 tonne GLW	5t FORCE UP TO 21		(GLW)		
TTALAL	60 mile/h ABOVE 13.2 tollile GLVV	23t FORCE ABOVE 31 tonne GLW	4	9	W1106	




TARE-	13,200	Kg	The state of the s
CAPACITY, WEIGHT-	32,800	Κg	
CAPACITY, VOLUME	-39,436	litres	
MIN. CURVE-	31m		
GEN. ARRGT. DRG. I	VO	The state of the s	

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION	- DOUBLE LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA. HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS

LOT NUMBER				

	TOPS INFORMATION					
AARKND	OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	45 mile/h UP TO 60 mile/h ABOVE 13.2 tonne GLW	5t FORCE UP TO OLL OLL	LENGTH	(GLW)	SHEET
TTAA		60 mile/h ABOVE 13.2 tollie GEVV	23t FORCE ABOVE 31 tonne GLW	4	9	WI104




TARE-	13,200	Kg		
CAPACITY, WE	IGHT- 32,800	Kg		
CAPACITY, VO	LUME-37.8541	PE TROL	38.4401 KERO-	GAS OIL
MIN. CURVE-	31m			
GEN. ARRGT. I	ORG. NO			
İ				

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA, HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA ROLLER BEARINGS

LOT NUMBER		
	·	

TOPS INFORMATION					
AARKND OPERATING OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN	
CARKND PANEL No. 45 mile/h UP TO 12.65 tonne GLW	1Ot FORCE UP TO 30	LENGTH	(GLW)	SHEET	
TTAA 60 mile/h ABOVE 12.05 tollile BLVV	10t FORCE UP TO 22t FORCE ABOVE 30 tonne GLW	4	9	WI165	




TARE-	12650 Kg	R/
CAPACITY, WEIGHT-	33,350 Kg	
CAPACITY, VOLUME-	40,000 litres	
MIN. CURVE-	31 m	
GEN. ARRGT. DRG. NO		
CLIA. MAIIGI. DAG. 140	J. <del>-</del>	

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA. HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA.ROLLER BEARINGS

ISSUE |

LOT NUMBER		

TOPS INFORMATION						
AARKND OPE		OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKND PAI	NEL No.	· · · · · · · · · · · · · · · · · ·	6t FORCE UP TO	LENGTH	(GLW)	SHEET
TTAA		60 mile/h ABOVE 12.7 tollile GEW	25t FORCE ABOVE 28 tonne GLW	4	9	W1166




TARE-  2.700 Kg		Γ
CAPACITY, WEIGHT-33,300 Kg		ľ
CAPACITY, VOLUME-37.8541 PETRI	OL 38.4401 KERO-GAS OIL	ľ
MIN. CURVE- 31m		ľ
GEN. ARRGT. DRG. NO		ľ
		H

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION	- DOUBLE LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA, ROLLER BEARINGS

ISSUE |

LOT	LOT NUMBER		
- vanvasta, - da vanca			

	TOPS INFORMATION					
THE RESERVE AND PERSONS ASSESSMENT OF THE PE	OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO 46 tonne GLW	IOt FORCE UP TO QUA		(GLW)	
TITIAIA		mile/h_ABOVE 40 tolline dev	22t FORCE ABOVE 3Itonne GLW	4	8	W1164
				Control of the Contro		




TARE- 12.650	Kg
CAPACITY, WEIGHT- 33350	Kg
CAPACITY, VOLUME-39.414	litres
MIN. CURVE- 31m	
GEN. ARRGT. DRG. NO	
	•

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION	- DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA, HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS

LOT NUMBER		

	TOPS INFORMATION							
AARKND	OPERATING	OPERATING	SPEEO	BRAKE FORCE	DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO	46 tonne GLW	IOt FORCE UP TO	O14 0144	LENGTH	(GLW)	SHEET
TTAA		mile/h_ABOVE	46 tonne GLW	22t FORCE ABOVE	31tonne GLW	4	8	W1167




TARE- 12.550	Kg.
CAPACITY, WEIGHT- 33.450	К9
CAPACITY, VOLUME-38.359	litres
MIN. CURVE- 31m	
GEN. ARRGT. DRG. NO	

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA. HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS

ISSUE (

LOT NUMBER					

	TOPS INFORMATION								
The same of the sa	OPERATING	OPERATING	SPEED		BRAKE FORCE	DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO	46 tonne GLW	5 t	FORCE UP TO	00 000	LENGTH	(GLW)	SHEET
TTAA		mile/h_ABOVE	40 follile GEAA	23t	FORCE ABOVE	28 tonne GLW	4	8	W1229




	TARE-    2,400   Kg	
	CAPACITY, WEIGHT-33600 Kg	
	CAPACITY, VOLUME-34.8041 BUTANE 38.6361 KERO-GAS	5 OIL
	MIN. CURVE- 31m	
	GEN. ARRGT. DRG. NO	
ı		

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA. HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS

ISSUE !

LOT	V	UMBER
	_	

	TOPS INFORMATION								
AARKND	OPERATING	OPERATING	SPEED		BRAKE FORCE	DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO	46 tonne GLW	7t	FORCE UP TO		LENGTH	(GLW)	SHEET
TTAA		mile/h_AB0V€	46 tonne GLW	28t	FORCE ABOVE	31 tonne GLW	4	9	W1194




TARE- 12.600	Kg
CAPACITY, WEIGHT- 33.400	Kg
CAPACITY, VOLUME-39.436	litres
MIN. CURVE- 31 m	
GEN. ARRGT. DRG. NO	

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA, HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE I

LOT NUMBER			

			TOPS INF	DRMATION				
	OPERATING	OPERATING	SPEED	BRAKE FORCE	DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO	46 tonne GLW	7t FORCE UP TO		LENGTH	(GLW)	SHEET
TTAA		mile/h-A00VE	46 tonne GLW	28 t FORCE ABOVE	31 tonne GLW	4	9	WI222




TARE-	12,600	Kg			
CAPACITY, WEIG	HT-33,400	Kg			
CAPACITY, VOLU	ME-37.8811	PETROL	38.468 LKERO-	-GAS	OIL
MIN. CURVE-	31m		The second secon		
GEN. ARRGT. DR	G. NO				
				İ	

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA, HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS

ISSUE I

LOT N	NUMBER		

	TOPS INFORMATION								
AARKND	OPERATING	OPERATING :	SPEED	-	BRAKE FORCE	DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO	46 tonne GLW	6t	FORCE UP TO		LENGTH	(GLW)	SHEET
TTAA		mile/h-ABOVE	40 tuine GLVV		FORCE ABOVE	30 tonne GLW	4	9	W1223




TARE-	12,600	Kg		]
CAPACITY, WEI	GHT-33.400	Kg		]
CAPACITY, VOL	UME-37.854	PETROL	. 38.440 (KERO-GA	SOIL
Min. Curve-	3lm			
GEN. ARRGT. D	RG. NO			]

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS

### 46 tonne GLW TANK WAGON

LOT NUMBER				

	TOPS INFORMATION						
AARKND OPERAT		BRAKE FORCE DATA	EXCESS	RA	DESIGN		
CARKND PANEL	/ C / L tonno [2] \N	5t FORCE UP TO 30. OLL	LENGTH				
TTAA	mile/h ABOVE 40 tollile GLVV	23t FORCE ABOVE 28 tonne GLW	4	8	W1230		




TARE-	12,450	Kg		7
CAPACITY, WEIGH	T- 33,500	Kg		1
CAPACITY, VOLUM	E-34.840	BRITOL	38.6361 KERO-GAS	011
MIN. CURVE-	31m			<u> </u>
GEN. ARRGT. DRG.	NO			1
				1

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA. HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS

LOT NUMBER				

	TOPS INFORMATION							
	OPERATING			BRAKE FORCE	DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	45 mile/h UP TO	13 tonne GLW	Ot FORCE UP TO	01. 01.1	LENGTH	(GLW)	SHEET
TTAA		60 mile/h ABOVE	10 tottle GEAA	22t FORCE ABOVE	3ltonne GLW	4	9	W1245




TARE-	13.000	Kg	}
CAPACITY, W	EIGHT-33,000	Kg	
CAPACITY, VO	JLUME-PETROL	38.154 L KERO-GAS OIL 36	3745
MIN. CURVE-	31 m		
GEN. ARRGT.	DRG. NO		
			ĺ

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION	-DOUBLE LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA. HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS

LOT NUMBER				

	TOPS INFORMATION							
AARKND	OPERATING	OPERATING	SPEED	BRAKE FORCE	DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	45 mile/h UP TO	13 tonne GLW	Ot FORCE UP TO	21. 01.4	LENGTH	(GLW)	SHEET
TTAA		60 mile/h ABOVE	15 tolline octiv	22t FORCE ABOVE	31tonne GLW	4	9	W1267




TARE-	13,000	Kg	
CAPACITY, WEIG	HT-33,000	Kg	
CAPACITY, VOLU	ME-38.359	litres	
MIN. CURVE-	31m		•
GEN. ARRGT. DR	G. NO		

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION	-DOUBLE LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA. HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE |


LOT	LOT NUMBER		
	_		

	TOPS INFORMATION							
AARKNG OPERA	D'occ	OPERATING	SPEED	- marifest land and popular throughout	BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKND PANE	L No.	60 mile/h UP TO	46 tonne GLW	5t	FORCE UP TO 205	LENGTH	(GLW)	
TITIAIAI		mile/h_ABOVE	40 tollie oraa	23 t	FORCE ABOVE 30.5tonne GLW	4	9	WI297




TARE-	12,800	Kg
CAPACITY, WEIG	HT-33.200	Кg
CAPACITY, VOLU	ME-39,436	litres
MIN. CURVE-	31m	The state of the s
GEN. ARRGT. DRO	3. NO	

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA, HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA, ROLLER BEARINGS



	TOPS INFORMATION							
THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER. OF PERSON NAMED IN COLUMN TWO IS NOT THE OWNER. OF THE OWNER.	OPERATING	OPERATING	SPEED	BRAKE FORCE	DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO	46 tonne GLW	IOt FORCE UP TO	214 (114)	LENGTH	(GLW)	SHEET
TTAA		======================================	TO COMIC OLV	22t FORCE ABOVE	31tonne GLW	4	8	W13O3




TARE-	12.750	<sup>0</sup> Kg
CAPACI	TY, WEIGHT-33.250	) Kg
CAPACI	TY, VOLUME-39.414	litres
MIN. CL	7/11	
GEN. AF	RGT. DRG. NO	The state of the s
GEN. AF	RRGT. DRG. NO	

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION	SINGLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS

ISSUE I

LOT NUMBER		

	TOPS INFORMATION								
The same of the sa	OPERATING	OPERATING	SPEEN	BRAKE FORCE	DATA	EXCESS	RA	DESIGN	
CARKND	PANEL No.	60 mile/h UP T0	46 tonne GLW	IOt FORCE UP TO	20 000	LENGTH	(GLW)	SHEET	
TTAA		mile/h_ABOVE	-4 O TOILIE OF AA	22t FORCE ABOVE	31tonne GLW	4	8	W1304	




TARE-	12,850	Kg	The second secon		
CAPACITY, WEIGHT-	33,150	Kg			
CAPACITY, VOLUME	-PETROL	38,154	KERO-GAS O!	38	3745[
MIN. CURVE-	31 m				
GEN. ARRGT. DRG. 1	٧٥				

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION	-SINGLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA. HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS

ISSUE I

LOT NUMBER					

TOPS INFORMATION								
	OPERATING	OPERATING	SPEED	BRAKE FORCE	DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO	46 tonne GLW	5t FORCE UP TO	20.	LENGTH	(GLW)	SHEET
TTAA		mile/h_ABOVE	Conne dev	22t FORCE ABOVE	3Otonne GLW	4	8	W1276




TARE-	12.500	Kg	17	
CAPACITY, WE	IGHT-33,500	Kg	Description of the second of t	
CAPACITY, VO	UME-37.891(1	PETROL	38.4681 KERO-G	ASOIL
MIN. CURVE-	31m			
GEN. ARRGT. [	PRG. NO			


BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA. HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS

ISSUE |

### 46 tonne GLW TANK WAGON



		TOPS INF	ORMATION			
	AARKND OPERATING	OT BITTING OF LED	BRAKE FORCE DATA	EXCESS	RA	DESIGN
ı	CARKND PANEL No.	60 mile/h UP TO 46 tonne GLW	5 t FORCE UP TO 30.	LENICTU		
ł	TITIAIAI	mile/h ABOVE 40 tollile GLW	22t FORCE ABOVE 30 tonne GLW	4	8	WI278




TARE-	12,200	Kg			7
CAPACITY, WEIG	HT-33,800	Kg			1
CAPACITY, VOLU	ME-37.854	PETRO	L 38440ı	KFRO-GAS	OIL
MIN. CURVE-	31 in		<del></del>	110 0/13	T
GEN. ARRGT. DR	G. NO			· ·	1
,					

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA, HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS

ISSUE I

LOT N	UMBER

	TOPS INFORMATION							
AARKNO OPERATING	Charles and Charle							
	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN			
CARKND PANEL No. 60 mil	le/h UP TO 46 . Quy	5 t FORCE UP TO 30.		(GLW)				
	le/h ABOVE 46 tonne GLW	22t FORCE ABOVE 3Otonne GLW	1		W1313			
terminant hermany (), per la comité apparent la partie de la comité des la comité de la comité destination de la comité de la comité destination de la comité de la comité de la comité de la comité de la comité destination de la comité destination de la comité de la comité de la comité de la comité de la comité de la comité de la comité de la comité de la comité de la comité de la comité de la comité de la comité de la comité de la comité de la comité de la comité de la comité de la comité destination de la comité destination de la comité de la comité destination de la comité de la comité de la comité de la comité de la comité de la comité de la comité de la comité de la comité de la comité de la comité de la comité de la comité de la comité de la comité de la comité de la comité de la comité de la co		461 IONGE AUGVE		フ	M1212			




TARE-		12.350	Kg	-		
CAPACITY,	WEIGHT	- 33,650	Kg	w	The state of the s	
CAPACITY,	VOLUME	- 37.854	PE TROL	3844011	(ERO-GAS	011
MIN. CURV	E-	31m				<u> </u>
GEN. ARRG	T. DRG.	NO	-	The state of the s		

Marian Company of the	
BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS

LOT N	UMBER
-	

TOPS INF	ORMATION		Address and Party State of Sta			
AARKND OPERATING OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN		
CARKND PANEL No. 45 mile/h UP TO 13.3tonne GLW	81 FORCE UP TO	LENGTH	(GLW)			
TTGA 60 mile/h ABOVE 13.3 tonne GLW	21t FORCE ABOVE 28 tonne GLW	4	8	W1338		




TARE-		13,200	Kg			1
CAPACITY, V	<b>NEIGHT</b> -	32.800	Kg			
CAPACITY, V	OLUME-	37,881[	PETROL	384681	KERO GAS	OII
MIN. CURVE	-	31m	Charles of the Control of the Control		MENO OAL	VIL
GEN. ARRGT	. DRG. N	0				

DDAVE	MANUAL DI ANIA
BRAKE-	VACUUM BLOCK, AIR PIPE & HAND LEVER
SUSPENSION	-DOUBLE LINK
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA. HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS

ISSUE I

LOT N	UMBER

			TOPS INFO	ORMATION	and the second s			
Committee of the Commit	OPERATING	OPERATING	0,000	BRAKE FORCE	DATA	EXCESS	RA	DESIGN
	PANEL No.	40 mile/h UP TO	13.3 tonne GLW	8 t FORCE UP TO	00	LENGTH	(GLW)	SHEET
TITIGIA		60 mile/h ABOVE	10.0 tollillo GEVV	21 t FORCE ABOVE	28 tonne GLW	4	8	W1336




					ν,	
TARE-		13,300	Kg			]
CAPACITY,	WEIGHT-	32,700	Kg			1
CAPACITY,	VOLUME	34.804	BUTAN	E386361	KERO-GAS	OIL I
MIN. CURV		31 m			7-2110 0410	
GEN. ARRG	T. DRG. N	VO				1

BRAKE-	VACUUM BLOCK, THROUGH AIR PIPE & HANI	D LEVER
SUSPENSION-	DOUBLE LINK	
COUPLINGS-	INSTANTER	
BUFFERS-	HYDRAULIC 406 DIA, HEADS	•
WHEELS-	952 DIA.	
JOURNALS-	140 DIA ROLLER BEARINGS	ISSUE I

LOT N	UMBER

	TOPS INFORMATION	romania di kacamatan Marijaran kacamatan kacamatan kacamatan kacamatan kacamatan kacamatan kacamatan kacamatan	PHILIPPENDENT NAMED	A	1
	AARKND OPERATING OPERATING SPEED BRAKE FORCE DATA	EXCESS	l RA	DECICAL	
	CARRINDI PANEL NO. 60 mile/h UP TO	LEMOTU		DESIGN SHEET	
ı	TTAAA mile/h ABOVE 46 tonne GLW 24t FORCE ABOVE 30.5tcnne	GLW 4	1,	W1351	
			1	11112211	ı




TARE-	12,500	Kq	
CAPACITY, W	EIGHT-33,500	Кg	
CAPACITY, VO	LUME-34840	BRITOL 386	361 KERO GAS OIL
MIN. CURVE-	31 m		THE CONSTITUTE
GEN. ARRGT.	DRG. NO		

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION	- DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA. HEADS
WHEELS-	952 DIA.
LJUUKNALS-	140 DIA. ROLLER BEARINGS

LOT N	UMBER

	TOPS INFORMATION							
Description of the last of the	OPERATING	OPERATING	SPEED	an million to compare pure	BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO	46 tonne GLW	5t	FORCE UP TO 305th CLW	LENGTH	(GLW)	SHEET
TITIAIA		mile/h_ABOVE	40 forms graa	<u> 24t</u>	FORCE ABOVE 305tonne GLW	4	9	W1352




TARE-	12:400	Кд		7M1
CAPACITY, WEIGH	1T-33,600	Kg		
CAPACITY, VOLUM	NE-34.8041	BUTANE	386361 KE	RO GAS OIL
MIN. CURVE-	31m			Annual of the Control
GEN. ARRGT. DRG	i. NO			

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA. HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS

## 42.5 tonne GLW TANK WAGON

LOT N	UMBER

	TOPS INFO	DRMAT	ION				
AARKND OPERATING	OPERATING SPEED	100 may 100 may 100 may 100 may 100 may 100 may 100 may 100 may 100 may 100 may 100 may 100 may 100 may 100 may	BRAKE FORCE	DATA	EXCESS	RA	DESIGN
CARKND PANEL No.	60 mile/h UP TO 42.5 tonne GLW	9 t	FORCE UP TO	00	LENGTH	(GLW)	
	mile/h ABOVE 42.5 tollile GEW	22 t	FORCE ABOVE	30tonne GLW	4	7	W1454



950 Kg
2.300 litres
m


BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	SINGLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA. HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE 1

## 42.5 tonne GLW TANK WAGON

LOT NUMBER		

	TOPS INF	ORMATION	7
	AARKND OPERATING OPERATING SPEED CARKND PANEL NO. 60 mile/h LIP TO	BRAKE FORCE DATA EXCESS   RA   DESIGN	$\mathbf{H}$
	O milio/II UI IU A C Excess CIVAL	9 + FORCE UP TO LENGTH (GLW) SHEET	
1	TTTA   mile/h ABOVE 42.5 tonne GLW	22 t FORCE ABOVE 3Otonne GLW 4 7 W145	5



775 Kg
. 114
2.300 litres
m


BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA, HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS

ISSUE |

# 42.5 tonne GLW TANK WAGON - L.P.G.

LOT NUMBER				

	TOPS INFORMATION						
AARI	-	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN	
CARK	ID PANEL No.	60 mile/h UP TO 42.5 tonne GLW	9t FORCE UP TO 30. OUL		(GLW)	SHEET	
TT	AA	mile/h_ABOVE 42.3 toline dray	9t FORCE UP TO 30 tonne GLW	4	7	W1499	




	TARE- 22,050 Kg	
	CAPACITY, WEIGHT- 20,450 Kg	
į	CAPACITY, VOLUME-15,500 Kg PROPANE, 19,000 Kg BUTANE	1
	MIN. CURVE- 31m	,
	GEN. ARRGT. DRG. NO	


BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	SINGLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

ISSUE |

### 46 tonne GLW TANK WAGON



TOPS INFORMATION					
AARKNO OPERATING OPERATING SPEED		EXCESS RA DESIGN			
CARKND PANEL No. 60 mile/h UP TO 161	tonne GLW 9t FORCE UP TO 25 tonne GLW	LENGTH (GLW) SHEET			
TTAAA     mile/h ABOVE 401	22t FORCE ABOVE 25 tonne GLW	4 9 W1516			




TARE-	13.700 Kg
CAPACITY, WEIGHT-	32,300 Kg
CAPACITY, VOLUME-	35.713 litres
MIN. CURVE-	31 m

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	SINGLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA.HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA.ROLLER BEARINGS

## 42.5 tonne GLW TANK WAGON-LPG

LOT NUMBER				

TOPS INFORMATION							
The second of th	OPERATING		BRAKE FORCE	DATA	EXCESS	RA	DESIGN
CARKND	PANEL No.	60 mile/h UP TO 42.5 tonne GLW	9.29 t FORCE UP TO		LENGTH		
TTAA		mile/h_ABOVE 42.5 toline GLW	2221 t FORCE ABOVE	3Otonne GLW	4	7	W1550
			The state of the s		-		




TARE-	21.400 Kg	
CAPACITY, WEIGHT-	21.100 Kg	
CAPACITY, VOLUME	-	
MIN. CURVE-	31 m	
GEN. ARRGT. DRG. N	10	

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	SINGLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA. HEADS
WHEELS-	952 DIA.
JÚURNALS-	140 DIA. ROLLER BEARINGS

### 42.5 tonne GLW TANK WAGON-LPG

LOT N	UMBER

			TOPS INF	ORMATION			-	
		OPERATING		BRAKE FORC	E DATA	EXCESS	RA	DESIGN
	CARKND	PANEL No.	60 mile/h UP TO 42.5 tonne GLW	9.29 t FORCE UP TO	20.	IFNGTH		
ļ	[		mile/n_AUUVE	22.21 t FORCE ABOVE	30tonne GLW	4	7	W1551




TARE-	21.850 Kg
CAPACITY, WEIGHT-	20,650 Kg
CAPACITY, VOLUME-	
MIN. CURVE-	31 m
GEN. ARRGT. DRG. NO.	-


BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA, HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA.ROLLER BEARINGS

ISSUE 1

## 42.5 tonne GLW TANK WAGON - LPG.



		ORMATION		·	
AARKND OPERATING	0. 0	BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKND PANEL No.	60 mile/h UP TO 425 tonne GIW	9.29t FORCE UP TO 30 tonneGLW 22.21t FORCE ABOVE	LENGTH		
	mile/h_ABOVE	22.21t FORCE ABOVE 30 TONNEGLW	4	フ	W1552




22 .050 Kg	TARE-
 IT- 20,450 Kg	CAPACITY, WEIGH
1E-	CAPACITY, VOLUN
31m	MIN. CURVE-
 . NO	GEN. ARRGT. DRG
. NO	BEN. AKRGT. DRG

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION	-DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

# 42.5 tonne GLW TANK WAGON - LPG.

LOT NUMBER	

		ORMATION			
AARKND OPERATING	O' LIN THIS O' LLD	BRAKE FORCE DATA	EXCESS	RA	DESIGN
CARKND PANEL No.	60 mile/h UP TO 42 5 tonne GIW	9t FORCE UP TO 3O tonne GLW 22t FORCE ABOVE	LENGTH		
	mile/h_ABOVE	22t FORCE ABOVE	4	7	W1553




TARE-	18.080 Kg	
CAPACITY, WEIGHT-	24,420 Kg	
CAPACITY, VOLUME-		
MIN. CURVE-	3lm	
GEN. ARRGT. DRG. N	0	

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION	-SINGLE LINK & PARABOLIC SPRING
	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA
JOURNALS-	140 DIA ROLLER BEARINGS

42.5 tonne GLW TANK WAGON-LPG

LOT NUMBER					

	TOPS INFORMATION							
. !	AARKNO OPERATING	OPERATING SPEED		BRAKE FORCE	DATA	EXCESS	RA	DESIGN
	CARKND PANEL No.		9 t	FORCE UP TO		LENGTH	(GLW)	SHEET
	TTAA	mile/h ABOVE 42.3 tolline GLVV	22 t	FORCE ABOVE	3Otonne GLW	4	7	W1554




O 700 Kg
38.641 litres
31 m

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSIUN-	SINGLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA. HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS

ISSUE |

LOT NUMBER				

TOPS INFORMATION								
AARKND OPERATING OPERATING SPEED			BRAKE FORCE DATA		EXCESS	RA	DESIGN	
CARKND	PANEL No.	60 mile/h UP TO	46 tonne GLW	Ot FORCE UP TO	214 614	LENGTH	(GLW)	SHEET
TTAA		mile/h_ABOVE		22t FORCE ABOVE	31 tonne GLW	4	8	W1606





TARE-	13.000 Kg	
CAPACITY, WEIGHT-	33 <u>.</u> 000 Kg	
CAPACITY, VOLUME-	38.700 litres	
MIN. CURVE-	31 m	
GEN. ARRGT. DRG. NO	),-	
	· •	

BRAKE-	AIR BLOCK, HAND LEVER
SUSPENSION-	DOUBLE LINK & PARABOLIC SPRING
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA. HEADS
WHEELS-	952 DIA.
JOURNALS-	140 DIA. ROLLER BEARINGS

ISSUE |

EXCESS LENGTH 7	Н	М	L	E
tonnes	51	51	14	14
VB				
AB	25	25	8	8
RA	10	8	1_	1
MAX. SPEED	60	60	60	60





TARE - 13 700kg.	
CARRYING CAPACITY- 37 300kg.	
CUBIC CAPACITY - 52733. litres.	
MAX. SPEED - 60 mile/h.	
WHEELS-952 DIA.	
JOURNALS - 150 DIA. ROLLER BEARINGS.	

BUFFERS-HYDRAULIC 406 DIA	A. HEADS.
COUPLINGS - INSTANTER.	
MIN. CURVE - 71m.	
GEN. ARRGT. DRG. No. –	
BRAKE-AIR DISC. & HAND SCRE	EW
SUSPENSION-GLOUCESTER P	RIMARY 2 AXLE.

BUILDER - CHARLES ROBERTS.

OWNER - PROCOR (U.K.) LTD.

REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY.

YEAR BUILT - 1972.

REGISTRATION Nos. - 70023 TO 70067.


OWNERS Nos. - 70023 TO 70067.


ISSUE 2
EX.P.O. DIAGRAM 6/240 (ALLOCATED)

### 51 tonnes G.L.W. TANK WAGON CLASS B

### TUOOIB

EXCESS LENGTH 4	Н	М	L	Ε
tonnes	51	51	14	14
<del></del>				
AB	25	25	8	8
RA	10	8	ı	1
MAX. SPEED	60	60	60	60





TARE 13900kg.		
CARRYING CA	PACITY- 37 IOOkg	
CAPACITY -	42141 litres	
MAX. SPEED -6	Omile/h	
WHEELS - 952	DIA.	
JOURNALS-15	O DIA. ROLLER BEARINGS,	

BUFFERS-HYDRAULIC 406 DIA. HEAD	S.
COUPLINGS-INTERNATIONAL SCREW.	
MIN. CURVE - 31m.	112
GEN. ARRGT. DRG. No. –	
BRAKE - AIR DISC & HAND SCREW	
SUSPENSION - GLOUCESTER PRIMARY	2 AXLE.

BUILDER-STANDARD RAILWAY WAGON CO.

OWNER- PROCOR (UK) LTD.

REGISTERED BY - C.M. & E.E.(B.R.B.) DERBY.


YEAR BUILT-1974

REGISTRATION Nos.-70068 TO 70092.

OWNERS Nos.-70068 TO 70092.

EXCESS 5	Н	М	L	Ε
tonnes	51	51	15	15
VB				
AB	25	25	10	10
RA	10	8	1	1
MAX. SPEED	60	60	60	60





TARE 15050kg		
CARRYING CAL	PACITY - 3	35 900kg.
CAPACITY-	42141	litres.
MAX SPEED 6	O mile/h.	
WHEELS 952	DIA.	
JOURNALS 15	O DIA. RO	LLER BEARINGS.

BUFFERS - HYDRAULIC 406 DIA. HEADS
COUPLINGS - INTERNATIONAL SCREW.
MIN CURVE - 31m.
GEN. ARRGT. DRG No -
BRAKE - AIR DISC & HAND SCREW
SUSPENSION SCHLIEREN PRIMARY 2 AXLE.


BUILDER NORBRIT PICKERING.
OWNER - PROCOR (UK) LTD.
REGISTERED BY - C.M. & E.E. (B.R.B) DERBY.
YEAR BUILT - 1974
REGISTRATION Nos - 70093
OWNERS Nos - 70093


ISSUE 2 EX. P.O. DIAGRAM 6/651 (ALLOCATED)

### 51 tonnes G.L.W. TANK WAGON CLASS A.

### TUOOID

EXCESS LENGTH 5	Н	М	L	Ε
tonnes	51	51	14	14
— ∨B				
AB	24	24	8	8
RA	10	8	1	1
MAX. SPEED	60	60	60	60





TARE - 13800kg		
CARRYING CAP	ACITY-37200kg	
CAPACITY -	43870 litres.	
MAX. SPEED - 6	O mile/h.	
WHEELS-952	DIA.	
JOURNALS - 150	DIA. ROLLER BEARINGS.	

BUFFERS-HYDRAULIC 406 DIA. HEADS.	
COUPLINGS-INTERNATIONAL SCREW.	
MIN. CURVE - 31m.	
GEN. ARRGT. DRG. No. –	
BRAKE - AIR DISC, & HAND SCREW	
SUSPENSION-GLOUCESTER PEDESTAL.	

BUILDER-NORBRIT PICKERING.

OWNER-PROCOR (U.K.) LTD.

REGISTERED BY-C.M. & E.E.(B.R. B.) DERBY.

YEAR BUILT-1973.

REGISTRATION Nos.-70098 TO 70117


OWNERS Nos.-70098 TO 70117


ISSUE 2 EX.P.O. DIAGRAM 6/800 (ALLOCATED)

## 51 tonnes G.L.W. TANK WAGON CLASS B

TUO01E

EXCESS 5	Н	М	L	Ε
tonnes	51	51	15	15
VB				
АВ	25	25	10	10
RA	0	В	1	ı
MAX. SPEED	60	60	60	60






TARE -	<b> 4</b> 750kg.		
CARRYING CAPAC	ITY— 36 200kg.		
CAPACITY-	42141 litres,		
MAX. SPEED -	60 mile/h.		
WHEELS -	952 DIA.		
JOURNALS -	ISO DIA. ROLLER BEARINGS		


BUFFERS-	HYDRAULIC 406 DIA. HEADS.
COUPLINGS -	INTERNATIONAL SCREW
MIN. CURVE –	31 m.
GEN. ARRGT. DRG	No. –
BRAKE-	AIR DISC & HAND SCREW.
SUSPENSION -	GLOUCESTER PEDESTAL.

BUILDER -	NORBRIT PICKERING.
OWNER –	PROCOR (U.K.) LTD.
REGISTERED BY-	C.M. & E.E. (B.R.B.) DERBY.
YEAR BUILT -	1974
REGISTRATION Nos.	-70094 TO 70097.
OWNERS Nos	70094 TO 70097.

ISSUE 2 EX. P.O. DIAGRAM 6/651 (ALLOCATED.)

EXCESS 4 LENGTH 4	Н	М	L	E
tonnes	51	51	13	13
VB	0	0	0	0
АВ	25	25	11	11
RA	10	8	ı	1
MAX SPEED	60	60	60	60






13 200 kg.  CARRYING CAPACITY-37 800 kg.			
AR TREED -	60 mile/h.		
11 11 11 11	952 DIA.		
, 4, PM 123	140 DIA, ROLLER BEARINGS.		


HYDRAULIC 406 DIA.HEADS
INSTANTER.
31m.
0 —
AIR BLOCK, VACUUM PIPED & HAND LEVER.
PEDESTAL.

BUILDER -	STANDARD RAILWAY WAGON Co.
OWNER	PROCOR (U.K.) LTD.
REGISTERED BY -	C.M. & E.E. (B.R. B.) DERBY.
YEAR BUILT -	1972.
REGISTRATION Nos.	70001 TO 70022.
OWNERS Nos	MD.I. TO MD. 22.

ISSUE 2 EX.PO.DIAGRAM 6/254.

EXCESS LENGTH 4	Н	M	L	Ε
tonnes	51	51	14	14
∀B				
AB	31	31	9	9
RA	10	8	1	ı
MAX. SPEED	60	60	60	60





TARE -13 700 kg	).
CARRYING C	APACITY-37 300kg.
CAPACITY-39	768 litres.
MAX SPEED -	60 mile/h.
WHEELS -952	DIA.
JOURNALS - I	O DIA. ROLLER BEARINGS


BUFFERS HYDRAULIC 406 DIA. HEADS
COUPLINGS - INSTANTER
MIN CURVE - 31m.
GEN. ARRGT DRG. No.
BRAKE- AIR DISC & HAND LEVER.
SUSPENSION - FRICTION PEDESTAL

BUILDER - CHARLES ROBERTS
OWNER - SUKO
REGISTERED BY C.M. & E.E. (B.R.B.) DERBY
YEAR BUILT - 1972-3.
REGISTRATION Nos. - SUKO 73000
OWNERS Nos. -

ISSUE 2 EX P.O. DIAGRAM 6/255

EXCESS LENGTH 5	Н	М	L.	Ε
tonnes	51	51	14	14
VS	1			
AB	25	25	8	8
RA	10	8	1	1
MAX SPEED	60	60	60	60





TARE _ 14 200 kg	
CARRYING CAPACITY - 36 800 kg	
CAPACITY- 40 346 litres	
MAX. SPEED - 60 mile/h	_
WHEELS - 952 DIA.	
JOURNALS - 150 DIA. ROLLER	BEARINGS

	400	DIA.	HEADS	
COUPLINGS - INTER	NATION	AL SC	CREW	
MIN. CURVE - 41 m.				
GEN. ARRGT. DRG. No				
BRAKE-AIR DISC &	HAND L	EVER.		
SUSPENSION - PRIMA	ARY FLO	MITAC	3 AXLE	

BUILDER - STANDARD RAILWAY WAGON CO.

OWNER - BRITISH: RAILWAY TRAFFIC & ELECTRIC
REGISTERED BY - C.M. & E.E. (B.R.B.) DERBY


YEAR BUILT - 1973


REGISTRATION Nos. - 70500 TO 70523 INCL.

OWNERS Nos. - 70500 TO 70523 INCL.

ISSUE 2
EX. P.O. DIAGRAM 6/252 (ALLOCATED)

EXCESS 5	Н	М	L	Ε
tonnes	51	51	14	14
VB	0	0	0	0
AB	25	25	8	8
RA	Ю	8	_	١
MAX. SPEED	60	60	60	60





TARE - 13 950 kg					
CARRYING CAPACITY-37000kg					
CAPACITY -	40 345	litres			
MAX. SPEED - 6	O mile/h				
WHEELS- 952	DIA.				
JOURNALS -150	DIA. ROLL	LER BEARINGS			


BUFFERS - HYDRAULIC 406 DIA, HEADS
COUPLINGS - INSTANTER
MIN. CURVE 41 m
GEN ARRGT DRG. No
BRAKE- AIR DISC, VACUUM PIPED & HAND LEVER
SUSPENSION - PRIMARY FLOATING AXLE

UILDER - STANDARD RAILWAY WAGON Co.
WINER - PETROFINA (UK) LTD.
EGISTERED BY -C.M. & E.E. (B.R.B.) DERBY
EAR BUILT - 1973
EGISTRATION Nos 70900 TO 70931
WNERS Nos 70900 TO 70931

ISSUE 2 EX PO. DIAGRAM 6/819 (ALLOCATED)

LOT NUMBER			
		ı	

TOPS INFORMATION							
AARKND OPERATING OPERATING SPEED			BRAKE FORCE DATA	EXCESS	RA	DESIGN	
CARKND	PANEL No.	60 mile/h UP TO 51 tonne GLW	81 FORCE UP TO RELEASE	LENGTH	(GLW)	i I	
TUAC		mile/h ABOVE	25t FORCE ABOVE 35t GLW	5	10	W 16 50	



13 950 kg
37 050kg
40 345 LITRES
41 m
). <del>-</del>


BRAKE-	AIR DISC, & HAND LEVER
SUSPENSION	-PRIMARY FLOATING AXLE
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA. HEADS
WHEELS-	952 DIA.
JOURNALS-	150 DIA. ROLLER BEARINGS

**ISSUE** 1

EX. BR. DIAGRAM

EXCESS 4	Н	M	L	F.
tonnes	51	51	16	16
VB	0	0	0	0
AB	32	32	10	10
R4	10	8	1	1
MAX SPEED	60	60	60	60

I	OPS CODE	
CARKND	AARKND	OPERATING PANEL No
TUB	TUBC	1   1   5   0



TARE 16000kg	
CARRYING CAPACITY-35000k	g.
CAPACITY-34167 litres.	
MAX. SPEED - 60 mile/h.	
WHEELS 952 DIA.	
JOURNALS - 150 DIA. ROLLER	BEARINGS.


YDRAULIC 406	DIA. HEA	NDS.	
INSTANTER.			
31m.			
. DRG. No			
BLOCK, VACUUM	PIPE &	HAND	LEVER
- FRICTION PE	DESTAL.		
	-INSTANTER31mDRG. No - BLOCK, VACUUM	-INSTANTER. -31m. DRG. No -	DRG. No BLOCK, VACUUM PIPE & HAND

BUILDER -CHARLES ROBERTS.	
OWNER SUKO.	_
REGISTERED BY - C.M.& E.E. (B.R.B.) DERBY.	
YEAR BUILT - <b>1973</b> .	-
REGISTRATION Nos 71500.	-
DWNERS Nos	7

## 51 tonne GLW TANK WAGON BITUMEN LAGGED & COILED

LOT N	UMBER

			ORMATION			
	AARKND OPERATING		BRAKE FORCE DATA	EXCESS	RA	DESIGN
	CARKNO PANEL No.	60 mile/h UP TO 51 tonne GLW	Ot FORCE UP TO ALL CLW	LENGTH		
ļ	TUAC	mile/h_ABOVE 31 tollile GLVV	32 t FORCE ABOVE 41 tonne GLW	4	10	WI247




TARE-	16,000 Kg	
CAPACITY, WEIGHT-	35,000 Kg	
CAPACITY, VOLUME-	34.167 litres	
MIN. CURVE-	31 m	

BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	FRICTION PEDESTAL
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA HEADS
WHEELS-	952 DIA.
JOURNALS-	150 DIA. ROLLER BEARINGS

### 51 tonne G.L.W. CAUSTIC LIQUOR TANK WAGON

### TU009A




TARE	13450kg
CARR	YING CAPACITY - 37500 kg
CAPAC	CITY — 25913 litres
MAX	SPEED 60 mile/h
WHEE	LS 952 DIA
JOUR	NALS 150 ROLLER BEARING

BUFFE	Ro H	YDRAULIC 406 DIA HEADS	
COUPL	INGS	INSTANTER	
MIN C	URVE	41m SINGLE and CLOSE COUPLED	
GEN A	RRGT	DRG No 741012/01 (PROCOR (UK)LTD	)
BRAKE	AIR	DISC and HAND LEVER	
SUSPE	NSION	B S.C. PEDESTAL	

#### 51 tonne G.L.W. CAUSTIC LIQUOR TANK WAGON

#### TU009B



TARE -13452kg	
CARRYING CAPACITY - 37500 kg	
CAPACITY - 25913 litres	
MAX. SPEED - 60 mile/h	
WHEELS - 952 DIA.	
JOURNALS - 150 ROLLER BEARING	


BUFF	ERS	HYDRAI	JLIC	406	DIA	HEA	DS		
cou	PLINGS	INST	ANTE	₹					
MIN	CURVI	41m	SING	LE ar	nd C	LOSE	COU	PLED	
GEN	ARRG	r. DRG	No	7410	12/0	)1 (PF	ROCOF	R (UK)L	.TD)
BRAI	KE - AI	R DISC	and H	IAND	LEV	ER			
susi	PENSIO	N - GL	OUCE	STER	PEC	DEST	٩L		

ISSUE 1

.

EXCESS LENGTH	Н	M	L	E
tonnes	51	51 51		16
V8-	1			
AB	26	26	8	8
В.	10	6		1
SPEFD	60	60	60	60

TOPS CODE			
CARKND	AARKND	OPERATING PANEL N	
TUA	TUAC	1 2 1 3	



TAPE	16 000 kg.
CARRYING CAPAC	CITY-350∞kg.
CAPACITY-	25.912 litres.
MAX. SPEED -	60 mile / h.
WHEELS -	952 DIA.
JOURNALS	ISO DIA. ROLLER BEARINGS.

BOFFERS -	HYDRAULIC 406 DIA, HEADS.
COUPLINGS -	INSTANTER.
MIN CURVE	51 m,
GEN ARRGT DRG No	
BRAKE -	AIR BLOCK & HAND LEVER.
SUSPENSION	PEDESTAL.


HUHDER-	PROCOR.
COWNER -	PROCOR.
F SFERED BY	C.M. & E.E. (B.R.B.) DERBY.
7E≙R BUILT -	1976.
REGISTRATION No.	PR,70138 - 70149.
OWNERS Nos	

ISSUE 2
EX. P.O. DIAGRAM 6/25I (ALLOCATED.)

#### 51 tonne GLW TANK WAGON CLASS A'

LOT NUMBER		

TOPS INFORMATION						
AARKND OPERATING	OPERATING SPEED	BRAKE FORCE DATA	EXCESS	RA	DESIGN	
CARKND PANEL No.	60 mile/h UP TO 51 tonne GLW	8t FORCE UP TO 35tone CIW	LENGTH	(GLW)	SHEET	
TUAL	mile/h_ABOVE 31 tolling OLV	25t FORCE ABOVE 35tonne GLW	4	10	W1242	



TARE-	14.750 Kg
CAPACITY, WEIGHT-	36, <sup>200</sup> Kg
CAPACITY, VOLUME-	43,580 litres
MIN. CURVE-	43 m SINGLY & CLOSE COUPLED
GEN. ARRGT. DRG. NO.	


BRAKE-	AIR BLOCK & HAND LEVER
SUSPENSION-	B.S.C. PEDESTAL
COUPLINGS-	INSTANTER
BUFFERS-	HYDRAULIC 406 DIA. HEADS
WHEELS-	952 DIA.
JOURNALS-	150 DIA. ROLLER BEARINGS


## 51tonne G.L.W. TANK WAGON

# TU 015A

EXCESS 5	Н	М	L	Ε
tonnes	51	51	17	17
VB	0	0	0	0
AB	29	29	8	8
RA	10	8	1	1
MAX. SPEED	60	60	60	60

T	OPS CODE				
CARKND	AARKND	OPERATING PANEL No			
TUB	TUBC	1 3 4 7			






TARE - 16 250 kg			
CARRYING CAPACITY - 34700 kg		***************************************	_
CAPACITY - 36 933 Litres			
MAX. SPEED - 60 MPH.	,		
WHEELS - 952 DIA.			
JOURNALS - 150 DIA. ROLLER BEARINGS			_

BUFFERS HYDRAULIC 406 DIA.
COUPLINGS INSTANTER
MIN. CURVE 70 m
GEN ARRGT DRG No.
BRAKE -AIR BLOCK, VACUUM PIPPED & HAND SCREW
SUSPENSION -GLOUCESTER FLOATING AXLE

# 51 tonne G.L.W. LAGGED & COILED CLASS B TANK WAGON TU016A

EXCESS 4	Н	М	L	Ε
tonnes	51	51	14	14
VB	0	0	0	0
AB	26	25	. 8	8
RA	10	8	1	1
MAX SPEED	60	60	60	60

1	OPS CC	DE				
CARKND	AARKND		OPERATING PANEL No.			
T U B	TUB	С	1	3	5	3



EXCESS 4	Н	М	L	Ε
tonnes	51	51	14	14
VB	0	0	0	0
AB	26	2€	8	8
RA	10	8	1	1
MAX. SPEED	50	60	60	60

			Ţ	OP	S	COI	DΕ			
c	AR	KNI	0	AARKND		OPERATING PANEL No				
<b></b>	Ţ	U	₿	T	U	В	Ĺ	1	3	5   3

